

FullLineCatalog\_F.indd 1 9/10/20 4:37 F

# **COMMITTED TO THE FOUNDER'S SPIRIT OF** INNOVATION

Resilience is a valuable commodity in times of disruption, because it is a foundation on which reliability and trust are built. In 2020 in particular, we have all encountered the truth of this in many ways. Our company has its roots in forestry, which means it is second nature for us to think in terms of extended timescales and cycles - just as the forest and the natural world require us to.

STIHL is celebrating its 95th anniversary this year. The company, which was founded almost a century ago by Andreas Stihl, is to this day still committed to our grandfather's innovative spirit and drive. We - now in the 3rd generation of the Stihl family - believe that the guarantee of the company's resilience is in its power to innovate, and ambition to always be a technological leader.

Whether you choose our combustion engines, cordless technology, or digital services such as fleet management for professional customers, as a STIHL user you can rely on us and be sure that with every development and every new advance, we deliver a tangible improvement - for example in terms of performance, ease-of-use, design, or services. We do our utmost to reinforce your trust in our sustainability and the dependable quality of our products and services. Ultimately, we create tools and solutions for you; so that you can master the tasks you face in nature with ease, and enjoy growing with these challenges.

Your Stihl family

Selina Stihl Vice Chairperson of the STIHL Advisory Board Dr. Nikolas Stihl Chairman of the STIHL Advisory Board

Karen Tebar Vice Chairperson of the STIHL Advisory Board



# WARRANTIES AND TRADEMARKS

by ANDREAS STIHL AG & Co. KG, Waiblingen: March 30, 2020

### STIHL REGISTERED TRADEMARKS

- 2. **STIHL** (Registered)
- 3. **5**
- 4 The color combination (US Registrations #2,821,860; 3,010,057; 3,010,058; 3,400,477; and 3,400,476)
- 5. ব্রি®
- •
- <del>@</del>®

- 11. AutoCut® 12. DIRT BOSS®
- 13 FARM BOSS
- 14. iCADEMY®
- 15. iMOW®
- 16. KISS MY AXE®
- 17 MAGNUM®
- 19 MotoMiv® 20. OILOMATIC®
- 21. ROCK BOSS®
- 22. STIHL Cutquik®
- 23. STIHL DUROMATIC®
- 24 STIHL Quickston® 25. STIHL ROLLOMATIC®
- 26. STIHL WOOD BOSS®
- 27. TIMBERSPORTS®
- 28 WOOD BOSS® 29. YARD BOSS®

# SOME OF THE STIHL



# 31. **STIHL**

- 32. 4-MIX™
- 33. BioPlus™
- 34 Fasy2Start™
- 35. EasySpool™
- 36. FlastoStart™
- 38 FixCut™
- 39. IntelliCarb™
- 40. Master Control Lever™
- 41. Micro™
- 42. On A Single Charge™
- 43. Pro Mark™
- 44. Quiet Line™
- 45 STIHL Moto4™ 46 STIHL M-Tronic™
- 47. STIHL OUTFITTERS™
- 48. STIHL PICCO™
- 49. STIHL PolvCut™
- 50. STIHL PowerSweep<sup>1</sup> 51. STIHL Precision Series™
- 52. STIHL RAPID™
- 53. STIHL SuperCut™ 54. TapAction™

### 55. TrimCut™

# The following trademarks are owned STIHL Limited Warranty Time Periods

Current Models	Personal, Family Household Use	Commercial Use
Battery-Powered Tools (Except top-handle chain saws and cut-off machines)	3 years	2 years
Gasoline Chain Saws (Except top-handle chain saws)	1 year	3 months
120 Volt Electric Chain Saws	l year	3 months
Top-Handle Chain Saws*	-	3 months
Cut-Off Machines, Concrete Cutter*	-	3 months
Pressure Washers	2 years	l year
Trimmers and Brushcutters, Clearing Saws, Edgers, Blowers and SR Sprayers, Hedge Trimmers, Pole Pruners, KM Series, MM Series and Wet/Dry Vacuums	2 years	2 years
SG Manual Pump Sprayers	1 year	l year
Gearbox and Interchangeable Attachments	2 years	2 years
*Marketed for commercial use only.		

Additional information regarding the STIHL Limited Warranty policy is available at www.STIHLusa.com/warranty.html.



# The 2-Year Limited Warranty Coverage

For commercial users on STIHL lawn care equipment and other selected power tools for commercial users, the 2-Year Limited Warranty is in addition to STIHL's industry-leading, extended warranty coverage for the drive shaft. You can depend on your STIHL equipment to work as hard as you do, and for STIHL to stand behind its equipment. See your STIHL Dealer for details.



### When you purchase either STIHL HP Ultra Oil (six bottles) or STIHL MotoMix® Patented Premixed Fuel (one gallon minimum)

Double limited warranty protection applies to select STIHL gasoline-powered products purchased for personal non-income producing, household purposes only. Other restrictions apply. See dealer for details or refer to STIHL's Limited Warranty Policy at www.STIHLusa.com.

All STIHL products are warranted for 3 months when product is used for rental purposes.

All STIHL model PA axes, PH hedge shears, PL loppers, PP pruners, and PS pruning saws are warranted to the original consumer for as long as the appropriate spare part or product continues to be available from STIHL. Products used for rental use are excluded.

STIHL products sold through U.S. retailers are for distribution in the United States only.



### Get the Official STIHL App

Your mobile device is about to get even more powerful. The official STIHL App puts a wide range of STIHL resources at your fingertips. Find products, find STIHL Dealers and connect to the STIHL community. Already a STIHL owner? Enjoy quick access to product manuals, how-to articles and videos. Available in the iTunes App Store™ and Google Play.™

NOTE: STIHL recommends using fuel with no more than 10% Ethanol content. Using fuel with greater than 10% Ethanol content may cause damage to your equipment and may void your STIHL limited warranty.

This listing of trademarks is subject to change. Any unauthorized use of these trademarks without the express written consent of ANDREAS STIHL AG & Co. KG, Waiblingen is strictly prohibited. STIHL's philosophy is to continually improve all of its products. As a result, engineering changes and improvements are made from time to time. Specifications and photos are as of October 2020, and are subject to change without notice.

FullLineCatalog\_F.indd 2 9/10/20 4:38 PM




V 211 11172

# TABLE OF CONTENTS

- 30 iMOW Robotic Mowers
- 34 Corded-Electric Products
- 38 STIHL connected
- 40 Chain Saws
- 68 Saw Chains, Guide Bars & Accessories
- 78 Trimmers & Brushcutters
- 100 Edgers & Bed Redefiner
- 106 **Hedge Trimmers**
- 122 **Pole Pruners**
- 126 Blowers & Shredder Vacs
- 142 Sprayers
- 144 Wet/Dry Vacuums
- 146 Pressure Washers
- 150 Multi-Task Tools
- 158 Lawn Mowers
- 164 Hand Tools
- 170 Augers & Drills
- 172 Cut-Off Machines
- 182 Protective Apparel & Accessories











# **ENDURING**

Powering our versatile lineup of small, handheld tools, this series delivers performance without compromising run time.





# **CONVENIENT**

Featuring an integrated battery, this series is ideally suited for quick tasks around smaller yards and condominiums.





# **POWERFUL**

Boasting professional-grade power, this series is designed for extensive use on a wide range of properties.



# BATTERY CHAIN SAWS & TRIMMERS

 With a diverse line of battery-powered chain saws and trimmers, STIHL has you covered by delivering premium cutting performance in a cordless package.





MSA 120 C-B

AK



MSA 140 C-B

AK



MSA 160 C-B

AP



**MSA 161 T** 

AP

For in-tree professional use only!



MSA 200 C-B

AP





MSA 220 C-B





# **FSA 57**

"Trimmer is powerful and does the job on my suburban home."



Check out this review and others on the product pages at **STIHLusa.com.** 



FSA 45

FSA 57





# BATTERY BLOWERS & HEDGE TRIMMERS

 Zero exhaust emissions and high performance: STIHL offers a complete line of battery-powered blowers and hedge trimmers for homeowners and professional users alike.





BGA 45



BGA 57



BGA 86





BGA 100



BGA 200



# HSA 66

"I am impressed by the performance and ease of use with the battery power and longevity.

This unit has exceeded my expectations."



Check out this review and others on the product pages at **STIHLusa.com.** 



HSA 26 GARDEN SHEARS



HSA 94 R



HSA 45







HSA 56



HSA 66



# BATTERY EXTENDED-REACH HEDGE TRIMMERS

 Our extended-reach hedge trimmers are ideal for trimming in densely populated or noise-sensitive areas.

















# **POLE PRUNERS AND BATTERY SPECIALTY SOLUTIONS**

 Our extensive range of specialty battery products includes a diverse lineup of pole pruners, a cut-off machine and garden pruner, as well as dynamic multi-task tools designed for efficiency.











Combine one of fourteen KombiSystem attachments and you're ready to go.



















**TSA 230** STIHL Cutquik® **CUT-OFF MACHINE** 



**GTA 26** GARDEN PRUNER AS



**GTA 26** 

"This is the best tool that I've bought in a long time. Slices right through branches, that would have been impossible for me."









**★ ★ ★ ★** - Debbie01

Check out this review and others on the product pages at STIHLusa.com.

# BATTERY LAWN MOWERS & BATTERY ACCESSORIES

 With easy starts at the push of a button and zero fuel required, STIHL battery-powered lawn mowers provide a convenient, easy-to-use option for suburban lawn maintenance.













AS 2
BATTERY



AK 10 / AK 20 AK 30 BATTERIES



AP 100 / AP 200 AP 300 / AP 300 S BATTERIES





AR 1000 / AR 2000 AR 3000 BACKPACK BATTERIES



AR 2000 L
AR 3000 L
BATTERIES



AL 1 CHARGER



CHARGER



AL 300 / AL 500 CHARGERS



BATTERY
CARRYING CASE\*

\*Case inserts sold separately









**BATTERY BELT WITH HARNESS** 





**AP BATTERY BAG** AVAILABLE WITH CONNECTING CABLE





**AP ADAPTER** 



**AP BATTERY BACKPACK** 





**AR 2000 L AR 3000 L BATTERY HARNESS** 


AP





# SELECTING THE BEST AP OR AR BATTERY **ACCESSORIES FOR YOUR NEEDS.**

Some AP Series battery-powered tools do not have an onboard-style battery. Instead, they are equipped with a socket that connects a cable to a battery source. The combination of accessories you need for this type of battery power supply is based on which battery type you choose - the AP or AR battery. See below for compatible configurations.



### POWER OPTIONS FOR POWER TOOLS EQUIPPED WITH A SOCKET (NO ONBOARD BATTERY SLOT)

### **AP SERIES BATTERIES**

- AP 100
- · AP 200
- AP 300



# AR SERIES BACKPACK BATTERIES

- AR 1000 · AR 2000
- · AR 3000



# AR "L" SERIES BATTERIES

• AR 2000 L • AR 3000 L



Note: The AP adapter and connecting cable are required for charging the AR backpack batteries

# OPTIONAL ACCESSORY / POWER SOURCE COMPATIBILITY FOR POWER TOOLS EQUIPPED WITH A SOCKET

- AP SERIES • AR SERIES
- O AR "L" SERIES













Power Tool	Battery Belt with Harness <sup>1</sup>	AP Battery Backpack	AP Battery Bag with Connecting Cable <sup>2</sup>	BGA 200 Carrying System	BGA Hip Pad	FS/KM Hip Pad	AR 2000 L / 3000 L Battery Harness <sup>3</sup>	AR 2000 L / 3000 L Connecting Cable⁴
BGA 100	•	•	•		• • 0		0	0
BGA 200	•	•	•	• • ○	lacktriangledown		0	0
FSA 130 R	•	•	•			••	0	0
HSA 94 R	•	•	•				0	0
HSA 94 T	•	•	•				0	0
KMA 130 R	•	•	•			••	0	0

- Used in conjunction with AP Battery Bag with Connecting Cable (separate accessory shown above). May also use optional AP Battery Bag for spare battery (separate accessory not shown).

  2 Used in conjunction with AP Battery Belt with Harness or AP Battery Backpack (separate accessories shown above).

  3 Only compatible with AR 2000 L and AR 3000 L Backpack Batteries. Used in conjunction with AR 2000 L / 3000 L Connecting Cable (separate accessory shown above).

- <sup>4</sup> Only compatible with AR 2000 L and AR 3000 L Backpack Batteries. Used in conjunction with AR 2000 L / 3000 L Battery Harness (separate accessory shown above).

# **BATTERY CHARGE INFORMATION**







AK 10 Battery AK 20 Battery AK 30 Battery

AS SERIES BATTERIES	
AS SERIES BATTERIES	
Battery Charging Times - Minutes (80%/100% capacity usi	ing AL 1 Charger)
AS 2	55/70
Working Times Per Battery Charge - Minutes <sup>1</sup>	
GTA 26	25
HSA 26 w/ Grass Shear	120
HSA 26 w/ Hedge Shear	80
AI SERIES BATTERIES	
Battery Charging Times - Minutes (80%/100% capacity usi	ing LK 45 Charger)
FSA 45	145/210
HSA 45	145/210
BGA 45	210/300
Working Times Per Battery Charge - Minutes <sup>1</sup>	
FSA 45 (STIHL PolyCut™ 2-2 blades / .65" line)	20/12
HSA 45	40
BGA 45	10

<sup>&</sup>lt;sup>1</sup>The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

AK SERIES BATTERIES													
Battery Charging Times - Minutes (80%/100% capacity)													
AL 101 CHARGER	70/95	135/180	160/205										
AL 300 CHARGER	30/45	35/55	35/60										
AL 500 CHARGER	30/45	35/55	35/60										
Working Times Per Battery Cha	rge – Minutes <sup>1</sup>	•											
MSA 120 C-B	18	40	55										
MSA 140 C-B	18	40	45										
FSA 57	25	50	60										
HLA 56	50	100	120										
HSA 56	50	100	120										
BGA 57	13	25	30										
Working Times Per Battery Cha	rge - Sq. Ft.¹												
RMA 460	_	-	2,852										
RMA 460 V	_	_	2,347										

Recommended battery Reduced tool performance — Not Applicable  $\textbf{Note:} \ \mathsf{Battery/tool} \ \mathsf{combinations} \ \mathsf{providing} \ \mathsf{the} \ \mathsf{best} \ \mathsf{balance}, \ \mathsf{adequate} \ \mathsf{run} \ \mathsf{time} \ \mathsf{and} \ \mathsf{performance} \ \mathsf{are}$ 

STIHL battery technologies continue to improve. As a result, battery run times may vary depending on specific version used.

		AP 100	AP 200	AP 300	AP 300 S	AR 1000	AR 2000	AR 3000	AR 2000 L	AR 3000 L
KMA 13	O R / KMA 135 R A	ND KOMB	ISYSTEM .	ATTACHM	ENTS					
Working T	imes Per Battery Charge	- Minutes (Pe	rformance Lev	rels 1-3)¹						
BF-KM	Mini-Cultivator	16-13	31-25	46-37	57-46	125-99	183-145	230-181	200-160	300-230
BG-KM	Blower	14-6	26-10	39-15	48-19	104-39	153-57	191-72	170-60	245-90
FBD-KM	Bed Redefiner	5-5	9-9	14-14	-	38-38	55-55	69-69	60-60	90-90
FCB-KM	Curved Lawn Edger	12-7	23-12	33-18	41-22	89-47	131-69	164-86	145-75	210-110
FCS-KM	Straight Lawn Edger	12-7	23-12	33-18	41-22	89-47	131-69	164-86	145-75	210-110
FS-KM	Line Head Trimmer	16-7	30-14	38-18	47-22	105-50	154-73	193-92	170-81	250-120
FS-KM	Brushcutter	29-16	60-30	75-40	93-50	201-104	294-153	368-191	325-170	470-240
FH-KM	145° Power Scythe	62-41	123-81	185-123	229-152	501-332	733-486	918-610	810-540	1,150-790
HL-KM	O° Hedge Trimmer	62-41	123-81	185-123	229-152	501-332	733-486	918-610	810-540	1,150-790
HL-KM	145° Hedge Trimmer	62-41	123-81	185-123	229-152	501-332	733-486	918-610	810-540	1,150-790
нт-км	Pole Pruner	22-10	42-19	63-29	78-36	171-77	250-112	313-141	275-120	320-180
KB-KM	Bristle Brush	16-13	31-25	46-37	57-46	125-99	183-145	230-181	200-160	300-230
KW-KM	STIHL PowerSweep™	16-13	31-25	46-37	57-46	125-99	183-145	230-181	200-160	300-230
RG-KM*	Reciprocator	28	57	70	85	190	280	350	300	450

 $\textbf{Note:} \ \text{The battery working times per charge are estimates and may vary depending on usage and application.}$ 

















P 100	AP 200	AP 300	AP 300 S	AR 1000	AR 2000	AR 3000	AR 2000 L	AR 3000 L

AP AND AR SERIES BATT	ERIES								
Battery Charging Times - Minutes	s (80%/100% c	apacity)							
AL 101 CHARGER	75/100	150/200	190/250	230/300	_	_	_	_	-
AL 300 CHARGER	30/45	40/50	45/65	55/70	130/160	190/215	220/265	210/270	310/400
AL 500 CHARGER	30/45	30/45	25/35	30/45	90/120	100/130	120/160	110/150	170/220
Working Times Per Battery Charg	je – Minutes¹	'	'	'	'	'		'	
MSA 160 C-B	18	42	50	62	125	180	230	196	300
MSA 161 T**	18	42	50	62	125	180	230	196	300
MSA 200 C-B	18	42	45	56	110	160	200	174	261
MSA 220 C-B	_	-	35	37	110	160	200	201	281
HTA 65	18	42	55	68	125	180	230	196	300
HTA 85	18	42	55	68	125	180	230	196	300
NEW! HTA 135	10	22	35	45	95	130	170	160	240
KMA 130 R (FS-KM line) <sup>2</sup>	16-7	30-14	38-18	47-22	105-50	154-73	193-92	170-81	250-120
NEW! KMA 135 R (FS-KM line) <sup>2</sup>	16-7	30-14	38-18	47-22	105-50	154-73	193-92	170-81	250-120
FSA 85	18	36	45	56	120	180	220	196	287
FSA 90 R (nylon head)	12	24	30	<b>30</b> 37 80		120	150	130	196
FSA 130 R (nylon head) <sup>2</sup>	19-10	30-18	40-20	50-25	100-70	150-100	190-125	160-105	240-160
NEW! FSA 135 (nylon head) <sup>2</sup>	14-10	28-17	36-19	45-25	100-56	150-82	190-125	160-90	220-130
NEW! FSA 135 R (nylon head) <sup>2</sup>	14-10	28-17	36-19	45-25	100-56	150-82	190-125	160-90	220-130
HSA 66	72	144	180	223	450	660	800	717	1,043
HSA 94 R <sup>2</sup>	54-42	108-84	135-105	167-130	380-320	550-450	700-570	550-480	900-740
HSA 94 T <sup>2</sup>	54-42	108-84	135-105	167-130	380-320	550-450	700-570	550-480	900-740
HLA 65	72	144	180	223	450	660	800	717	1,043
HLA 85	72	144	180	223	450	660	800	717	1,043
NEW! HLA 135 (145°)	32	64	77	95	215	310	390	345	520
NEW! HLA 135 K (145°)	32	64	77	95	215	310	390	345	520
NEW! HLA 135 K (0°)	32	64	77	95	215	310	390	345	520
NEW! BGA 86	11	17	21	26	57	84	105	90	140
BGA 100 <sup>3</sup>	32-8	66-12	83-16	103-20	225-45	300-60	395-75	320-65	510-95
BGA 200 <sup>3</sup>	24-6	49-7	78-12	95-14	212-32	295-43	376-60	354-53	550-86
TSA 230	7	14	18	22	_	_	-	-	-
Working Times Per Battery Charg	je - Sq. Ft.¹ 		E 100						
RMA 510 V	_	_	5,100	7.070	_	_	-	_	-
RMA 510 V	_	_	2,562	3,078	_	_	_	_	_


Recommended battery Reduced tool performance — Not Applicable

**Note:** Battery/tool combinations providing the best balance, adequate run time and performance are shown in bold.

 $<sup>^{\</sup>rm l}$  The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

<sup>1</sup> The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

<sup>\*\*\*</sup>WARNING: If using an AR series battery or AP series battery in a battery bag with connecting cord, always use a lift bucket for in-tree surgery and maintenance. Do NOT climb in the tree.



**LOOK AT** WATT HOURS, NOT VOLTS.





# **VOLTS ONLY TELL HALF THE STORY**

STIHL lithium-ion batteries feature advanced construction and innovative engineering to maximize run times (watt hours). Simply put, more watt hours mean longer run times, allowing you to finish more work on a single charge.



VOLTS | x | AMP HOURS | = | WATT HOURS

WHAT REALLY MATTER

**POWER** 

**WORK CAPACITY RUN TIME** 



36 volt

36 volt 4.0 amp hou

**AK 20** 

AK 30

36 volt




**AP 200** 

**AP 300** 

**AP 300 S** 

36 volt 7.2 amp hour



pruning bushes or even cutting light timber, you can rely on the STIHL GTA 26 to make smooth, precision cuts every time.



BATTERY POWER. MADE BY STIHL.

**GTA 26** 

**REAL STIHL. FIND YOURS.** 





# RMI 422 SERIES

# FOR SMALL LAWNS UP TO 1/4 ACRE.

Perfect for small lawns, around pools and even yards with hilly terrain, this fast, maneuverable RMI 422 series covers every last corner of your lawn. Its compact dimensions are well suited to easily navigate your yard.

LTE version available using the STIHL iMOW® app.

# NEW

# **RMI 522 SERIES**

# FOR MEDIUM LAWNS UP TO 1/2 ACRE.

The newest iMOW® features an advanced GPS-guided navigation system for returning to the docking station. Perfect for the average suburban lawn, this fast, maneuverable mower can easily maintain a .5 acre lawn in about 35 hours per week.

LTE connectivity standard using the STIHL iMOW® app.

# RMI 632 SERIES

# FOR LARGE YARDS UP TO ONE ACRE.

With a more powerful battery, the RMI 632 series handles larger lawns with ease. Mows up to 150 minutes on a single charge and includes a removable control panel for easy access and programming without bending down to reach the controls.

LTE version available using the STIHL iMOW® app.



RMI 422 P / RMI 422 PC-L



RMI 522 C



RMI 632 P / RMI 632 PC-L

# ADDITIONAL IMOW® ADVANTAGES



# MORE INTELLIGENCE – A MOWER THAT THINKS

iMOW® has a mowing plan tailored to your yard. It's fast and easy to use for a great looking lawn.



# MOWS EVENLY ACROSS ALL AREAS

iMOW® can be programmed to mow a variety of yard layouts (like a front or back yard).



# A BEAUTIFUL LAWN IN EVERY WAY

iMOW® has an edge mowing option to get a clean cut along the edges of your mowing area.



# MAXIMUM FLEXIBILITY DURING CHARGING AND MOWING

To cover a large area in a short time, iMOW® can recharge faster and adjust its speed to suit the mowing conditions.



### **QUIET**

iMOW® mows so quietly, your neighbors will hardly notice it's there. Plus, iMOW® emits no exhaust emissions while working.



### ALLERGY RELIEF

iMOW® doesn't kick up dust and dirt like a traditional mower, providing relief for people with allergies.

iMOW® Working Ranges (Area and Time)	MAX AREA	WEEKLY MOWING TIME
RMI 422 P	.25 acre	25 hours
RMI 422 PC-L	.42 acre	28 hours
NEW! RMI 522 C	.5 acre	35 hours
RMI 632 P	1 acre	40 hours
RMI 632 PC-L	1.24 acre	50 hours

Note: Specifications are under ideal conditions, based on the specific maximum lawn area.



# **CORDED-ELECTRIC PRODUCTS**

- STIHL corded-electric products combine performance and convenience - all in an environmentally conscious package.
- Both homeowners and professionals appreciate their smooth, quiet operation, instant starting and lightweight design.





**MSE 141** CHAIN SAW





**MSE 170 C-B** CHAIN SAW







MSE 210 C-B CHAIN SAW





**MSE 250** CHAIN SAW









**FSE 60** 

TRIMMER



**HSE 52** HEDGE TRIMMER





**HSE 70** HEDGE TRIMMER









**RE 90** PRESSURE WASHER **→** 



RE 110 PLUS PRESSURE WASHER





**BGE 61** BLOWER






**BGE 71** BLOWER









"This vacuum is great. It has plenty of power to handle anything I expect out of a vacuum."



Check out this review and others on the product pages at STIHLusa.com.






Find more information at:

STIHLUSA.COM/STIHLCONNECT

or in a pack of ten.





FALLEN LIMBS, PRUNING, LIGHTER CUTTING

STORM CLEANUP, **FIREWOOD CUTTING**  LARGER WOODCUTTING JOBS, **FIREWOOD BUSINESS** 

PROFESSIONAL ARBORISTS, TREE CUTTING SERVICES

# OCCASIONAL USE

# CHAIN SAWS

# **CHAIN SAWS**

**PROFESSIONAL** USE

MSA 120 C-B 🔳 MS 170 MSA 140 C-B MSE 170 C-B MS 180 C-BE MS 211 C-BE MS 194 C-E

MSE 141 🖈

**MS 171** 

**MS 180** 

**MS 181 C-BE** 

**MS 211** 

MS 151 C-E

MSA 160 C-B

MSE 210 C-B **→** MSA 220 C-B MS 250

MSA 200 C-B MS 251 **MS 201 C-EM** MS 251 C-BE

MSE 250 -MS 261 MS 261 C-M

MS 291 MS 311 MS 391

MS 362

MS 400 C-M

MS 271

MS 362 C-M MS 362 R C-M

MSA 161 T **MS 194 T** MS 201 T C-M

MS 151 T C-E

MS 461 R MS 462 C-M MS 462 R C-M

**MS 500i R** 

MS 461


MS 661 R MAGNUM® MS 500i

MS 661 C-M MAGNUM® MS 661 R C-M MAGNUM® MS 881 MAGNUM® MS 881 R MAGNUM®

MS 661 MAGNUM®

# FALLEN LIMBS, **PRUNING &** LIGHTER CUTTING

- If you're looking to choose a chain saw for work around your home, STIHL has you covered.
- Legendary performance in an easy-to-use package, and built for all your fallen limbs, pruning and lighter cutting tasks.





# **MSA 120 C-B**



The AK Series MSA 120 C-B is the go-to chain saw for storm cleanup or limb removal around the suburban yard.



# **MSA 140 C-B**





The most powerful chain saw in the AK Series, the MSA 140 C-B delivers excellent cutting performance for up to 45 minutes with the AK 30 battery.\*



### **MSE 141**



The MSE 141 is our lightest, most affordable corded-electric chain saw with excellent cutting performance for occasional users.



### **MS 170**



Compact, lightweight and with just the right amount of power, the MS 170 is ideal for trimming or cutting small trees, fallen limbs and other tasks around the yard.

\*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.



### **MSE 170 C-B**



The durable MSE 170 C-B features a coast-down brake and delivers all the power needed for tasks around the yard.



# **MS 171**

"This little saw did the job easily. It is very light and has plenty of power for small jobs."



Check out this review and others on the product pages at STIHLusa.com.





The lightweight and fuel-efficient MS 171 features reducedemission engine technology, perfect for homeowners seeking a chain saw for pruning and lighter cutting.



# **MS 180 C-BE**



The MS 180 C-BE features the same power and performance as the MS 180 along with the STIHL Easy2Start  $^{\text{\tiny TM}}$  system for almost effortless starting.



# **MS 180**



The light-duty MS 180 provides consistent performance in the field, making quick work of trimming branches and cutting small trees.



### **MS 181 C-BE**





The lightweight and easy-to-use MS 181 C-BE features the STIHL Easy2Start™ system for almost effortless starting, great for woodcutting chores around the home.

A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components. or full specification information for all STIHL chain saws, please refer to page 64. Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.



# STORM CLEANUP & FIREWOOD **CUTTING**

- No matter where there's work to be done. the proven dependability of a STIHL is on the job.
- We offer a variety of high-performance chain saws engineered for service, day in and day out.





# **MS 151 C-E**



Designed for homeowner use, and weighing only 6.1 lbs., the MS 151 C-E boasts an excellent power-to-weight ratio in a compact design.



# **MSA 160 C-B**





Powered by a STIHL Lithium-Ion battery, the MSA 160 C-B workhorse starts instantly, delivering 36 volts of power from its commercial-grade, high-torque brushless motor.



### **MS 194 C-E**







The MS 194 C-E features a powerful STIHL engine in a lightweight package, providing the power to get the job done with reduced user fatigue.



# TIP

### **WINTER STORAGE**

STIHL recommends storing your gasoline-powered chain saws with STIHL MotoMix® Premixed Fuel, a stable, ethanol-free, high-performance fuel that's ideal for occasional use over the long winter months. Also never leave your tools outside and exposed to the weather, especially in the winter.

\*Run time may vary based on battery type, charge level and capacity, model, operating style





# **MSA 200 C-B**





Part of the AP Series, the lightweight and quiet MSA 200 C-B delivers the cutting power of gasoline with up to 45 minutes of run time with the AP 300 battery.\*







day at work, no fumes, low noise."

**MSA 200 C-B** 

Check out this review and others on the product pages at STIHLusa.com.

"This saw is very capable on the job and has routinely provided me with a more enjoyable



# **MS 201 C-EM**



The MS 201 C-EM delivers power and smart technology with the STIHL M-Tronic™ intelligent engine management system and STIHL Easy2Start™ system for almost effortless starting.



# **MSE 210 C-B**





The high-performance MSE 210 C-B corded-electric chain saw delivers the power needed for projects, such as woodworking and firewood cutting, without fuel costs and engine maintenance.



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components. For full specification information for all STIHL chain saws, please refer to page 64. Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.







The MS 211 uses advanced technology in the form of a powerful low-emission, fuel-efficient engine and reduces engine maintenance with a professionally inspired pre-separation air filtration system.



# MS 211 C-BE



BUILT IN STIHL USA EASY START

The MS 211 C-BE takes all the low-emission and air filtration technology of the MS 211 and adds the STIHL Easy2Start™ system for fast and easy starts and our toolless Quick Chain Adjuster.



# MSA 220 C-B



AP 👜

The most powerful battery-powered chain saw in the STIHL line, the MSA 220 C-B delivers the speed, cutting capacity and run time to take on just about any cutting task with ease.



# MS 250



A longstanding customer favorite, the MS 250 features an exceptional power-to-weight ratio to cut through small limbs and trees and tackle clearing or cleanup tasks.



# MS 251 WOOD BOSS® Wood Boss



The MS 251 WOOD BOSS® is designed to deliver all the power with a comfortable and ergonomic design, perfect for felling small trees, pruning and thinning, and cutting firewood simply and efficiently.



# **MS 251 C-BE**





The MS 251 C-BE features all the comfort and ease of the MS 251, plus the STIHL Easy2Start™ system, perfect for felling small trees, pruning and thinning, and cutting firewood.





# **LARGER** WOODCUTTING **JOBS & FIREWOOD BUSINESS**

 When it comes to logging, land clearing, tree service, and big firewood-cutting jobs, professionals trust the unique features that make STIHL the number one selling brand of gasoline-powered handheld outdoor power equipment in America.\*



### **MS 261 C-M**







The MS 261 C-M has all the same great features as the MS 261 - low exhaust emissions, high fuel efficiency and robust performance - but also features STIHL M-Tronic™ intelligent engine management technology.



# MS 271 FARM BOSS® GFarm Boss





A true powerhouse, the MS 271 FARM BOSS® takes charge when it comes time for felling, cutting firewood or storm cleanup, tackling cutting jobs with a low-emission, fuelefficient engine.



### MS 291





The high-performance, fuel-efficient MS 291 chain saw features an advanced anti-vibration system to reduce operator fatigue great for felling, firewood cutting and storm cleanup.



# **MS 311**





The MS 311 is a high-tech workhorse with a step up in horsepower and features over the MS 291, including improved engine technology and fuel economy for longer run time.



### MS 362



The MS 362 is a no-fuss, hardworking chain saw that mixes great power with fuel efficiency, ideal for any professional tree or forestry personnel.

MS 362 R wrap-handle version available.



### MS 362 C-M



The MS 362 C-M features the same great power, weight and fuel efficiency as the MS 362, but also features the exclusive STIHL M-Tronic™ intelligent engine management technology. MS 362 R C-M wrap-handle version available.

\*"Number one selling brand" is based on syndicated Irwin Broh Research as well as independent consumer research of 2009-2019 U.S. sales and market share data for the gasoline-powered handheld outdoor power



# **MSE 250**



The MSE 250 offers professional-grade cutting power – ideal for experienced professionals, including builders and contractors because it's strong enough to handle tough cutting jobs and firewood cutting.



### **MS 261**







Designed for large-volume cutting, the MS 261 offers an optimized power-to-weight ratio, low emissions, high fuel efficiency, and professional-grade performance.



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components For full specification information for all STIHL chain saws, please refer to page 64. Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.




the field, farm and ranch.



### MS 391







# **MS 400 C-M**



The new STIHL MS 400 C-M is the world's first chain saw with a piston made of magnesium alloy, which gives users added power and performance without the added weight in a modern design.

MS 400 C-M shown with optional lightweight guide bar.



### MS 461



The MS 461 is a well-balanced, fuel efficient chain saw that's great for the demanding professional looking to cut big timber.

MS 461 R wrap-handle version available.




# MS 462 C-M



The MS 462 C-M is a lightweight, powerful chain saw fit for any forest, offering performance at the highest capacity with STIHL M-Tronic™ engine management technology.

MS 462 R C-M wrap-handle version available.





# MS 500i

The first chain saw from STIHL with electronically controlled fuel injection technology. The MS 500i provides unmatched power and performance.

MS 500i R wrap-handle version available. MS 500i shown with optional lightweight guide bar.



# MS 661 MAGNUM®




Designed for professionals, the MS 661 MAGNUM® chain saw makes taking down trees a breeze by delivering, power, operator comfort, rugged dependability, and reliable performance.

MS 661 R MAGNUM® wrap-handle version available. MS 661 shown with optional lightweight guide bar.



### MS 661 C-M MAGNUM®





MS 661 R C-M wrap-handle version available. MS 661 C-M shown with optional lightweight guide bar.



# MS 881 MAGNUM®



For professionals who demand the utmost performance for the toughest jobs, there is no substitute for the most powerful chain saw in the STIHL lineup.

MS 881 R MAGNUM® wrap-handle version available.



# **PROFESSIONAL ARBORISTS**

• Made for professionals, by professionals. STIHL professional in-tree chain saws are compact, maneuverable and feature a top handle.







# **MS 151 T C-E**



The MS 151 T C-E is lightweight, compact and designed for maximum maneuverability for in-tree cutting.



# **MSA 161 T**



Powered by a STIHL Lithium-ion battery, the MSA 161 T is lightweight and compact, making it easy to use and maneuver in trees, reducing operator fatigue.



# **MS 194 T**

in-tree use.

USA



A compact powerhouse packed with high-performance features, the MS 194 T is designed for professional



# **MS 201 T C-M**

The MS 201 T C-M is the ultimate chain saw designed for professional arborists for in-tree use and the first top-handle saw equipped with STIHL M-Tronic<sup>™</sup> technology.




# **MS 201 T C-M**

"This saw is an unbelievable powerhouse."



Check out this review and others on the product pages at **STIHLusa.com.** 



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components.

For full specification information for all STIHL chain saws, please refer to page 64.

Note: STIHL recommends the use of green-labeled bars and saw chains. Refer to saw chain selection guide on page 72.

# SPECIALTY RESCUE CHAIN SAW





# MS 462 R C-M RESCUE



For fire/rescue service only

The ultimate rescue saw designed exclusively for emergency personnel. The MS 462 R C-M RESCUE features the remarkable OILOMATIC® STIHL RAPID™ Duro Rescue Chain (RDR) capable of cutting through glass, sheet metal, roofing, and wood.

Shown with optional depth limiter.





STIHLUSA.COM CHAIN SAWS

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Powerhead Weight (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Guide Bar Lengths (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type	Side-Access Chain Tensioner	Quick Chain Adjuster (B)	STIHL Quickstop® Plus - an additional chain braking feature	STIHL M-Tronic™ (M)	STIHL Easy2Start <sup>™</sup> (E)	Wrap Handle	Master Control Lever™	Throttle Trigger Lockout	Pre-Separation Air Filtration System	Anti-Vibration System	Toolless Fuel and/or Oil Cap with Retainers	Caring for Nature	Built in the USA
FALLEN LIMBS, PRUN	ING, LIGH	TER CUT	TING																				
MSA 120 C-B	AK	-	-	36	5.5	-	3.7	10 - 12	1/4" P	PM3	-	•	•	-	-	-	_	•	-	-	•		-
MSA 140 C-B	AK	_	_	36	5.7	_	3.7	12	1/4" P	PM3	-	•	•	_	-	-	_	•	_	_	•		_
MSE 141	<b>&gt;</b>	_	-	120	6.38	-	7.27	12	3/8" P	PM3	•	-	•	_	-	-	_	•	_	-	-		-
MS 170		30.1/1.8	1.3/1.7	-	8.6	8.5	4.9	12 - 16	3/8" P	РММ3	-	0	-	-	-	-	•	•	_	•	_	_	USA USA
MSE 170 C-B	<b>-</b>	-	-	120	8.4	-	6.8	12 - 16	3/8" P	PM3	-	•	•	-	-	-	_	•	-	-	•		-
MS 171		31.8/1.9	1.3/1.7	-	9.5	9.5	6.1	12 - 16	3/8" P	РММ3	•	0	_	_	_	-	•	•	_	•	•	_	USA USA
MS 180		31.8/1.9	1.5/2.0	-	8.6	8.5	4.9	12 - 16	3/8" P	РММ3	0	0	-	-	-	-	•	•	-	•	-	-	USA USA
MS 180 C-BE		31.8/1.9	1.5/2.0	-	9.3	8.5	4.9	12 - 16	3/8" P	РММ3	_	•	-	_	•	-	•	•	_	•	_	_	USA
MS 181 C-BE		31.8/1.9	1.5/2.0	-	10.1	9.5	6.1	12 - 16	3/8" P	РММ3	-	•	_	-	•	-	•	•	•	•	•	_	USA USA
STORM CLEANUP, FIR	EWOOD (	UTTING																					
MS 151 C-E		23.6/1.44	1.05/1.41	-	6.1	6.76	5.07	10 - 12	1/4" P	PM3	•	-	-	-	•	-	_	•	_	•	•	-	-
MSA 160 C-B	AP	_	-	36	6.0	-	7.1	10 - 12	1/4" P	PM3	-	•	•	-	-	-	_	•	_	-	•		_
MS 194 C-E		31.8/1.94	1.4/1.88	-	7.6	9.1	7.4	12 - 16	3/8" P	PM3	•	-	-	_	•	-	-	•	_	•	•	-	USA USA
MSA 200 C-B	AP	-	-	36	6.4	-	7.1	10 - 14	1/4" P	PM3	-	•	•	-	-	-	-	•	-	-	•		_
MS 201 C-EM		35.2/2.15	1.8/2.41	-	8.6	10.5	7.4	12 - 16	3/8" P	PS3	•	-	-	•	•	-	•	•	-	•	•	-	-
MSE 210 C-B	<b>-</b>	_	_	120	9.4	-	6.8	12 - 16	3/8" P	PM3	-	•	•	-	-	-	_	•	_	-	•		_
MS 211		35.2/2.15	1.7/2.3	-	9.5	9.5	6.1	18	3/8" P	PM3	•	0	-	_	-	-	•	•	•	•	•	-	USA
MS 211 C-BE		35.2/2.15	1.7/2.3	-	10.1	9.5	6.1	18	3/8" P	PM3	-	•	-	-	•	-	•	•	•	•	•	_	USA
MSA 220 C-B	AP	-	-	36	6.4	-	7.1	14 - 16	3/8" P	PS3		•	•	_	-	-	_	•	-	-	-		-
MS 250		45.4/2.77	2.2/3.0	-	10.1	15.9	6.8	18	.325"	RM3	•	0	-	-	-	-	•	•	-	•	•	_	USA
MS 251 WOOD BOSS®		45.6/2.78	2.2/3.0	-	10.8	13.2	6.7	18	.325"	RM3	•	-	-	-	-	-	•	•	•	•	•	-	USA
MS 251 C-BE		45.6/2.78	2.2/3.0	_	11.9	13.2	6.7	18	.325"	RM3	-	•	-	-	•	-	•	•	•	•	•	_	USA.

<sup>●</sup> Standard ○ Optional – Not Applicable

\*\*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice.

Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



<sup>\*</sup>Dry weight and powerhead only.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Powerhead Weight (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Guide Bar Lengths (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type	Side-Access Chain Tensioner	Quick Chain Adjuster (B)	STIHL Quickstop® Plus - an additional chain braking feature	STIHL M-Tronic <sup>™</sup> (M)	STIHL Easy2Start™ (E)	Wrap Handle	Master Control Lever <sup>TM</sup>	Throttle Trigger Lockout	Pre-Separation Air Filtration System	Anti-Vibration System	Toolless Fuel and/or Oil Cap with Retainers	Caring for Nature	Built in the USA
LARGER WOODCUTTIN	IG JOE	S, FIREWO	OD BUSI	NESS																			
MSE 250	<b>-</b>	-	_	120	9.4	_	6.8	16 - 20	3/8"	RS3 or RM3	•	-	•	_	-	-	-	•	-	-	•		_
MS 261		50.2/3.06	3.0/4.0	-	10.8	16.9	9.13	16 - 20	.325"	RM3	•	-	-	-	-	-	•	•	•	•	•		USA
MS 261 C-M		50.2/3.06	3.0/4.0	_	10.8	16.9	9.13	16 - 20	.325"	RM3	•	-	_	•	-	-	•	•	•	•	•		BUILT N USA
MS 271 FARM BOSS®		50.2/3.06	2.6/3.49	-	12.3	16.9	8.12	16 - 20	.325"	RM3	•	-	-	-	-	-	•	•	•	•	•	-	WILL IN USA
MS 291		55.5/3.39	2.8/3.76	_	12.3	16.9	8.12	16 - 20	.325"	RM3	•	-	_	-	-	-	•	•	•	•	•	-	BUILT N USA
MS 311		59.0/3.6	3.1/4.2	-	13.67	20.3	11.8	16 - 20	3/8"	RS3	•	-	-	-	-	-	•	•	•	•	•		-
MS 362		59.0/3.6	3.5/4.69	_	12.3	20.3	11.0	16 - 25	3/8"	RS3	•	_	_	-	-	0	•	•	•	•	•	-	_
MS 362 C-M		59.0/3.6	3.5/4.69	_	12.35	20.3	11.0	16 - 25	3/8"	RS3	•	-	-	•	-	0	•	•	•	•	•		-
MS 362 R C-M <sup>1</sup>		59.0/3.6	3.5/4.69	_	13.2	20.3	11.0	16 - 25	3/8"	RS3	•	-	_	•	-	•	•	•	•	•	•		_
MS 391		64.1/3.9	3.3/4.4	-	13.67	20.3	11.8	16 - 20	3/8"	RS3	•	-	-	-	-	-	•	•	•	•	•		-
NEW! MS 400 C-M		66.8/4.1	4.0/5.4	_	12.8	20.3	11.0	16 - 25	3/8"	RS3	•	-	_	•	_	-	•	•	•	•	•		_
PROFESSIONAL ARBOI	RISTS,	TREE CUT	TING SER	RVICES																			
MS 151 T C-E <sup>2</sup>		23.6/1.44	1.05/1.41	_	5.73	6.76	5.07	10 - 12	1/4" P	PM3	•	_	_	-	•	-	-	•	-	•	•	_	_
MSA 161 T <sup>2</sup>	AP	-	-	36	4.6	-	3.6	12	1/4" P	PM3	•	-	•	-	-	-	-	•	-	-	•		-
MS 194 T <sup>2</sup>		31.8/1.94	1.4/1.88	_	7.28	9.1	7.4	12 - 16	3/8" P	PM3	•	_	_	-	-	-	-	•	-	•	•	_	USA USA
MS 201 T C-M <sup>2</sup>		35.2/2.15	1.8/2.41	-	8.16	10.5	7.4	12 - 16	3/8" P	PS3	•	-	-	•	-	-	•	•	-	•	•	-	-
MS 461		76.5/4.7	4.5/6.0	_	14.6	27.1	11.0	16 - 32	3/8"	RS3	•	_	_	-	_	0	•	•	-	•	•		_
MS 461 R <sup>1</sup>		76.5/4.7	4.5/6.0	-	15.7	27.1	11.0	16 - 32	3/8"	RS3	•	-	-	-	-	•	•	•	-	•	•		_
MS 462 C-M		72.2/4.41	4.5/6.0	_	13.2	24.35	11.5	16 - 36	3/8"	RS3	•	-	_	•	-	0	•	•	•	•	•		_
MS 462 R C-M <sup>1</sup>		72.2/4.41	4.4/6.0	-	13.9	24.35	11.5	16 - 36	3/8"	RS3	•	-	-	•	-	•	•	•	•	•	•		-
MS 462 R C-M1 "RESCUE"		72.2/4.41	4.4/6.0	-	14.3	24.35	11.5	20	3/8"	RDR	•	-	_	•	-	•	•	•	•	•	•	<b>(4)</b>	_
MS 500i		79.2/4.83	5.0/6.7	-	13.9	26.05	11.0	16 - 36	3/8"	RS3	•	-	-	-	-	0	-	•	-	•	•	-	-
MS 500i R1	~	79.2/4.83	5.0/6.7	-	14.8	26.05	11.0	16 - 36	3/8"	RS3	•	-	_	-	-	•	-	•	-	•	•	-	_
NEW! MS 661 MAGNUM®		91.1/5.56	5.4/7.2	-	16.5	28.7	13.5	16 - 36	3/8"	RS3	•	-	-	-	-	0	•	•	-	•	•	-	-
NEW! MS 661 R <sup>1</sup> MAGNUM®	~	91.1/5.56	5.4/7.2	-	16.8	28.7	13.5	16 - 36	3/8"	RS3	•	-	_	-	-	•	•	•	-	•	•	-	_
MS 661 C-M MAGNUM®		91.1/5.56	5.4/7.2	-	16.5	28.7	13.5	16 - 32	3/8"	RS3	•	-	-	•	-	0	•	•	-	•	•		-
MS 661 R C-M <sup>1</sup> MAGNUM®		91.1/5.56	5.4/7.2	-	16.8	28.7	13.5	16 - 32	3/8"	RS3	•	-	-	•	-	•	•	•	-	•	•		_
NEW! 881 MAGNUM®		121.66/7.42	6.4/8.6	-	21.8	44	23.7	21	3/8"	RS3	•	-	-	-	-	0	•	•	-	•	•	-	-
NEW! 881 R <sup>1</sup> MAGNUM®		121.66/7.42	6.4/8.6	-	22.3	44	23.7	21	3/8"	RS3	•	_	_	-	_	•	•	•	_	•	•	_	-

<sup>●</sup> Standard ○ Optional — Not Applicable

\*Dry weight and powerhead only.

\*\*The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

<sup>&</sup>lt;sup>1</sup> Wrap-handle version. <sup>2</sup> For in-tree professional use only!





## OILOMATIC® STIHL PICCO™ Micro™ MINI 3 (PMM3)

The PMM3 is a unique saw chain with low vibration, designed for corded-electric, battery- and gasoline-powered chain saws or pole pruners with less than 1.5 kW (2.0 bhp) of power output.

		1/4"	PICCO	.325"	3/8"	.404"
0.0	043"		3610			





Low-Kickback Chain



## OILOMATIC® STIHL PICCO™ Micro™ 3 (PM3)

The PM3 chain replaces the 3/8" PM1. It cuts faster and smoother and has a lower kickback tendency than the 3/8" PM1.

	PICCO	PICCO	.325"	3/8"	.404"
0.043"	3670				
0.050"		3636			





## OILOMATIC® STIHL PICCO™ Micro™ (PM)

The PM is a low vibration version of the original STIHL PM saw chain. This chain retains all of the performance of the previous PM, with the added benefit of lower vibration levels for less operator fatigue.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"		3613			



WARNING: See information below.



## OILOMATIC® STIHL PICCO™ SUPER (PS)

The PS has improved cutting and boring efficiency plus reduced vibration as compared to the PM saw chain.

	1/4"	PICCO	.325"	3/8"	.404"
0.050"		3617			
_					



HOW TO READ THIS CHART
STIHL saw chain is available in a variety of pitches and gauges. Use the charts to identify the correct chain

WARNING: See information on page 63.





## OILOMATIC® STIHL PICCO™ SUPER 3 (PS3)

The PS3 is a low-kickback and low-vibration saw chain with improved cutting and boring efficiency, less feed force and 15% longer cutting life as compared to the PM3.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"		3616			

Low-Kickback Chain





## OILOMATIC® STIHL RAPID™ Micro™ (RM)

The RM is a low-vibration saw chain, which helps reduce operator fatigue due to the lower vibration levels.

	1/4"	PICCO"	.325"	3/8"	.404"
0.050"	3660		3693	3650	
0.058"			3685	3651	
0.063"			3686	3652	3668







## OILOMATIC® STIHL RAPID™ Micro™ 3 (RM3)

The RM3 is the reduced-kickback tendency version of the RM. It retains similar performance features of the RM saw chain.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"			3695	3662	
0.058"			3688		
0.063"			3689	3664	








## OILOMATIC® STIHL RAPID™ Micro™ FULL SKIP (RMF)

The RMF is the skip pattern version of the RM. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.

	1/4"	PICCO	.325"	3/8"	.404"
0.050"				3654	
0.063"					3671









## NEW OILOMATIC® STIHL RAPID™ Micro™ RIPPING CHAIN (RMX)

RMX ripping saw chain is primarily for professional use in conjunction with small sawmills. This semi-chisel toothed saw chain is characterized by a low vibration level, high performance, smoother work surface after the cut, and 10-degree filing angle.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"				3691	
0.063"				3653	3638

WARNING: See information below





#### OILOMATIC® STIHL RAPID™ SUPER (RS)

The RS is a reduced-vibration saw chain. A cutter and tie strap reduce vibration levels significantly, while still utilizing the aggressive full-chisel cutter design.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"			3690	3623	
0.058"			3638	3622	
0.063"			3639	3621	







## OILOMATIC® STIHL RAPID™ SUPER 3 (RS3)

RS3 is an aggressive full-chisel chain but has a single-humped drive link to reduce kickback tendency, and the new cutter and tie strap design reduces vibration levels when cutting.

	1/4"	PICCO"	.325"	3/8"	.404"
0.050"			3694	3624	
0.063"				3626	







## OILOMATIC® STIHL RAPID™ SUPER FULL SKIP (RSF)

The RSF is the skip pattern version of the RS. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.

	1/4"	PICCO	.325"	3/8"	.404"
0.050"				3676	









## OILOMATIC® STIHL RAPID™ SUPER L **FULL SKIP (RSLF)**

The RSLF is the skip pattern, square-ground chisel version of the RS. There are two tie straps between every two cutting teeth, allowing better chip discharge and higher chain speed.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"				3672	
0.063"				3673	3851







## OILOMATIC® STIHL RAPID™ SUPER KLASSIC (RSK)

The RSK has a special cutter geometry providing excellent control characteristics and very good chip flow, which helps enhance cutting efficiency.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"				3874	







## OILOMATIC® STIHL RAPID™ SUPER L KLASSIC (RSL)

The RSL is a variation of the RSL full chisel chain for special professional applications. The cutter on this chain is square ground and has an "L" shape. Use special square ground files to sharpen this chain.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"				3679	
0.063"				3680	



WARNING: See information below.



This symbol indicates that the chain is a low-kickback chain. STIHL recommends ne use of a green-labeled, low-kickback chain. For more information on saw chain selection and identification, please see chart on page 66.

STIHL recommends green-labeled low-kickback chains for all users.



### OILOMATIC® STIHL RAPID™ SUPER L HALF SKIP KLASSIC (RSLH)

The RSLH is the semi-skip pattern version of the RSL. The RSLH alternates cutter spacing to create a chain with cutting characteristics and maintenance frequency between full skip (RSLF) and regular pattern (RSL).

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"				3674	
0.063"				3675	



WARNING: See information below.



### OILOMATIC® STIHL RAPID™ SUPER L HALF SKIP KLASSIC (RSLHK)

STIHL RAPID™ Super L Half Skip Klassic is the semi-skip pattern version of STIHL RAPID™ Super L Klassic (RSLK). STIHL RAPID™ Super L Half Skip Klassic alternates cutter spacing to create a chain with cutting and maintenance intensity characteristics between Full Skip (RSLFK) and regular pattern (RSLK).

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"				3645	
0.063"				3646	



WARNING: See information below.



### OILOMATIC® STIHL RAPID™ SUPER L **FULL SKIP KLASSIC (RSLFK)**

The RSLFK is the full-skip pattern version of the RSLK. It is assembled with each cutter followed by two tie straps instead of one with standard sequence chains.

	1/4"	PICCO"	.325"	3/8"	.404"
0.050"				3672	
0.063"				3673	



WARNING: See information below.

Low-Kickback Chain



## OILOMATIC® STIHL RAPID™ **DURO 3 (RD3)**

The RD3 is the first carbide-tipped .325" saw chain that stays sharp up to four times longer than standard chains. It is also a lowvibration chain with a reduced kickback tendency.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"		3612	3696	3681	
0.063"			3667	3683	



## **SPECIALTY** SAW CHAIN



## OILOMATIC® STIHL PICCO™ **DURO 3 (PD3)**

The PD3 is specifically designed for longer cutting-edge life, resulting in less frequent sharpening and is especially suited for cutting dirty wood, treated wood, roots and hardwoods. This chain must be sharpened with a formed diamond grinding wheel.

	1/4"	PICCO	.325"	3/8"	.404"
0.050"		3612			



Low-Kickback Chain



## OILOMATIC® STIHL RAPID™ DURO RESCUE (RDR)

The RDR is purpose-built for the demanding needs of fire and rescue specialists and is for use by specially trained emergency services personnel only.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.063"				3944	



WARNING: See information on page 64.



## OILOMATIC® STIHL RAPID™ Micro™ SPECIAL (RMS) CARVING CHAIN

The RMS has a special cutter shape that reduces cutting friction to a minimum, ensuring fast cutting speed with good efficiency in many types of wood.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.050"	3661				

WARNING: See information on page 64.



## STIHL HARVESTER SAW CHAIN

STIHL RAPID™ Micro™ Harvester saw chain is made to withstand the tough requirements of professional mechanized timber harvesting.

To learn more about STIHL Harvester saw chain, visit: STIHLusa.com.



## OILOMATIC® STIHL RAPID™ Micro™ HARVESTER (RMH)

The RMH is a specially designed and reinforced version of the .404" pitch saw chain and is designed to withstand the stresses of mechanized tree harvesting. RMH is designed for use on hydraulic harvester heads only.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.080"					3996



WARNING: See information on page 64.



## **HARVESTER SPECIAL (RMHS)**

The RMHS is a significantly reinforced version of the RMH. This chain is designed to last longer than competing saw chains and to minimize expensive harvester downtime. RMHS is designed for use on hydraulic harvester heads only.

	1/4"	PICCO	.325"	3/8"	.404"
0.080"					3620

WARNING: See information on page 64.



HOW TO READ THIS CHART
STIHL saw chain is available in a variety of
pitches and gauges. Use the charts to identify
the entree about a serie and because of the about

PITCH PITCH GAUGE PART # PART #

**73** 

72 STIHLUSA.CO	М		Guide Bar	Drive Link	Rec. Chain Loop	Rec. Guide Bar	Guide Bar	Sprocket
	Pitch	Gauge	Length(s)	Count	Marketing #	Part #	Type*	Nose Teet
STIHL GASOLINE-	AND ELE	CTRIC	-POWI	ERED N	ODELS			
MS 170, MS 171, MS 180, MS 180 C-BE, MS 181 C-BE	3/8" STIHL PICCO™ Micro™ Mini 3	.043"	12" 14" 16"	44 50 55	61 PMM3 44 61 PMM3 50 61 PMM3 55	3005 000 3905 3005 000 3909 3005 008 3913	R R R	7
MS 151 C-E, MS 151 T C-E, MS 211, MS 211 C-BE, MSE 170 C-B, MSE 210 C-B	3/8" STIHL PICCO™	.050"	12" 14" 16"	44 50 55	63 PM3 44 63 PM3 50 63 PM3 55	3005 000 4805 3005 000 4809 3005 008 4813	R R R	9
			14" 16"	50 55	63 PM3 50 63 PM3 55	3005 000 7409 3005 008 4813	LW R	9
MS 194 C-E, MS 194 T, MS 201 C-EM, MS 201 T C-M	3/8" STIHL PICCO™	.050"	12" 14" 16"	44 50 55	63 PM3 44 63 PM3 50 63 PM3 55	3005 000 7405 3005 000 7409 3005 000 7413	LW LW LW	9
MS 241 C-M, MS 250, MS 251 WOOD BOSS®, MS 251 C-BE	3/8" STIHL PICCO™	.050"	12" 14" 16" 18"	44 50 55 61	63 PM3 44 63 PM3 50 63 PM3 55 63 PM3 61	3005 000 4805 3005 000 4809 3005 008 4813 3005 008 4817	R R R R	9
	.325"	.063"	16" 18"	62 68	26 RM3 62 26 RM3 68	3005 000 4713 3005 008 4717	R R	11
MS 271 FARM BOSS®	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 008 6813 3003 812 6817 3003 812 6821	R R R	11
MS 261, MS 261 C-M	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 008 6813 3003 008 6817 3003 008 6821	R R R	11
MS 291	.325"	.063"	16" 18" 20"	67 74 81	26 RM3 67 26 RM3 74 26 RM3 81	3003 812 7013 3003 812 7017 3003 812 7021	R R R	11
MS 311, MS 391, MSE 250	3/8"	.050"	16" 18" 20"	60 66 72	33 RS3 60 33 RS3 66 33 RS3 72	3003 008 8913 3003 008 8917 3003 008 8921	R R R	10
MS 362, MS 362 R C-M, MS 362 C-M, MS 400 C-M, MS 441 R C-M, MS 441 C-M, MS 461, MS 461 R, MS 462 C-M, MS 462 R C-M	3/8"	.050"	18" 20" 25" 28" 25"* 28"* 32" 36"	66 72 84 91 84 91	33 RS3 66 33 RS3 72 33 RS3 84 33 RS3 91	3003 008 8917 3003 008 8921 3003 000 4030 3003 000 830* 3003 000 9638*	R R RS RS RS RS	10 11 13 10 11
	3/8"	.063"	18" 20" 22" 25" 28" 32" 36"	66 72 76 84 91	36 RS3 66 36 RS3 72 36 RS3 84 36 RS3 91 36 RS3 84	3003 008 6117 3003 008 6121 3003 000 9425* 3003 000 9831* 3003 000 6038*	R R RS RS RS	10 11 13 11
MS 500i, MS 500i R, MS 661 MAGNUM®, MS 661 R MAGNUM®, MS 661 C-M MAGNUM®, MS 661 R C-M MAGNUM®	3/8"	.050"	20" 25" 28" 32" 36"		33 RS3 72 33 RS3 84 33 RS3 91 33 RS3 105 33 RS3 114	3003 008 8921 3003 000 4030 3003 000 8838* 3003 000 8846* 3003 000 9653*	R RS RS RS RS	10
		.063"	20" 22" 25" 28" 32" 36"	72 76 84 84 91 105 114	36 RS3 72 36 RS3 76 36 RS3 84 36 RS3 84 36 RS3 91 36 RS3 105 36 RS3 114	3003 008 6121 3003 000 9425* 3003 000 5231* 3003 000 6038* 3003 000 60441* 3003 000 6046* 3003 000 6053*	R RS RS RS RS RS	10 11
			25"* 30" 36"*		36 RS3 84 36 RS3 97 36 RS3 115	3003 000 9831* 3003 000 9842* 3003 000 9853*	RS RS RS	13
	.404"	.063"	32" 36"	95 104	46 RS 95** 46 RS 104**	3003 000 7346* 3003 000 7353*	RS RS	10
MS 881 MAGNUM®	3/8"	.063"	21"	75	36 RS3 75	3002 000 9123	RS	10
MS 881 R MAGNUM®	.404"	.063"	25" 30" 36" 41" 59"	80 91 108 123 173	46 RS 80** 46 RS 91** 46 RS 108** 46 RS 123** 46 RS 173***	3002 000 9731* 3002 000 9741* 3002 000 9753* 3002 000 9757* 3002 000 9576	RS RS RS RS	12
			36" 41"	104 123	46 RS 104** 46 RS 123	3002 001 8052* 3002 000 8058*	D D	12

#### **IDENTIFYING STIHL SAW CHAIN**

STIHL uses a Marketing Number System in addition to the part number. This allows easy identification of any chain. For example, chain with a Marketing Number of 33RS3:

Pitch	Gauge	Type	Shape	Special
3	3	R	S	3
3/8"	.050"	STIHL RAPID™	Super	Single- Humped
				Drive I ink





3 = .050" (1.3 mm)

5 = .058" (1.5 mm)

**6** = .063" (1.6 mm)

O = .080" (2.0 mm)

(O = Harveste

Chain Only)

Distance between (Marked on drive link) 1 = .043" (1.1 mm)

three rivets divided by two as shown. 1 = 1/4"

- **2** = .325" **3** = 3/8"
- **4** = ∠∩∠" 6 = STIHL PICCOTM
- (3/8" Extended) 7 = STIHL PICCOT (1/4" Extended)

### **Cutter Type**

- P = STIHL PICCO™ R = STIHL RAPID™
- Cutter Shape D = Duro (Carbide Tip)
- (Carbide Tip) **M**= Micro™ (Semi Chisel) R = Rescue (RDR chain, especially designed for MS 461 R and MS 462 R C-M K = Klassic Cutter Design
- "Rescue" chain saws) S = Super (Full Chisel)
- Special
- 1 = Triple-Humped Tie Strap on PM chain 2 = Triple-Humped Tie
- Strap on RM chain 3 = Sinale-Humped Drive Link
- F = Full Skip H = Semi Skip (Half-Skip) or Harvester (i.e. on .404" RMH)
- L = Square Ground Chisel
- MM = Micro Mini N= Narrow (PMN)
- S = Special X = Ripping Chain

#### **Number of Drive Links in Reels** 100' Reel

1/4"	2400
3/8" STIHL PICCO™	1640
.325"	1840
3/8"	1640
.404"	1480

#### ANSI B175.1 Chain Saw Kickback Standard

identify STIHL bars and chains with different kickback reduction characteristics. Green (go) marks those products which are designed to reduce the risk of kickback injury and comply with the ANSI B175.1 kickback standard. STIHL's low-kickback chain features a green tie strap that identifies each loop as "low-kickback" chain that meets the ANSI standard. Recommended for both the experienced and inexperienced chain saw user. Yellow (caution) marks products with increased risk of kickback injury. They are for use only by persons with extraordinary training in dealing with kickback conditions.

\*Recommended STIHL green-labeled, reducedkickback bars are not available in the lengths marked with an \* in the chart. For such guide bars. STIHL yellow-labeled bars are listed. Please read and follow the yellow warning information that is included on the guide bar package.

\*\*Recommended STIHL green-labeled, low-kickback chains are not available in .404" pitch. For .404" chain, STIHL yellow-labeled chains are listed which have reduced-kickback characteristics as compared to other STIHL yellow-labeled chains. Read and follow the yellow warning information included with these chains, STIHL recommends the use of 3/8" sprockets in combination with STIHL green-labeled, low-kickback saw chain and STIHL green-labeled, reduced-kickback guide bars whenever possible.

	Pitch	Gauge	Length(s)	Count	Marketing #	Bar Part #	Bar Type*	Nose Teeth
STIHL BATTE	RY-POWERED M	ODELS						
	1/4" STIHL	.043"	10"	56	71 PMM3 56	3005 008 3403	R	8
MSA 120 C-B	PICCO™		12"	64	71 PMM3 64	3005 008 3405	R	
	Micro™Mini		14"	72	71 PMM3 72	3005 008 3409	R	
	1/4" STIHL	.043"	12"	64	71 PM3 64	3005 008 3405	R	8
MSA 140 C-B	PICCO™ Micro™Mini							
	I VIICTO ··· I VIINI							
	1/4" STIHL	.043"	10"	56	71 PM3 56	3005 008 3403	R	8
1SA 160 C-B	PICCO™ Micro™ Mini		12"	64	71 PM3 63	3005 008 3405	R	
	I VIICTO ··· I VIINI		14"	72	71 PM3 72	3005 008 3409	R	
	1/4" STIHL		10"	56	71 PM3 56	3005 008 3403	R	8
MSA 200 C-B	PICCO™ Micro™ Mini		12"	64	71 PM3 64	3005 008 3405	R	
	IVIICIO IVIINI		14"	72	71 PM3 72	3005 008 3409	R	
	1/4" STIHL	.043"	12"	65	71 PM3 65	3005 008 3405	R	8
1SA 161 T	PICCO <sup>™</sup> Micro <sup>™</sup> Mini							
4SA 220 C-B	3/8" STIHL	.050"	14"	50	63 PS3 50	3005 000 4809	R	9
13A 220 C-B	PICCO™ Super 3		16"	55	63 PS3 55	3005 000 4813	R	

Guide Bar Drive Link

Chain Loop

Rec. Guide

\*Recommended STIHL green-labeled, reduced-kickback bars are not available in the lengths marked with an \* in the chart. For such quide bars. STIHL yellow-labeled bars are listed. Please read and follow the yellow warning information that is included on the guide bar package.

\*\*Recommended STIHL green-labeled. low-kickback chains are not available in .404" pitch. For .404" chain, STIHL vellow-labeled chains are listed which have reduced-kickback characteristics as compared to other STIHL yellowlabeled chains. Read and follow the yellow warning information included with these chains. STIHL recommends the use of 3/8" sprockets in combination with STIHL green-labeled, low-kickback saw chain and STIHL green-labeled, reduced-kickback guide bars whenever possible.

Part Number

5605 750 4306

5605 750 4303

5605 750 4304

5605 750 4305

0000 750 4300

5614 000 7503

5614 000 7502

5614 000 7501

5614 000 7500

5614 000 7505

5612 000 7503

5612 000 7502

5612 000 7501

5612 000 7500

1/8"

5/32"

3/16"

13/64"

PORTABLE ELECTRIC CHAIN GRINDER & ACCESSORIES STIHL Portable 12 Volt Chain Grinder 0000 882 4001 3/16" Grinding Stone (Pkg. of 3) 0000 882 4101\* 0000 882 4102\* 5/32" Grinding Stone (Pkg. of 3) 7/32" Grinding Stone (Pkg. of 3) 0000 882 4103\* 0000 882 4104\* 9/64" Grinding Stone (Pkg. of 3) 13/64" Grinding Stone (Pkg. of 3) 0000 882 4105\* 1/4" Grinding Stone (Pkg. of 3) 0000 882 4100\* 0000 893 4105 Chain, Bar and Sprocket ID Gauge DEPTH GALIGE TOOLS

1/4" STIHL PICCO™ Micro™	<sup>™</sup> Depth Gauge Tool	0000 893 4005
1/4", 3/8" STIHL PICCO™ (	0.325" and 3/8" Depth Gauge Tool	1110 893 4000
0.404" Depth Gauge Tool		1106 893 4000
FILES		
1/4" STIHL PICCO™	3.2 mm (1/8") File (Pkg. of 12)	7010 871 0400
3/8" STIHL PICCO™ 1/4"	4.0 mm (5/32") File (Pkg. of 12)	7010 871 0401
.325" STIHL PICCO™	4.5 mm (11/64") File (Pkg. of 12)	7010 871 0402
.325" STIHL PICCO™	4.8 mm (3/16") File (Pkg. of 12)	7010 871 0403
3/8" STIHL PICCO™	5.2 mm (13/64") File (Pkg. of 12)	7010 871 0404
.404" STIHL PICCO™	7010 871 0405	
STIHL Special File for sharp	7010 871 0282	
STIHL Flat File for maintain	ing Depth Gauges (Pkg. of 12)	7010 871 0043
FILE HANDLES		
SWISS File Handle (Flat w/	filing guide)	0814 498 1501
SWISS File Handle (Flat w/ Standard File Handle (Oran		0814 498 1501 0811 490 7863
	ge Poly)	
Standard File Handle (Oran	ge Poly)	0811 490 7863
Standard File Handle (Oran Standard File Handle (Displ	ge Poly) ay Bagged)	0811 490 7863 0811 490 7864
Standard File Handle (Oran Standard File Handle (Displ Deluxe File Handle	ge Poly) ay Bagged) 'FH1 Soft Grip"	0811 490 7863 0811 490 7864 0000 881 4500
Standard File Handle (Oran Standard File Handle (Displ Deluxe File Handle Soft Handle for Round File	ge Poly) ay Bagged) 'FH1 Soft Grip"	0811 490 7863 0811 490 7864 0000 881 4500 0000 881 4502
Standard File Handle (Oran Standard File Handle (Displ Deluxe File Handle Soft Handle for Round File ' Soft Handle for Flat File "Fl	ge Poly) ay Bagged) 'FH1 Soft Grip"	0811 490 7863 0811 490 7864 0000 881 4500 0000 881 4502 0000 881 4503
Standard File Handle (Oran Standard File Handle (Displ Deluxe File Handle Soft Handle for Round File Soft Handle for Flat File "Fl Heavy Duty Stump Vise	ge Poly) lay Bagged) "FH1 Soft Grip" H3 Soft Grip"	0811 490 7863 0811 490 7864 0000 881 4500 0000 881 4502 0000 881 4503
Standard File Handle (Oran Standard File Handle (Displ Deluxe File Handle Soft Handle for Round File ' Soft Handle for Flat File "Fil Heavy Duty Stump Vise GREASE GUNS	ge Poly) lay Bagged) "FH1 Soft Grip" H3 Soft Grip"	0811 490 7863 0811 490 7864 0000 881 4500 0000 881 4502 0000 881 4503 0000 881 0403
Standard File Handle (Oran Standard File Handle (Displ Deluxe File Handle Soft Handle for Round File Soft Handle for Flat File "Fl Heavy Duty Stump Vise GREASE GUNS Guide Bar Grease Gun (Bull	ge Poly) lay Bagged) "FH1 Soft Grip" H3 Soft Grip"	0811 490 7863 0811 490 7864 0000 881 4500 0000 881 4502 0000 881 0403

\*All for portable 12V chain grinder

HIGH-IMPACT FELLING WEDGES (Not for splitt	ing wood)	
5-1/2" Wedge		0000 893 6880
7-1/2" Wedge		0000 893 6802
10" Wedge		0000 893 6882
10" Tri-Taper Wedge		0000 893 6883
12" Wedge		0000 893 6884
TELESCOPING GUIDE BAR SCABBARDS		
14" 3005 Arbor Saw		0000 792 9160
16" 3005 Arbor Saw		0000 792 9161
10" 3005 Mini		0000 792 9170
14" 3005 Mini		0000 792 9171
14" 3005		0000 792 9172
18" 3005		0000 792 9173
15" 3003		0000 792 9174
18" 3003		0000 792 9175
22" 3003, 3002		0000 792 9176
25" 3003, 3002		0000 792 9177
30" 3003, 3002		0000 792 9178
36" 3003, 3002		0000 792 9179
Extension 12"		0000 792 9140
CASES		
Medium Chain Saw Case		0000 900 4011
Large Chain Saw Case		0000 900 4010
Latch for Woodsman Chain Saw Case (0000 900 4008)		7010 881 5600
Plastic Latch for 0000 900 4006 (Old style)		0000 903 1302
Bar Scabbard for Woodsman Case		0000 792 9127
	File Size	Part Number

2-in-1 Filing Guide for 1/4" STIHL PICCO™

2-in-1 Filing Guide for 3/8" STIHL PICCO™

2-in-1 Filing Guide for .325" STIHL PICCO™

FF 1 File Guide Holder for 3/8" STIHL PICCO™ Mini

FF 1 File Guide Holder for 3/8" STIHL PICCO™

FF 1 File Guide Holder for .404" STIHL PICCO™

FG 4 Roller Filing Guide for 3/8" STIHL PICCO™

FG 4 Roller Filing Guide for 3/8" STIHL PICCO™ Mini

2-in-1 Filing Guide for 3/8"

2-in-1 Filing Guide for 0.404"

FF 1 File Guide Holder for .325"

FF 1 File Guide Holder for 3/8"

FG 4 Roller Filing Guide for .325"

FG 4 Roller Filing Guide for 3/8"

Note: The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

47"

138

46 RS 138\*\* 3002 000 8064\*

# FILES & TOOLS

Keep saw chains sharp for fast cutting.



#### 2-IN-1 FILING GUIDE



#### FILING GUIDES AND HOLDERS

These mount on the chain saw guide bar for accurate on-thejob saw chain sharpening. Instructional DVDs showing proper sharpening procedures for the FF 1 or FG 4 are also available.



FF 1 FILE GUIDE HOLDER



FG 4 ROLLER FILING GUIDE



## SOFT-GRIP HANDLE FOR FLAT FILE

(FH3 SOFT GRIP)



(FH1 SOFT GRIP)












#### **FILE HOLDER**



#### **DEPTH GAUGE TOOL**



**DOUBLE-CUT SAW CHAIN FILES**FLAT, ROUND & SQUARE GROUND FILES



#### NEW

#### **STIHL LIGHT PO4**

A lightweight guide bar with four rivets in the sprocket nose consisting of three electrically welded plates, a fiber-reinforced polymer core and an updated modern graphic design.



#### NEW

#### STIHL LIGHT 06

The standard version of the STIHL lightweight guide bar consists of three electrically welded metal plates (laminated guide bars), six-rivet sprocket nose and an updated modern graphic design.



#### STIHL ROLLOMATIC® E STANDARD

A lightweight general-grade laminated guide bar made of high-grade steel and three electrically welded metal plates.



## STIHL ROLLOMATIC® E LIGHT AND E MINI LIGHT

General-grade laminated guide bar made of high-grade steel. These guide bars are completely hollowed out after being welded and filled with fiber-reinforced polyamide, making them up to 30% lighter as compared to the STIHL ROLLOMATIC® E.



### **STIHL ROLLOMATIC® E MINI**

A unique design provides maneuverability for pruning branches with reduced-kickback tendency. Developed for use with small displacement chain saws and pole pruners using the  $\frac{1}{4}$ " STIHL PICCO<sup>TM</sup> saw chain.

**NOTE:** The actual listed guide bar length can vary from the effective cutting length based on which chain saw it is installed on.

## **GUIDE BARS**

High-quality guide bars for your chain saw.



#### STIHL ROLLOMATIC® E SUPER

A solid-machined bar made of high-grade steel with the groove milled out and a replaceable sprocket nose assembly riveted in place. The sprocket is incorporated in the replaceable sprocket nose assembly of the bar and carries the saw chain from the top to the bottom of the bar.



#### STIHL ROLLOMATIC® ES LIGHT

Milled out and filled with aluminum to make it up to 30% lighter than the STIHL ROLLOMATIC® E Super guide bar. The reduced weight improves chain saw balance and decreases operator fatigue, especially on longer bars. A replaceable sprocket nose assembly is incorporated in the nose of the bar to reduce wear and enable the bar nose to be made considerably narrower.



#### STIHL DUROMATIC® E

A rugged bar made from a solid, laser-welded, high-carbon alloy steel bar with induction-hardened rails and special hard surface alloy tipping on the nose for extra-long life. Made from the highest quality steel and cut by laser for consistent quality, durability and high-wear resistance.



#### STIHL DUROMATIC® C CARVING

Made from a solid billet of the highest quality steel and cut by laser for consistent quality, durability and high-wear resistance. Available in  $10^{\circ}$  and  $12^{\circ}$  lengths with solid nose, this carving guide bar can only be used with  $\frac{1}{4}^{\circ}$  saw chains.

## ENGINE OILS, PREMIXED FUEL, BAR & CHAIN OIL

Quality fuel specially formulated to keep your STIHL running strong.



#### STIHL Moto4™

Patented STIHL Moto4™ utilizes an ethanol-free formula, allowing the fuel to stay fresh longer — up to two years after the container is opened — than alternative fuel options containing ethanol. Designed for use in 4-stroke products only, with a minimum octane range of 93 to consistently deliver excellent engine performance.



### HIGH PERFORMANCE 2-CYCLE ENGINE OIL

STIHL High Performance Engine Oil is a high quality 2-cycle oil developed for all STIHL gasoline-powered products and especially suited for professional chain saws.



## WOODCUTTER BAR AND CHAIN OIL

STIHL Woodcutter Bar and Chain Oil is affordably priced and specially formulated from base oils and additives to provide proper lubrication of chain saw guide bars, saw chains and oil pumps.



## HP ULTRA 2-CYCLE ENGINE OIL

STIHL HP Ultra is a fully synthetic 2-cycle engine oil specially suited for high-performance chain saws and power tools. The oil has outstanding engine cleaning characteristics, plus "ultra" superior lubricating qualities in comparison to other 2-cycle engine oils. It is also biodegradable, degrading by 80% in 21 days.



## BIOPLUS™ BAR AND CHAIN OIL

STIHL BioPlus™ Bar and Chain Oil is made with a vegetable oil base, making it less harmful to humans, animals, micro-organisms, and plants. Rated by the Coordinating European Council to be 93.8% biodegradable in only 21 days.



#### STIHL MotoMix®

A patented premixed 50:l fuel mixture, created with premium 92 octane gasoline and STIHL HP Ultra Oil. MotoMix® doesn't contain ethanol and maintains stability for up to two years after the seal is broken.



## PLATINUM BAR AND CHAIN OIL

STIHL Platinum Bar and Chain Oil is formulated to adhere to the bar and chain, and to reduce wear. Special base oil formulation helps keep sap and pitch from clinging to the bar and chain.

STIHL RECOMMENDS A MIX OF 50:1 HIGH-QUALITY 89 OCTANE OR HIGHER UNLEADED GASOLINE TO STIHL ENGINE OIL. THIS SAME MIX RATIO SHOULD BE USED DURING BREAK-IN.

**NOTE:** STIHL recommends using fuel with no more than 10% ethanol content. Using fuel with greater than 10% ethanol content may cause damage to your equipment and may void your STIHL limited warranty.





#### NEW

#### MEDIUM CHAIN SAW CARRYING CASE

Fits MS 170 to MS 500i. (Excludes wrap-handle chain saws (R)).

#### NEW

#### LARGE CHAIN SAW CARRYING CASE

Fits MS 661 MAGNUM® and MS 881 MAGNUM®. (Excludes wrap-handle chain saws (R)).



#### **BAR SCABBARDS**

STIHL scabbards accommodate a variety of chain saw bar lengths.

### STUMP VISE

Makes filing easy. Securely holds chain saw while cutters are filed. Mounts on any stump or log.



#### **FELLING WEDGE**

Available sizes include: 5.5", 7.5", 10", 10" (Tri-taper), 12".



#### 12-VOLT PORTABLE CHAIN GRINDER

Features adjustable gauge to achieve proper filing angles. Clips attach to vehicle battery.



#### REPLACEMENT GRINDING STONES

For 12-volt chain grinder. Sizes available include: 9/64"; 5/32" for 3/8" STIHL PICCO™ Micro™, 3/8" PMN, and 1/4"; 3/16" for .325"; 13/64" for 3/8"; 7/32" for .404"; 1/4" for Depth Gauges; Kool-Grind Grinding Compound.





FSA 135 R 🔳

- Our trimmers are lightweight, powerful and easy to use.
- Just start them up and watch as they make quick work of those hard-to-reach areas mowers leave behind.





### FS 38

A lightweight, value-priced consumer trimmer with many quality design features, the FS 38 is ideal for the occasional use homeowner.



### **FS 40 C-E**







Lightweight and reliable, the FS 40 C-E trimmer provides balanced operation and is equipped with STIHL Easy2Start™ for effortless starting. Now comes standard with AutoCut® C 6-2.



## **FSA 45**



The FSA 45 delivers STIHL quality at a value price, and features a powerhead that swivels for vertical edging.



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components. The FSA 57 is built in the United States with domestic and foreign components. Batteries and chargers sourced internationally. For full specification information for all STIHL trimmers, please refer to page 90.



## **FS 50 C-E**





The fuel-efficient FS 50 C-E features the STIHL Easy2Start™ system and has an elongated shaft for taller users.



## **FS 56 RC-E**





The fuel-efficient FS 56 RC-E features the STIHL Easy2Start<sup>™</sup> system for quick, smooth starts, and has an elongated shaft for taller users. FS 56 C-E bike-handle version available. Now comes standard with AutoCut® C 26-2.



### **FSA 57**





Ideal for suburban yards, the lightweight FSA 57 packages the convenience of battery in a value-priced set, with a run time of up to 25 minutes with the AK 10 battery.\* Now comes standard with AutoCut® C 3-2.



## **FSE 60**



yard work.

With an easy squeeze of the trigger, the FSE 60 lightweight corded-electric trimmer is capable of handling small to moderate

\*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.





## **LARGER YARDS & LONGER FENCE LINES**

- Our trimmers are available in various handles and shaft lengths including loop handle and bike handle configurations.
- Whether you're tackling your larger yard or longer fence lines, there's a trimmer to meet your unique needs.





### **FS 70 R**





The FS 70 R features a powerful and fuel-efficient engine, making quick work of daily professional landscaping tasks.



## **FSA 85**



The FSA 85 delivers professional performance, with zero exhaust emissions and low noise; ideal for jobs in noiserestricted areas.



### **FSA 90 R**



A quiet, battery-powered trimmer, the FSA 90 R features the STIHL exclusive ECOSPEED throttle set wheel for variable-speed control, which can extend battery life.



## FS 91 R





The robust FS 91 R features a low-emission engine and large fuel tank, which provides 30% longer run time than the previous model. FS 91 bike-handle version available.



#### **FS 91 R**

"Easy to start, easy to use, and very dependable. For cutting some of the heavier brush I strongly recommend the solid shaft of this trimmer for trouble free operation. Very pleased and would recommend this trimmer to everyone."



Check out this review and others on the product pages at STIHLusa.com.









The FS 94 R trimmer delivers one of the best power-to-weight ratios in its class, weighing just over 10 pounds - great for maneuvering around hills and other terrain.



### **FS 111 RX**





The FS 111 RX is the perfect choice for demanding trimming tasks. It saves users time with a simplified threestep start procedure.



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components. For full specification information for all STIHL trimmers, please refer to page 90.



## **PROFESSIONAL JOBS & EXTENDED** TRIMMING TIMES

 Our professional trimmers and brushcutters feature power, fuel efficiency and lasting durability - and they're specially designed for heavy-duty tasks - from controlled trimming jobs to extended trimming applications.





## **FS 111 R**





A fuel-efficient, powerful trimmer, the FS 111 R handles tough jobs and meets emissions requirements. FS 111 bikehandle version available.



## **FSA 130 R**





The FSA 130 R is a powerful battery-powered trimmer that offers the same durability and cutting attachments as gasolinepowered trimmers.



## FS 131 R





A professional loop-handle trimmer, the FS 131 R delivers incredible performance, long run times and a simplified starting procedure. FS 131 bike-handle version available.








**FSA 135 R** 











**FS 240 R** 









FS 311





The FSA 135 R trimmer delivers

professional performance for a wide

trimming, cutting and weed clearing.

FSA 135 bike-handle version available.

range of cutting applications, including

**FS 360 C-EM** 







**FS 460 C-EM** 

The robust FS 460 C-EM delivers professional power and features the STIHL M-Tronic<sup>™</sup> system for optimum engine performance.



**FS 560 C-EM** 





The most powerful STIHL brushcutter in its class - the FS 560 C-EM cuts through wild growth, hedges and thickets with ease.

TRIMMERS & BRUSHCUTTERS STIHLUSA.COM

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)*	Fuel Capacity (oz.)	Standard Cutting Tool	Cutting Swath (in.)	STIHL Easy2Start <sup>IM</sup> (E)	Anti-vibration System	STIHL M⁻Fonic™ (M)	Electronic Ignition Module	Multi-function Control Handle	Simplified Starting Procedure	Standard Handle Type	Purge Pump Primer	IntelliCarb™ Compensating Carburetor	Translucent Upright Fuel Tank	Caring for Nature	Built in the USA
WEEKLY USE AROUND BEDS, DRIVEWAYS, ETC.																				
FS 38		27.2/1.66	0.65/0.87	-	9.3	11.2	AutoCut®	15	-	-	-	•	•	-	Loop	•	-	•	-	-
FS 40 C-E		27.2/1.66	0.7/0.94	-	9.9	11.5	AutoCut®	15	•	-	-	•	•	•	Loop	•	-	•		USA
FSA 45	Al	-	-	18	5.1	-	STIHL PolyCut <sup>™</sup>	9	-	-	-	-	-	-	Loop	-	-	-		-
FS 50 C-E		27.2/1.66	0.8/1.07	_	10.1	11.5	AutoCut®	16.5	•	-	-	•	•	•	Loop	•	_	•	-	_
FS 56 C-E		27.2/1.66	0.8/1.07	-	11.5	11.5	AutoCut®	16.5	•	-	-	•	•	•	Bike	•	-	•		USA
FS 56 RC-E		27.2/1.66	0.8/1.07	-	10.6	11.5	AutoCut®	16.5	•	-	-	•	•	•	Loop	•	-	•		USA
FSA 57	AK	-	-	36	5.9	-	AutoCut®	11	-	-	-	-	-	-	Loop	-	-	-		USA
FSE 60	<b>→</b>	_	_	120	8.8	_	AutoCut®	14	_	-	-	-	-	-	Loop	-	_	_		_
LARGE YARDS, LONGER FENCELINES																				
FS 70 R		27.2/1.66	0.9/1.2	_	10.6	11.5	AutoCut®	16.5	-	-	-	•	•	•	Loop	•	-	•		USA
FSA 85	AP	-	-	36	6.2	-	AutoCut®	14	-	-	-	-	-	-	Loop	•	-	•		-
FSA 90 R	AP	-	-	36	6.2	_	AutoCut®	15	-	-	-	-	-	-	Loop	-	-	_		-
FS 91		28.4/1.73	0.95/1.27	-	12.8	24.0	AutoCut®	16.5	-	•	-	•	•	•	Bike	•	•	•		USA
FS 91 R		28.4/1.73	0.95/1.27	-	12.1	24.0	AutoCut®	16.5	-	•	-	•	•	•	Loop	•	•	•		USA
FS 94 R		24.1/1.47	0.9/1.2	-	10.1	18.3	AutoCut®	16.5	-	•	-	•	•	•	Loop	•	-	•		USA
FS 111 RX		31.4/1.9	1.05/1.4	-	11.0	24.0	AutoCut®	16.5	-	•	-	•	•	•	Loop	•	•	•		USA
PROFESSIONAL JOBS, EXTENDED TRIMMING T	IMES																			
FS 111		31.4/1.9	1.05/1.4	-	12.8	24.0	AutoCut®	16.5		•	-	•	•	•	Bike	•	•	•		USA
FS 111 R		31.4/1.9	1.05/1.4	-	12.1	24.0	AutoCut®	16.5	-	•	-	•	•	•	Loop	•	•	•		USA
FSA 130 R	AP	-	-	36	8.6	_	AutoCut®	16.5	-	-	-	-	-	-	Loop	-	_	_		_
NEW! FSA 135	AP	-	-	36	10.8	-	AutoCut®	16.5	-	-	-	-	-	-	Bike	-	-	_		-
NEW! FSA 135 R	AP	-	-	36	10.1	_	AutoCut®	16.5	-	-	-	-	-	-	Loop	-	_	_	<b>a</b>	-
FS 131		36.3/2.2	1.4/1.9	-	12.8	24.0	AutoCut®	16.5	-	•	-	•	•	•	Bike	•	•	•		USA
FS 131 R		36.3/2.2	1.4/1.9	-	12.1	24.0	AutoCut®	16.5	-	•	-	•	•	•	Loop	•	•	•		USA
FS 240		37.7/2.3	1.7/2.3	-	15.2	25.4	AutoCut®	16.5	-	•	-	•	•	•	Bike	•	•	•		USA
FS 240 R		37.7/2.3	1.7/2.3	-	14.6	25.4	AutoCut®	16.5	-	•	-	•	•	•	Loop	•	•	•		USA
FS 311		36.3/2.2	1.4/1.9	-	15.9	24.0	AutoCut®	18.9	-	•	-	•	•	•	Bike	•	•	•		USA
FS 360 C-EM		37.7/2.3	1.7/2.3	_	18.7	25.4	N/A	18.9	•	•	•	•	•	•	Bike	•	•	•		
FS 460 C-EM		45.6/2.8	2.2/3.0	-	18.7	25.4	N/A	18.9	•	•	•	•	•	•	Bike	•	•	•		-
FS 560 C-EM		57.1/3.48	2.8/3.75	-	22.5	33.5	N/A	18.9	•	•	•	•	•	•	Bike	•	•	•		-

<sup>●</sup> Standard O Optional – Not Applicable

**Note:** STIHL trimmers and brushcutters are designed to work with a variety of cutting attachments.



<sup>\*</sup>Dry weight without cutting attachment or deflector.

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



Head / Blade Type	Part Number	Trimmer Standard	Line Diameters Optional	FSA 45	FSA 57	FSE 60*	FSA 85*	FSA 90 R	FSA 130 R	FS 38 FS 40 C-E FS 45* / FS 46* FS 50 C-E		FS 56 C-E	FS 56 RC-E FS 70 R FS 94 R	FS 91 R FS 111 R FS 131 R	FS III RX	FS 91 FS 111 FS 131	FS 240	FS 240 R	FS 311	FS 360 C-EM FS 460 C-EM	FS 560 C-EM	FSB-KM with KM 56 RC-E KM 91 R KM 111 R**	FS-KM with KM 56 RC-E**	FS-KM with KM 91 R / KM 94 R KM 111 R / KM 131 R	FS-KM with KMA 130 R / KMA 1	FSA 135 / FSA 135 F
LIGHT GRASS TRIMMER	HEADS										_															
AutoCut® 2-2	4008 710 2103	.080"	_		●7																					
AutoCut® C 3-2	4009 710 2106				●8																				l	İ
AutoCut® C 4-2	4006 710 2123	.080"	-				•																			
AutoCut® 5-2	4006 710 2103	.080"	_			•				•												•			l	i .
AutoCut® C 5-2 (DISC.)	4006 710 2106	.080"	-			•				•																
AutoCut® C 6-2	4006 710 2126	.080"	.095"			•				•												•				
AutoCut® 11-2	4004 710 2192	.095"	.080"																							
AutoCut® 25-2	4002 710 2191	.095"	.105"					•	•			•	•	•	•	•	•	•					•	•	•	•
AutoCut® C 25-2 (DISC.)	4002 710 2196	.095"	-									•	•1	•	•	•	•						•	•		
AutoCut® C 26-2	4006 710 2169	.095"	.105"						•			•	•	•	●2	•	•	•					•	•	•	•
AutoCut® 30-2 (DISC.)	4002 710 2187	.105"	.118"																					•		
AutoCut® 36-2	4002 710 2170	.105"	.118"/.130"											●3	•	●3	•	•						•		•
AutoCut® 40-2 (DISC.)	4003 710 2189	.105"	.118"																•	•						
AutoCut® 40-4 (DISC.)	4005 710 2102	.105"	.118"																		•					
AutoCut® 46-2	4003 710 2115	.105"	.118"/.130"																•	•						
AutoCut® 56-2	4005 710 2107	.105"	.118"/.130"																		•					<u> </u>
DuroCut 5-2	4006 710 2131	.080"	.065"/.095"							•												•				
DuroCut 20-2	4002 710 2182	.120"	.080"/.095"/.105"			•		•	•			•	•	•	•	•	•	•					•	•	•	•
DuroCut 40-4	4005 710 2114	.155"	.120/.130"					•	•										•	•	•					
FixCut™ 30-2 (DISC.)	4001 710 2103	_	.080"/.095"/.105"					•				•	•	•		•	•4	●4					•	•		1
FixCut <sup>™</sup> 31-2	40017102105	-	.080"/.095"/.105"					•	•			•	•	•		•	●4	●4					•	•	•	•
STIHL SuperCut <sup>™</sup> 20-2	4002 710 2184	.095"	_					•	•			•	•	•	•	•	•	•					•	•	•	•
STIHL SuperCut <sup>™</sup> 40-2	4003 710 2142	.095"	_																•	•						

<sup>\*</sup> Trimmers equipped with loop handles. For models that are/were available with optional handles, "R" denotes loop-handle version.

O Approved for use with loop handle (R) only if equipped with barrier bar deflector kit and a single or double shoulder harness.

 $\square$  Approved for use with bike handle, double harness and limit stop.

 $\textbf{Note:} \ \text{Numbers with "mm" show arbor size. Consult your instruction manual or your authorized STIHL Dealer for approved cutting head/deflector combinations.}$ 

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R)

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit **STIHLusa.com.** 

#### IMPORTANT INFORMATION

**WARNING:** Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of

contact, circular saw blades may be used on FS brushcutters that have a bicycle handle and double shoulder harness and not on FS brushcutters with a "J" handle or loop handle (R). Other rigid blades may be used on FS brushcutters having a bicycle handle, a "J" handle, or a loop

handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

Approved for use with designated unit as originally equipped.

<sup>&</sup>lt;sup>1</sup> Not for use on FS 94 R

 $<sup>^2</sup>$  Not for use on FS 100 RX

 $<sup>^3</sup>$  Not for use on FS 80, FS 80 R, FS 90, FS 90 R, FS 110 or FS 110 R  $^{\circ}$ 

 $<sup>^4</sup>$  Not for use on FS 240 or FS 240 R

 $<sup>^{5}</sup>$  When using Grass-4 and Grass-8 metal cutting blades with FS 56 C-E, trimmer must be equipped with deflector (4144 710 8119).

<sup>&</sup>lt;sup>6</sup> Not for use on FS 560 C-EM

 $<sup>^{7}</sup>$  Only fits FSA 57 trimmers starting with serial number 9XXXXXXXX.

 $<sup>^{\</sup>rm 8}$  Only fits FSA 57 trimmers starting with serial number 5XXXXXXXX.

97

Head / Blade Type	Trimmer Line Diameter Part Number Standard Option		FSE 60*	FSA 85*	FSA 90 R	FSA130 R	FS 38 FS 50 C-E FS 50 C-E	FS 56 C-E	FS 56 RC-E FS 70 R FS 94 R	FS 80 R FS 90 R / FS 91 R FS 110 R / FS 111 R FS 130 R / FS 131 R	FS 100 RX FS 111 RX	FS 91 FS 111 FS 131	FS 250	FS 240 R	FS 311	FS 360 C-EM FS 460 C-EM	FS 560 C-EM	FSB-KM with KM 56 RC-E KM 91 R KM 111 R**	FS-KM with KM 56 RC-E**	FS-KM with KM 91 R / KM 94 R KM 111 R / KM 131 R**	FS-KM with KMA 130 R	FSA 135 / FSA 135 R
HEAVY GRASS MOWING HE																						
STIHL PolyCut™ 2-2	4008 710 2102	•																				
STIHL PolyCut™ 7-3 (DISC.)	4006 710 2127						•											•				
NEW! STIHL PolyCut™ 3-2	4009 710 2104	●7					•											•				
NEW! STIHL PolyCut™ 6-2	4006 710 2134						•											•				
STIHL PolyCut™ 20-3 (DISC.)	4002 710 2189							•	•	•	•	•	•	•					•	•		
STIHL PolyCut™ 41-3 (DISC.)	4003 710 2114														•	•	•					
NEW! TrimCut™ C 32-2	4002 710 2198					•		•	• 1	•	•	•	•	•	_				•	•	•	•
NEW! TrimCut™ C 42-2	4003 710 2122														•	•	_					
NEW! TrimCut™ C 52-2	4005 710 2117														_		•					
GRASS-4 20 MM	4000 713 3801					•		_ = =						0	•	•			0	0		0
<b>GRASS-4</b> 25.4 MM	4001 713 3801							●5	0	0				0		•	•		0		0	
<b>GRASS-8</b> 20 MM	4000 713 3802					•		●5		0		•	•	0	•	_	_		0	0	•	0
GRASS-8 25.4 MM BRUSH KNIVES	4001 713 3803					•								0								
BRUSH KNIVES  BRUSH KNIFE-250 MM 25.4 MM	430 737 4300					•				0		•	•	0						0	•	0
BRUSH KNIFE-300 MM 25.4 MM	4112 713 4100													O	•	•						
BRUSH KNIFE-350 MM 20 MM	4119 713 4100 4110 713 4100																•					
FORESTRY SAW BLADES	4110 713 4100																					
SCRATCHER-200 MM 20 MM	4000 713 4200																					
SCRATCHER-200 MM 25.4 MM	4112 713 4201														_	_						
SCRATCHER-225 MM 20 MM	4000 713 4205											_	_									
SCRATCHER-250 MM 20 MM	4104 713 4200																□6					
CHISEL-200 MM 20 MM	4119 713 4200																					
CHISEL-200 MM 25.4 MM	4112 713 4203																					
CHISEL-225 MM 20 MM	4110 713 4204																					
	41107104204																				1	











STIHL SuperCut™ LINE HEAD



Double line for mowing and trimming. The mowing line is automatically kept at the optimum cutting length.

## REEDS & BUSHES BRUSH KNIFE

**BUSHES &** 

THIN TREES



Steel triple blade. For trimming and removing tough, tangled grass, scrub and thorny bushes.

SCRATCHER TOOTH

Special steel tool for

and up. For gnarled

bushes and

thin tree

trunks.

mid-range brushcutters

### Special steel tool for mid-range brushcutters upwards. For gnarled

**CHISEL TOOTH** 

Special steel tool for

mid-range brushcutters

upwards. For gnarled

bushes, thin tree

clearing.

trunks, sawing and

CIRCULAR SAW BLADE, CIRCULAR SAW BLADE,

CIRCULAR SAW BLADE,

SCRATCHER TOOTH

## bushes and thin tree trunks.

#### ☐ Approved for use with bike handle, double harness and limit stop. Not for use on FS 94 R

\*\* 2018 models and newer

<sup>2</sup> Not for use on FS 100 RX

 $^3$  Not for use on FS 80, FS 80 R, FS 90, FS 90 R, FS 110 or FS 110 R

• Approved for use with designated unit as originally equipped.

<sup>4</sup> Not for use on FS 240 or FS 240 R

single or double shoulder harness.

handles, "R" denotes loop-handle version.

<sup>5</sup> When using Grass-4 and Grass-8 metal cutting blades with FS 56 C-E, trimmer must be equipped with deflector (4144 710 8119).

Trimmers equipped with loop handles. For models that are/were available with optional

O Approved for use with loop handle (R) only if equipped with barrier bar deflector kit and a

<sup>6</sup> Not for use on FS 560 C-EM

<sup>7</sup> Only fits FSA 57 trimmers starting with serial number 5XXXXXXXX. Not compatible with serial number 9XXXXXXXX

 $\textbf{Note:} \ \text{Numbers with "mm" show arbor size. Consult your instruction manual or your authorized STIHL Dealer for approved cutting head/deflector combinations.}$ 

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R)

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com.

#### IMPORTANT INFORMATION

WARNING: Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used on FS brushcutters that have a bicycle handle and double shoulder harness and not on FS brushcutters with a "J" handle or loop handle (R). Other rigid blades may be used on FS brushcutters having a bicycle handle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



Ideal trimmer head if you prefer manual heads that require precut lengths of nylon line, even when operating in severe

Ideal trimmer head if you

prefer manual heads that

require precut lengths

of nylon line, even when

TrimCut™ LINE HEAD

AutoCut®

LINE HEAD



Double line for mowing and trimming. The nylon line length is adjusted by hand.

Double or quadruple line for

mowing and trimming. The

nylon line length is adjusted

by tapping the cutting head

against the ground.

AutoCut® LINE HEAD



mowing and trimming. The nylon line length is adjusted by tapping the cutting head against the ground.

STIHL SuperCut™

Double line for mowing and

trimming. The mowing line

is automatically kept at the

optimum cutting length.

LINE HEAD

BLADE



STIHL PolyCut™ MOWING HEAD



Universal cutting tool for trimming and working on large areas. With three pivoting thermoplastic



**HEAVY** 

**VEGETATION** 



operating in severe applications.

operating in severe

applications.

**DuroCut** 

LINE HEAD



require precut lengths of nylon line, even when



Reversible steel quadruple blade. For working on large areas of tough grass.



For mowing thick dry grass and reeds.







### **COLOR-CODED/NYLON LINE**

The thickness of the nylon line varies, depending on the performance class and operating conditions. Nylon lines are color-coded to easily define the diameter of the cutting line to include: premium round, Quiet  $\mathsf{Line}^\mathsf{TM}$  and pentagon nylon lines.

- .065" (1.6 mm) dia.
- .080" (2.0 mm) dia.
- .095" (2.4 mm) dia.
- .118" (3.0 mm) dia.
- .105" (2.7 mm) dia.
- .130" (3.3 mm) dia.
- Commercial Round Line
- Commercial Square Line
- **⊆** CF3-Line
- X-Line

### STIHL Quiet Line™

Spiral grooves greatly reduce wind noise.



Line Type	Diameter	Spools	Spool	Spool	Spool	Spool
Premium Round Line	0/5					
Premium Round Line	.065					
	.080					
	.105	•				
	.103					
	.130					
	.155		_			
Quiet Line™	.065					
Quiet Line	.080					
Ŭ	.095					
	.105	•				
	.155					
Commercial Round Line	0.095			•	•	•
· · · · · · · · · · · · · · · · · · ·	.105			•	•	•
Premium Square Line	.095		•	•		
	.105		•			
~	.118			•		
	■ .130			•		
Commercial Square Line	.095				•	•
	.105				•	•
Pentagon Line	.095		•	•	•	•
	.105		•	•	•	•
	.118			•		
	<b>130</b>		•	•	•	•
X-Line	3 × .095			•	•	•
W	<b>×</b> .105			•	•	•
DuroCut Serrated Line	♣ .080		Packed -	48 pieces	per tube.	
Lange Control of the	<b>1</b> 20		Packed -	48 pieces	per tube.	
	<b>4</b> .155		Packed -	48 pieces	per tube.	
CF3 Pro	.095		•	•	•	•
	■ .105		•	•	•	•
	<b>三</b> .118		•	•	•	•
	<b>■</b> .130			•	•	•

Color/ 22' - 65' 1/2 lb.\* 1 lb.\*

<sup>\*</sup>Approximate weight and length may vary.



#### **DEFLECTOR & LIMIT STOP ASSEMBLIES**

Reduce the risk of injury from thrown objects and blade contact. Make sure your product has the right deflector or limit stop with the cutting attachment you are using. Check your instruction manual or see your STIHL Dealer for more information.

LARGE **DEFLECTORS** 



#### **HIGH-VISIBILITY DEFLECTORS**









#### **LIMIT STOP**



#### **SHOULDER HARNESSES**

These harnesses distribute the load from hands to a user's shoulders, reducing operator fatigue. A double shoulder harness is required by ANSI when using a circular saw blade on a brushcutter.















## **EDGERS**





## FC 56 C-E

STIHL EASY START

With its fuel-efficient, low-emission engine, the FS 56 C-E edger features the STIHL Easy2Start™ system for almost effortless starting.



## FC 91



The FC 91 is a professional, curved-shaft edger with high blade speed, a lowemission engine and more.



### FC 91

"After cutting through some heavy sidewalk grass overhang, this edger has zipped through each and every successive use. It gives a professional finish to my lawn."







Check out this review and others on the product pages at STIHLusa.com.



### **FC 70**





A professional, curvedshaft edger, the FC 70 blends low emissions with high performance.



### FC 96





The professional, straightshaft FC 96 is powered by a low-emission engine and features a large fuel tank, providing long run time.



### FC 111



Bring your "A" game to any landscaping job with the most powerful edger in the STIHL line. The FC 111 gets users to the job faster with its easy three-step starting procedure.









## TIP

#### BEFORE YOU EDGE

If the soil is very dry, spray it with a little water to soften and reduce dust that can limit visibility while edging.



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components. For full specification information for all STIHL edgers, please refer to page 105.

# **BED REDEFINER**

For maintaining mulch and clean edges around flower beds.

- Our dedicated redefiner tool is built to be light and deliver consistent power.
- Make quick work of mulch and flower beds, adding sharp edges and clean, beveled trenches.







EDGERS	Power Source Type	Displacement (cc/cu.in.)	Engine Power (kW/bhp)	Weight* (lbs.)	Fuel Capacity (oz.)	Gear Ratio	Maximum Blade Speed (rpms)	Arbor Size (mm/in.)	Blade Size (cm/in.)	Blade Cutting Depth (cm/in.)	Shaft Type - Straight/Curved	STIHL Easy2Start™	Adjustable Depth Wheel	"Line of Sight" Marking	"Open" Guard Design	Multi-Function Control Handle	Caring for Nature	Built in the USA	
FC 56 C-E		27.2/1.66	0.8/1.07	13.5	11.5	1:1.24	8,300	25.4/1.0	20.3/8.0	-	Curved	•	•	•	•	•	<b>&amp;</b>	USA	
FC 70		27.2/1.66	0.9/1.2	13.0	11.5	1:1.24	8,300	25.4/1.0	20.3/8.0	_	Curved	-	•	•	•	•	<b></b>	BURT IN USA	
EC 01	200	20 4/177	O OE /1 27	17.0	240	11075	0.100	25 4/10	20.7/0.0		C		•	•		•		BULT IN USA	

FB 131		36.3/2.2	1.4/1.9	17.2	24.0	1:2.09	4,800	25.4/1.0	ı	6.6/2.6	Straight	-	•	•	•	•	<b>@</b>	BURT IN USA	
BED REDEF	BED REDEFINER																		
FC 111		31.4/1.9	1.05/1.4	13.7	24.0	1:2.09	4,800	25.4/1.0	20.3/8.0	-	Straight	-	•	•	•	•	<b>@</b>	USA USA	
FC 96		28.4/1.73	0.95/1.27	13.7	24.0	1:2.09	4,800	25.4/1.0	20.3/8.0	_	Straight	_	•	•	•	•		BUILT IN USA	
FC 91		28.4/1.73	0.95/1.27	13.2	24.0	1:1.235	8,100	25.4/1.0	20.3/8.0	-	Curved	_	•	•	•	•	<b>(4)</b>	USA	

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components.





**SMALLER SHRUBS** 

AND

**SHRUBS** 

**EXTENDED OPERATING TIMES** 

OCCASIONAL USE

## **HEDGE TRIMMERS**

## **HEDGE TRIMMERS**

**PROFESSIONAL** USE

HSA 26 🔳

HSA 45 HS 45 HS 46 C-E

HSE 52 →

HSA 56 🔳 HL 56 K (0°) HLA 56 🔳

**HS 56** HSE 70 **→**  HSA 66 I HS 82 R (24") HS 82 R (30")

HS 82 T (24") HS 82 T (30" & 40") HSA 94 T

HLA 65 🔳 HLA 85 🔳

HSA 94 R 🔳 HL 91 K (0°) HLA 135 K (0°) HLA 135 K (145°) HLA 135 (145°)

HS 87 R (30") HS 87 T (40") HS 87 T (30") HL 94 K (0°) HL 94 K (145°) HL 94 (145°) HL 111 K (0°) HL 111 K (145°)

HL 111 (145°)

## SEASONAL TRIMMING & SMALLER SHRUBS

 Our hedge trimmers are lightweight, easy to use and designed to make quick work of overgrown shrubs and bushes.







The innovative and versatile GTA 26 battery-powered garden pruner features a 4" guide bar to prune small diameter branches and timber.



GTA 26 HOLSTER

The GTA 26 Holster connects to a user's belt and leg and features a strengthened back panel for increased durability.



**HS 46 C-E** 

**HS 45** 

The HS 46 C-E is the lightest gasoline-powered hedge trimmer in the STIHL line and features STIHL Easy2Start™ technology,

Available with an 18" double-sided reciprocating blade, the

HS 45 is powered by a dependable STIHL engine to deliver

the power needed to cut through shrubbery with ease.



which makes starting the trimmer nearly effortless.

#### **HSE 52**

Lightweight, yet durable, the HSE 52 corded-electric hedge trimmer features a 20" double-sided blade that cuts in both directions and a D-shaped handle for easy cutting at various positions.



#### HSA 56

Part of the AK Series, the HSA 56 delivers a high cutting speed of 2,800 strokes per minute and a run time up to 50 minutes.\*



### **HS 45**

"This device is lightweight, powerful, easy to handle and looks very sleek!"



Check out this review and others on the product pages at **STIHLusa.com.** 





#### **HSA 26**

With faster speeds than the previous model, the HSA 26 battery-powered garden shears put an unparalleled level of cutting precision in the palm of your hand.



#### **HSA 45**






Part of the AI Series, the HSA 45 delivers high cutting speeds in a compact, ergonomic design, and provides up to 40 minutes of run time.\*







## **NUMEROUS HEDGES** & SHRUBS

 Our well-balanced hedge trimmers feature anti-vibration technology, delivering the cutting power needed to leave behind uniform, professionally groomed hedges and shrubs.





#### **HS 56**



The HS 56 hedge trimmer is the ideal balance of power and portability for professional users and comes with a blade tip guard that helps to keep blades sharper longer.



#### **HSA 66**




Part of the AP Series, the HSA 66 runs on the same universal battery as other AP products and features optimized blade geometry and diamond-ground blades for clean cuts.



#### **HSE 70**





hedge trimmer is lightweight and easy to maneuver and features a long 24" blade to make fast work of larger shrubs.



#### **HS 82**



The HS 82 is a win-win for professional landscapers, available in a pruning (R) and trimming (T) version in both 24" and 30" blade length options, offering two ways to tackle trimming tasks.





#### **HS 87**

The lightweight and well-balanced HS 87 features a singlesided blade and is available in a pruning (R) and trimming (T) version to tackle overgrown shrubs.



#### **HSA 94**





Built with the professional in mind, the HSA 94, available in a pruning (R) and trimming (T) version, features a 24" blade and no onboard battery, shifting the battery weight to the back or hip.

 Our professional line of hedge trimmers are in an entirely different league of performance and dependability. They are made to start fast and cut faster, and offer quality trimming performance.

**OPERATING TIMES** 

**SIZABLE JOBS** 

& EXTENDED



## **HSA 94 R**

"This works great in cutting tough perennial stems and even fleshy hostas. There is plenty of power which seemed to outlast us and a nice long cutter."



Check out this review and others on the product pages at STIHLusa.com.



## **EXTENDED-REACH HEDGE TRIMMERS**

- Our battery and gasoline-powered extended-reach hedge trimmers are available in fixed and articulating blade options.
- Ideal for extra tall and wide shrubs.





HL 56 K (0°) The fixed-angle HL 56 K (O°) is ideally suited for homeowners and entry-



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components. For full specification information for all STIHL hedge trimmers, please refer to page 120.






## HLA 85

"Did 250 feet of multiple type hedges sides and top and used 1/4 of the battery in 1.5 hours ... Start and stop is so easy with this battery machine."




Check out this review and others on the product pages at STIHLusa.com.













## HLA 135 K (0°) AP WSA





When precision matters in hard-toreach places, pros rely on the control and performance of this professionalgrade trimmer's 0° fixed-angle cutting head and short shaft design.

## HLA 135 K (145°)





For a combination of versatility and control, the short shaft design of this pro-grade hedge trimmer with its articulating 145° cutting head give users all they need in a durable design.



## HLA 135 (145°)





With an articulating 145° cutting head and an extended-reach shaft, this professional-grade hedge trimmer gives pros the reach and range they need to take on a variety of jobs.

















HL 111 K (0°)

This hedge trimmer features a fixed-angle O° blade that allows users to get into hard-to-reach places, offering optimal control and precision

trimming.



120 STIHLUSA.COM HEDGE TRIMMERS 121

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)	Fuel Capacity (oz.)	Blade Length (cm/in.)	Blade Type – Single-Sided/ Double-Sided	Strokes Per Minute	Tooth Spacing (mm)	Cutting Head - Articulated/Fixed	STIHL Anti-Vibration System	STIHL Easy2Start™	Rear Swivel Handle	Simplified Starting	Multi-Function Control Handle	Telescoping Pole	Caring for Nature	Built in the USA
SEASONAL TRIMMING, SMALLER SHRUBS NEW! GTA 26 GARDEN PRUNER	AS			10.8	2.7	_					Fined								
NEW! HSA 26	AS	-	-	36	1.5		– Shrub: 20/7.9	– Double	2,200	-	Fixed Fixed	-	-	-	-	_	_		-
HSA 45	Al	_	-	18	5.1	_	Grass: 12/4.7			- 17.8		_	_	_	_	-	_		_
HS 45		272/166	0.75/1.01	10		70	50 / 20 46 / 18	Double	2,500		Fixed	-	_	_	_		_		-
HS 46 C-E	70	27.2/1.66	0.75/1.01	_	10.4 9.5	7.8	56 / 22	Double Double	3,700 3,640	-	Fixed	•	-	_	-	•	_	_	BUILT IN USA
HSE 52	<b>-</b>	21.4/1.31	0.05/0.67	120		9.5	50 / 20	Double	3,400	-	Fixed			_			_	-	<u> </u>
HSA 56	AK	_	_		6.8	_				70	Fixed	_	-	_	_	-	_		_
NUMEROUS HEDGES AND SHRUBS	AN	_	-	36	6.4	_	45 / 18	Double	2,800	30	Fixed	-	_	_	_	J	_		_
HS 56		21.4/1.31	0.65/0.87	_	9.9	9.5	61 / 24	Double	3,640		Fixed		•	_	•	•			BUILT IN USA
HSA 66	AP	21.4/1.51	0.03/0.07	- 36	6.8	7.5	50 / 20	Double	3,000	- 30	Fixed	_		_	_		_	-	
HSE 70	<b>→</b>	_	_	120	9.3	_	61 / 24	Double	3,200		Fixed		_			_			_
HS 82 R (24")		22.7/1.4	0.7/0.94	-	11.9	15.6	61 / 24	Double	3,100	_	Fixed	-	_	•	•	•	_	_	_
HS 82 T (24")	70	22.7/1.4	0.7/0.94	_	11.2	15.6	61 / 24	Double	5,100		Fixed	•	_	•	•	•	_	_	_
HS 82 R (30")	~	22.7/1.4	0.7/0.94	_	12.6	15.6	76 / 30	Double	3,100	_	Fixed	•	_	•	•	•	_	_	_
HS 82 T (30")	~	22.7/1.4	0.7/0.94	_	11.7	15.6	76 / 30	Double	5,100	_	Fixed	•	_	•	•	•	_	_	_
SIZABLE JOBS, EXTENDED TRIMMING TIMES		,	,				,		5,										
HS 87 R (30")		22.7/1.4	0.7/0.94		12.1	15.6	76 / 30	Single	3,100	-	Fixed	•	_	_	•	•	_	_	-
HS 87 T (30")	~	22.7/1.4	0.7/0.94	_	11.5	15.6	76 / 30	Single	5,000	_	Fixed	•	_	_	•	•	_	_	_
HS 87 T (40")	~	22.7/1.4	0.7/0.94	-	12.1	15.6	101.6 / 40	Single	5,000	-	Fixed	•	_	_	•	•	-	_	-
HSA 94 R	AP	_	_	36	9.0	_	60 / 24	Double	2,800/3,000	38	Fixed	_	_	•	_	•	_	<b>a</b>	_
HSA 94 T	AP	_	_	36	8.6	_	60 / 24	Double	4,400/4,700	30	Fixed	_	_	•	_	•	_		_
EXTENDED-REACH HEDGE TRIMMERS																			
HL 56 K (O°)		27.2/1.66	0.8/1.07	-	12.6	11.5	50 / 20	Double	_	_	Fixed	-	_	_	•	•	_	<b>*</b>	BUILT IN USA
HLA 56	AK	_	-	36	8.4	_	45 / 18	Double	2,800	30	Articulating	-	_	_	_	_	_	<b>a</b>	_
HLA 65	AP	-	-	36	7.5	-	50 / 20	Double	3,000	33	Articulating	-	-	-	-	-	-	<b>a</b>	_
HLA 85	AP	_	_	36	8.8	_	50 / 20	Double	3,000	33	Articulating	-	_	-	_	_	•	<b>&amp;</b>	
HL 91 K (O°)		24.1/1.5	0.9/1.2	-	11.9	18.3	60 / 24	Double	3,900	_	Fixed	•	-	-	•	•	-	<b></b>	USA
HL 94 K (O°)		24.1/1.5	0.9/1.2	_	12.1	18.3	60 / 24	Double	3,900	-	Fixed	•	_	_	•	•	_	<b>a</b>	BUILT IN USA
HL 94 K (145°)		24.1/1.5	0.9/1.2	-	12.8	18.3	60 / 24	Double	3,600	-	Articulating	•	-	-	•	•	-	<b>(4)</b>	USA.
HL 94 (145°)		24.1/1.5	0.9/1.2	_	13.7	18.3	60 / 24	Double	3,600	-	Articulating	•	_	_	•	•	_	<b>a</b>	USA
<b>NEW! HL 111 K</b> (0°)		31.4/1.9	1.05/1.4	-	13.5	24.0	60 / 24	Double	4,000	_	Fixed	•	-	-	•	•	-	<b>(a)</b>	-
<b>NEW! HL 111 K</b> (145°)		31.4/1.9	1.05/1.4	_	14.3	24.0	60 / 24	Double	3,700	-	Articulating	•	_	_	•	•	_	<b>&amp;</b>	
<b>NEW! HL 111</b> (145°)		31.4/1.9	1.05/1.4	-	15.4	24.0	60 / 24	Double	3,700	_	Articulating	•	-	-	•	•	-	<b>(4)</b>	_
NEW! HLA 135 K (O°)	AP	_	-	36	10.4	_	60 / 24	Double	3,200/3,600 /4,000	_	Fixed	_	_	_	_	_	_	<b>&amp;</b>	_
<b>NEW! HLA 135 K</b> (145°)	АР	-	-	36	11.5	_	60 / 24	Double	3,200/3,600 /4,000	-	Articulating	-	-	-	-	_	-	<b>(a)</b>	-
<b>NEW! HLA 135</b> (145°)	AP	-	_	36	12.4	-	60 / 24	Double	3,200/3,600 /4,000	-	Articulating	-	_	-	_	_	_		-

<sup>●</sup> Standard ○ Optional − Not Applicable

A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components.

<sup>\*</sup>Dry weight.

# **POLE PRUNERS**


Smooth, precise cutting that makes quick work of tall branches.







A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components.



POLE PRUNERS	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Chain Oil Capacity (oz.)	Overall Length (in.) - With Cutting Attachmer	Guide Bar Length (in.) - Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type	Side-Access Chain Tensioner	Shaft Type (Fixed/Telescoping)	STIHL Easy2Start™ (E)	Caring for Nature	Built in the USA
HT 56 C-E		27.2/1.66	0.8/1.1	_	14.1	11.5	4.1	110	10	1/4" P	PM3	•	Fixed	•	<b></b>	BUILT IN USA
HTA 65	АР	_	_	36	8.4	_	3.6	93	10 or 12	1/4" P	PM3	•	Fixed	-	<b></b>	_
HTA 85	AP	-	-	36	10.8	-	3.6	93	10 or 12	1/4" P	PM3	•	Telescoping	-	<b>(a)</b>	-
<b>NEW!</b> HT 105		31.4/1.9	1.05/1.4	-	17.3	17.9	7.4	-	12	1/4" P	PM3	•	Telescoping	-	<b></b>	USA
HT 131		36.3/2.2	1.4/1.9	-	17.2	17.9	7.4	-	14	3/8" P	РММ3	•	Telescoping	-	<b></b>	USA
<b>NEW! HT 134</b>		36.3/2.2	1.4/1.9	-	14	17.9	7.4	-	14	3/8" P	РММ3	•	Fixed	-	<b></b>	USA
NEW! HT 135		36.3/2.2	1.4/1.9	-	17.3	17.9	7.4	-	14	3/8" P	РММ3	•	Telescoping	-	<b></b>	USA USA
NEW! HTA 135	AP	_	_	36	15	_	-	159	10	3/8" P	PM3	•	Telescoping	-		_
HT 250		40.2/2.45	1.6/2.15	-	13.3	21.6	7.4	84	14	3/8" P	РММ3	•	Fixed	-	-	BUILT IN USA

● Standard ○ Optional − Not Applicable

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

<sup>\*</sup>Dry weight.

<sup>\*\*</sup>The actual listed guide bar length can vary from the effective cutting length based on the gear head design.





## HT 131



The telescoping HT 131 pole pruner can reach up to 11' 6" and comes standard with 3/8" STIHL PICCO™ Micro™ Mini 3 (PMM3) saw chain.



HT 134 

With its durable metal gearbox construction, the fixed-length HT 134 gives users excellent maneuverability and reduces user fatigue when

compared to previous models.



HT 135

TEA WEA

The HT 135 pole pruner offers a telescoping shaft and a powerful, low-emission engine to give users the reach and performance needed for challenging cutting jobs.









The 7' fixed-length HT 250 pole pruner is equipped with a high displacement engine, providing the power needed for tough forestry or arboriculture pruning applications.







BGA 45 🔳

BG 50 BGA 57 🔳 BGE 61 **⇒** 

BG 56 C-E BGE 71 **⇒** SH 56 C-E BG 66 L

BGA 86 🔳

BG 86 BG 86 C-E SH 86 C-E **BR 200** 

BR 350 BGA 100 🔳 BGA 200 🔳 **BR 430** 

BR 450 **BR 500** 

**BR 600** BR 800 X **BR 700** BR 700 X

BR 800 C-E

## **WEEKLY USE AROUND BEDS** & DRIVEWAYS

- We designed our blowers for quick and easy yard cleanup.
- Our lightweight blowers are a breeze to use and can power through cluttered yards and walkways without hesitation.









Part of the Al Series, the battery-powered BGA 45 delivers the power urban homeowners need at an incredible value.



#### **BG 50**





A perfect choice for homeowners seeking premium STIHL quality, the BG 50 boasts the highest power-to-weight ratio in the STIHL gasoline-powered handheld lineup.



#### **BG 56 C-E**







The BG 56 C-E is easy to use, features the STIHL Easy2Start™ system and its high-performance engine makes quick work of leaves.



SH 56 C-E







The fuel-efficient SH 56 C-E is a shredder vac/blower with the convenience of the STIHL Easy2Start™ system.





control and comfortable operation.

#### **BGA 57**









**BGA 57** 



"This battery powered handheld blower is more than enough power to handle any job



Part of the AK Series, the battery-powered BGA 57 blower

delivers powerful STIHL performance combined with great

### **BGE 61**





Quiet and easy to use, the BGE 61 is part of a generation of lightweight, powerful corded-electric leaf blowers.



### **BGE 71**



The BGE 71 is a versatile, two-speed corded-electric blower for high or low speed and noise control.



A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components. The BGA 57 is built in the United States with domestic and foreign components. Batteries and chargers sourced internationally. For full specification information for all STIHL blowers, please refer to page 138.

## **LARGER AREAS & NUMEROUS TREES**

 Our hardworking handheld and backpack blowers deliver power, comfort, durability, and no-fuss ease of use to tackle larger yards and jobs.





**BG 66 L** 



Ideal for use in neighborhoods or other noise-sensitive areas, the BG 66 L is quiet, yet powerful.



### **BGA 86**





A powerful, lightweight battery-powered blower, the BGA 86 features 50% more blowing force than the previous model.







The BG 86 has earned the title of our most powerful gasolinepowered dedicated handheld blower, designed for landscaping professionals.



**BG 86 C-E** 





The BG 86 C-E is our most powerful gasoline-powered dedicated handheld blower, made even better with STIHL Easy2Start<sup>™</sup> technology.





SH 86 C-E







The professional SH 86 C-E easily converts from a shredder vac into a handheld blower and features STIHL Easy2Start  $^{™}$ technology.



### **BGA 100**





Part of the AP Series, the battery-powered BGA 100 variablespeed throttle trigger features four performance settings to deliver great blowing power and run time.



High performance in a battery package, the BGA 200 is the

most powerful battery-powered blower in the STIHL range.

**BGA 200** 













**BR 350** 



With a powerful and fuel-efficient gasoline-powered engine, the BR 350 provides rugged power to tackle heavy debris, while delivering exceptional fuel economy.







blower for use around the home.







## **PROFESSIONAL JOBS & EXTENDED BLOWING TIMES**

- Our professional backpack blowers are ergonomically designed to reduce vibration and increase comfort.
- Most importantly, they provide reliable power - a necessity when you're using our blowers all day, every day.





#### **BR 430**





A professional-grade backpack blower with the features pros need to get the job done, the BR 430 provides excellent fuel economy and enhanced comfort.



#### **BR 450**





A professional 2-stroke backpack blower, the BR 450 has plenty of power to get the job done.



### **BR 450**

"It has awesome features, has more power than I was expecting, and the fit and finish is second to none. I now enjoy blowing leaves and I never thought that was possible."



Check out this review and others on the product pages at **STIHLusa.com.** 





### **BR 500**




Reduce the noise without sacrificing the power; the BR 500 features a powerful, low-emission engine and specially designed muffled blower tube.







An all-in-one backpack blower, the BR 600 combines power, fuel efficiency and durability.









The BR 700 blower with adjustable tube length is one of the most powerful blowers in the STIHL range and reduces bottom-line costs with its fuel-efficient engine.



### **BR 700 X**

The powerful, professional BR 700 X features a flexible pleated connecting hose, fixed-length lightweight tube, reduces fatigue, and increases cleanup speed.

USA (i)



### BR 800 X MAGNUM®

The BR 800 X MAGNUM® offers maximum power in a lighter weight version of the BR 800 C-E MAGNUM® to tackle large properties.

THE WIND WAR



### BR 800 C-E MAGNUM®







The most powerful blower in the STIHL line, the BR 800 C-E MAGNUM® features a starting handle on the side of the unit, allowing users to start and restart the engine while wearing the blower on their back.



THE WILLIAM CONTROL OF THE PROPERTY OF THE PRO

BLOWERS & SHREDDER VACS 139 STIHLUSA.COM

	Power Source Type	Displacement (cc/ cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight (lbs.)	Fuel Capacity (oz.)	Sound Pressure Level - dB(A)**	Maximum Air Velocity (mph)**	Air Volume at Nozzle (cfm)**	Blowing Force / Newtons***	Round Nozzle	Flat Nozzle	Curved Round Nozzle	Anti-Vibration System	STIHL Easy2Start™ (E)	STIHL ElastoStart™	Low-Noise Sound Damper (L)	Hip Belt	Lightweight Version (X)	Adjustable Tube	Toolless Adjustable Handle	Caring for Nature	Built in the USA
WEEKLY USE AROU	ND BE	DS AND DR	IVEWAYS																				
BGA 45	Al	_	-	18	4.4	_	60	98	235	5	•	-	_	-	_	_	_	-	_	_	_		-
BG 50		27.2/1.66	0.7/0.9	-	7.9	14.5	70	159	412	13	•	-	-	-	-	-	-	-	-	-	-	-	USA
BG 56 C-E		27.2/1.66	0.7/0.9	_	9.3	18.3	70	159	412	13	•	-	-	-	•	-	-	-	_	-	-	-	USA
SH 56 C-E		27.2/1.66	0.7/0.9	-	11.5	18.3	70	159	412	13	•	-	-	-	•	-	-	-	-	•	-	-	USA
BGA 57	AK	-	-	36	5.1	-	59	123	365	9	•	0	-	-	-	-	-	-	_	•	-		USA.
BGE 61	<b>*</b>	-	-	120	6.8	-	64	148	285	9	-	•	-	-	-	-	-	-	_	•	-	<b></b>	-
BGE 71	<b>*</b>	-	_	120	6.8	_	58/64	L:119/H:148	L:232/H:285	L:6/H:9	-	•	_	_	-	-	-	-		•	-		_
LARGER AREAS, NU	MERO																	1		_			(PILLY IN)
BG 66 L		27.2/1.66	0.6/0.8	_	9.7	18.3	65	139	371	10	•	-	-	-	-	-	•	_	_	•	_	-	USA.
NEW! BGA 86	AP	-	-	36	6.2	-	58	154	459	15	•	•	-	-	-	-	-	-	_	•	-	<b></b>	- BUILT IN
BG 86		27.2/1.66	0.8/1.07	_	9.7	14.9	70	F:190/R:154	F:365/R:444	15		•	-	•	-	_	-	_	_	•	_	-	BUILT IN USA
BG 86 C-E	_	27.2/1.66	0.8/1.07	-	9.7	14.9	70	F:190/R:154	F:365/R:444	15 15			-	•	•	-	_	_	_	•	-	-	BUILT IN USA
SH 86 C-E		27.2/1.66	0.8/1.07	-	12.3	14.9	70	170	444			-	-	_	-	_	-	_	_		_	-	USA
BGA 100	AP	-	-	36	5.5	_	56 <sup>1</sup>	168²	494²	172		0	-	-	-	-	-	-	_	•	-		-
BGA 200	AP	-	-	36	6.8	_	59	188	553	21	-	0	-	-	-	-	-	_	_	•	-	<b></b>	_
BR 200		27.2/1.66	0.8/1.07	-	12.6	35.5	70	150	400	12	•	-	0	•	-	-	-	-	-	•	-	-	USA.
BR 350		63.3/3.86	2.1/2.8	_	22.0	57.5	74	201	436	17	•	0	-	•	_	_	-	0	_	•	_	<b></b>	USA
PROFESSIONAL JOE	BS, EX	TENDED BL	OWING TI	MES																			
BR 430		63.3/3.86	2.9/3.9	_	22.3	57.5	76	219	500	26	•	0	0	•	-	•	-	0	_	•	-	-	USA
BR 450		63.3/3.86	2.9/3.9	-	23.4	57.5	77	219	642	28	•	-	0	•	-	-	-	0	_	•	•	-	USA USA
BR 500		64.8/3.95	2.0/2.7	_	22.3	47.3	65	207	544	22	•	-	0	•	-	_	•	0	_	•	•		USA
BR 600		64.8/3.95	2.8/3.8	-	21.6	47.3	75	238	677	32	•	0	0	•	-	_	-	0	_	•	_	<b></b>	USA USA
BR 700		64.8/3.95	2.8/3.8	_	23.4	47.3	75	197	912	35	•	0	0	•	_	_	_	0	_	•	•	<b></b>	USA
BR 700 X		64.8/3.95	2.8/3.8	-	23.0	47.3	75	193	901	34	•	_	_	•	-	_	_	0	•	_	•	<b>a</b>	USA
BR 800 C-E MAGNUM®		79.9/4/9	3.2/4.4	_	25.8	67.6	78	239	912	41	•	0	0	•	•	_	_	•	_	•	•	<b>a</b>	BUILT IN USA
BR 800 X MAGNUM®		79.9/4/9	3.2/4.4	-	23.1	67.6	78	239	912	41	•	-	-	•	-	-	-	•	•	•	•	<b>a</b>	BUILT IN

● Standard O Optional - Not Applicable

L = Low H = High F = Flat tube R = Round tube

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



<sup>\*</sup>Dry weight.

\*\*As measured per ANSI B 175.2 standard (gasoline-powered blowers only).

\*\*\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

<sup>&</sup>lt;sup>1</sup> Measurement in Stage 1 mode. <sup>2</sup> Measurements in Boost mode.



# **SPRAYERS**

Landscaping sprayers designed for liquid or granular dispersants.





### **SG 11**

The versatile SG 11 is great for the garden or farm and features a translucent tank for managing liquid levels.

MANUAL SPRAYERS

POWER SPRAYERS

Manual

Manua

Manual

Manual



### **SG 20**

The 18-liter SG 20 maintains constant working pressure and is comfortable and lightweight, helping professionals get through

	day with I	less fat	igue.
ıe Power (kW/bhp)	ht (lbs.)*	Capacity (oz.)	ainer/Tank city (L/gal.)

63.3/3.86 | 2.9/3.9 | 28.2 | 57.5 | 14.0/3.7 | 90/201 | 920/542 | 14.5/48.0 | 13.0/43.0 |

14.0/3.7 90/201 920/542 14.5/48.0

1.0

11.2

4.0

9.9

10.6

27.3

27.2/1.66 | 0.8/1.07 | 18.7

63.3/3.86 2.9/3.9

SG 31

The easy-to-use SG 31 is powerful, easily portable and equipped with a 5-liter tank to tackle user's spraying tasks.



SG 51

The SG 51 manual backpack sprayer is a lightweight and versatile tool that combines smart design with functionality, making it dependable and easy to use.

Container/Tank Capacity (L/gal.)	Air Velocity (m/sec / mph)	Air Volume (m³h/cfm)	Maximum Spray Range - Horizontal (m/ft.)	Maximum Spray Range - Vertical (m/ft.)	Simplified Starting Procedure	Pressure Pump Pre-installed	Translucent Fuel Tank	Variable Speed Throttle Lock	Variable Control of Liquid Discharge	Built in the USA
1.5/0.4	-	-	_	-	_	_	_	-	-	-
18.0/4.75	_	_	_	-	_	_	_	_	-	_
5.0/1.32	-	-	_	-	_	-	_	_	-	_
12.0/3.17	_	_	_	-	_	_	_	-	-	-
18.0/4.76	Ī	-	-	-	-	-	_	-	-	-
10.0/2.1	81/181	580/341	9.0/29.5	5.5/18.0	•	0	•	•	•	USA

13.0/43.0

● Standard ○ Optional − Not Applicable

\*Dry weight.

SR 200

SR 430

SR 450

SG 11

SG 20

SG 31

**NEW! SG 51** 

**NEW! SG 71** 

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

36.5

57.5



## SG 71

The SG 71 manual backpack sprayer gives professionals a versatile and reliable option that leverages smart design with great functionality.



# **SR 200** TUSA USA

or vineyards.

The lightweight SR 200 delivers more power than a manual sprayer and is ideal for small tree farms



# **SR 430**



The powerful, fuel-efficient, liquid-only SR 430 delivers a large spraying range, reducing the time it takes to treat large areas. Comes standard with pressure pump kit.



# **SR 450**



Ideal for distributing liquid or solid compounds, the SR 450 converts from misting to dusting applications without any special tools or additional equipment.

## SPRAYER ACCESSORIES (FOR SR 200, SR 430 AND SR 450)

PRESSURE PUMP KIT: Provides constant delivery rate and recirculates liquid in holding tank LOW VOLUME NOZZLE: For precise metering of liquids when low flow rates are needed TUBE EXTENSION: Extends spraying tube for additional reach (Only applicable for the SR 430 and SR 450)

A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components.



# **WET/DRY VACUUMS**

Our wet/dry vacuums have what you





# **SE 62**


"This vacuum is great. It has plenty of power to handle anything I expect out of a vacuum. Big fan of the filter system and how easy it is to clean."



Check out this review and others on the product pages at **STIHLusa.com.** 



**SE 33** 



	Power Source Type	Voltage (V)	Motor Output (kW/amps)	Weight (lbs.)*	Suction (mbar/in ${ m H_2O})$	Air Flow (L/min / cfm)	Container Capacity (L/gal.)	Suction Hose Length (m/ft.)	Power Cord Length (m/ft.)	Hose Diameter (mm)	Standard with Univers. Nozzle and Crevice To	Wet/dry Vacuuming Options	Switchable Floor Nozz	Handle with Quick Release Coupling	Multiple Filter System
VACUUMS															
NEW! SE 33	<b>&gt;</b>	120	1.0/8.3	11.7	210/84	3,600/127	12.0/3.2	2.0/6.6	4.0/13.1	32	0	•	•	-	•
SE 62	<b>-</b>	120	1.0/8.3	16.5	210/84	3,600/127	20.0/5.2	2.5/8.2	5.0/16.4	32	•	•	•	_	•
SE 122	<b>-</b>	120	1.0/8.3	22.0	230/91	3,700/130	30.0/7.9	3.0/9.8	7.5/24.6	36	•	•	•	•	•

● Standard ○ Optional − Not Applicable

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.





The rugged and quiet SE 62 is perfect for use around the home or workshop, and can be converted to a blower for additional

**SE 62** 


cleaning tasks.



The professional SE 122 can tackle the toughest jobs with its universal wet/dry suction head and foot-activated, height-adjusted head.

# **PRESSURE** WASHERS

Pressure washers designed for





# **RE 90 →**

The easy-to-use RE 90 delivers 1,800 psi of water pressure, providing plenty of power for occasional use around the home, and comes standard with multiple nozzles for versatile cleaning applications.



multiple nozzles for versatile cleaning applications.

# **RE 110 PLUS**



With an integrated pressurized hose reel that allows homeowners to use its 23' high-quality hose at any length, the RE 110 PLUS corded-electric pressure washer delivers 2,000 psi water pressure for powerful cleaning.



**RB 200** 

The RB 200 features an easy start pump system and delivers 2,500 psi of water pressure to tackle tough cleaning jobs on sidewalks, driveways, decks, and more.



RB 400 DIRT BOSS®

pressure with renowned STIHL durability.



When you need to demolish dirt, the RB 400 DIRT BOSS® combines excellent performance, delivering 2,700 psi of water



**RB 600** 

The RB 600 features 3,200 psi of water pressure and a commercial-grade Triplex pump, tackling heavy-duty projects with ease.





The most powerful pressure washer in the STIHL line, the RB 800 boasts 4,200 psi of water pressure and is designed for heavy-duty commercial use.





148



**ROTATING NOZZLE** 3000 PSI

Rotating zero-degree nozzle for aggressive cleaning of stubborn stains.



**ROTATING NOZZLE** 5100 PSI

Rotating zero-degree nozzle for aggressive cleaning of stubborn stains.



**MULTI-FUNCTION** NOZZLE

Features six spray patterns: 0°, 15°, 25°, 40°, soap and rinse all in one nozzle.



LONG-RANGE **DETERGENT NOZZLE** 

Apply detergent to hard-toreach areas.



**WATER BROOM** 

Wash large surfaces like decks, sidewalks and driveways quickly.



**ROTARY SURFACE CLEANER** 

Quick and easy cleanup for large surfaces. Ideal for sidewalks and driveways.



**GUTTER CLEANER** 

Gutter cleaner allows you to clean the inside of a gutter from the ground.



**PIVOT COUPLER** 

Adjusts to three different angles for hard-to-reach areas.



**ALUMINUM 48" SPRAY LANCE EXTENSION** 

Add an extra 4' of reach with this lightweight aluminum spray lance.



25' HIGH-PRESSURE HOSE EXTENSION

Ultra-flexible high-pressure hose is easy to coil and resists tangling. It can be used as a replacement or extension hose.



**50' HIGH-PRESSURE HOSE EXTENSION** 

Steel-braided high-pressure hose extension can be used as a replacement or as an extension hose.



**DECK & HOUSE WASH** 

Ideal for removing mildew stains and chalk buildup on paint.

	Power Source Type	Displacement (cc/cu. i	Engine Power (kW/bh	Weight (lbs.)*	Fuel Capacity (oz.)	Water Pressure (psi)	Water Flow (gpm)	Hose Length (ft.)	Cleaning Units	Pump Piston Type	Easy Start Pump Syste	STIHL Anti-vibration System	Comes with Detergent Sprayer	Detergent Injection System	Caring for Nature
PRESSURE WASHERS															
RE 90	<b>-</b>	_	-	23.4	_	1,800	1.2	19	2,160	Stainless Steel	_	_	•	_	<b>(a)</b>
RE 110 PLUS	<b>-</b>	_	_	46.7	_	2,000	1.2	23	2,400	Stainless Steel	_	_	•	_	
RB 200		173/10.6	3.7/5.0	62.5	1.5	2,500	2.3	25	5,750	Stainless Steel	•	_	_	•	_
RB 400 DIRT BOSS®		196/12.0	4.8/6.5	90.0	3.8	2,700	2.7	25	7,290	Ceramic Coated	•	•	_	•	_
RB 600		208/12.7	5.2/7.0	118.0	4.2	3,200	3.0	40	9,600	Ceramic Coated	•	•	_	•	-
RB 800		429/26.2	10.5/14.0	168.0	7.4	4,200	4.0	50	16,800	Ceramic	•	•	_	•	_

● Standard — Not Applicable

\*Dry weight.

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

i.

(d

50 ft. High Pressure Hose Extension         QC         600, 800         4925 500 0811           High Pressure Spray Gun         M22         200, 400         4789 500 1300           High Pressure Spray Gun w/Grip         QC         600, 800         4791 500 1300           19.75 in. Spray Lance         QC         200, 400, 600, 800         4915 500 0938           34 in. Spray Lance         QC         200, 400, 600, 800         4915 500 0300           Spray Lance Coupler         QC         200, 400, 600, 800         4915 500 0300           Pivot Coupler         QC         200, 400, 600, 800         4900 500 6704           2.7* Detergent Nozzles (3-Pack – 15*, 25*, 65*)         QC         200         4789 500 6700           3.0* Detergent Nozzles (5-Pack – 0*, 15*, 25*, 40*, 65*)         QC         400         4790 007 1000           3.7* Detergent Nozzles (5-Pack – 0*, 15*, 25*, 40*, 65*)         QC         800         4792 007 1000           Long-Range Detergent Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC		Connector	Fits RB Model(s)	Part Number
40 ft. High Pressure Hose Extension         QC         600         4925 500 0809           50 ft. High Pressure Hose Extension         QC         600,800         4925 500 0801           High Pressure Spray Gun         M22         200,400         4789 500 1300           High Pressure Spray Gun w/Grip         QC         600,800         4791 500 1300           19.75 in. Spray Lance         QC         200,400,600,800         4915 500 0938           34 in. Spray Lance         QC         200,400,600,800         4915 500 0903           48 in. Spray Lance Extension         QC         200,400,600,800         4915 500 0903           Spray Lance Coupler         QC         200,400,600,800         4905 500 6700           Pivot Coupler         QC         200,400,600,800         4905 500 6700           2.7* Detergent Nozzles (3-Pack – 15*,25*,65*)         QC         200         4789 500 6700           3.3* Detergent Nozzles (5-Pack – 0*,15*,25*,40*,65*)         QC         400         4790 007 1000           3.7* Detergent Nozzles (5-Pack – 0*,15*,25*,40*,65*)         QC         800         4792 007 1000           Long-Range Detergent Nozzle (6 Patterns, 4,200 psi)         QC         200,400,600,800         4900 502 1022           Rotating Nozzle (3,000 psi)         QC         200,400,600,800	RB SERIES PRESSURE WASHER ACCESSORIES	5		
50 ft. High Pressure Hose Extension         QC         600,800         4925 500 0811           High Pressure Spray Gun         M22         200,400         4789 500 1300           High Pressure Spray Gun w/Grip         QC         600,800         4791 500 1300           19.75 in. Spray Lance         QC         200,400,600         4915 500 0938           34 in. Spray Lance         QC         200,400,600,800         4915 500 0903           48 in. Spray Lance Extension         QC         200,400,600,800         4915 500 0300           Spray Lance Coupler         QC         200,400,600,800         4905 500 6700           Pivot Coupler         QC         200,400,600,800         4789 500 6700           2.7* Detergent Nozzles (3-Pack - 15*, 25*, 45*, 45*)         QC         200         4789 007 1000           3.0* Detergent Nozzles (5-Pack - 0*, 15*, 25*, 40*, 65*)         QC         400         4790 007 1000           3.7* Detergent Nozzles (5-Pack - 0*, 15*, 25*, 40*, 65*)         QC         800         4792 007 1000           3.7* Detergent Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         2	25 ft. High Pressure Hose Extension	M22	200, 400	4925 500 0817
High Pressure Spray Gun         M22         200, 400         4789 500 1300           High Pressure Spray Gun w/Grip         QC         600, 800         4791 500 1300           19.75 in. Spray Lance         QC         200, 400, 600         4915 500 0938           34 in. Spray Lance         QC         200, 400, 600, 800         4915 500 0903           48 in. Spray Lance Extension         QC         200, 400, 600, 800         4915 500 0300           Spray Lance Coupler         QC         200, 400, 600, 800         4905 500 6700           Pivot Coupler         QC         200, 400, 600, 800         4900 500 6700           2.7* Detergent Nozzles (3-Pack - 15*, 25*, 45*)         QC         200         4789 007 1000           3.0* Detergent Nozzles (5-Pack - 0*, 15*, 25*, 40*, 65*)         QC         400         4790 007 1000           3.7* Detergent Nozzles (5-Pack - 0*, 15*, 25*, 40*, 65*)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         800         4792 007 1000           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         200, 400, 600, 800         4790 0500 1646           Rotating Nozzle (5,100 psi)         QC         200, 400, 600, 800	40 ft. High Pressure Hose Extension	QC	600	4925 500 0809
High Pressure Spray Gun w/Grip	50 ft. High Pressure Hose Extension	QC	600, 800	4925 500 0811
19.75 in. Spray Lance       QC       200, 400, 600       4915 500 0938         34 in. Spray Lance       QC       200, 400, 600, 800       4915 500 0943         48 in. Spray Lance Extension       QC       200, 400, 600, 800       4915 500 0300         Spray Lance Coupler       QC       200, 400, 600, 800       4905 500 6700         Pivot Coupler       QC       200, 400, 600, 800       4789 500 6700         2.7° Detergent Nozzles (3-Pack - 15°, 25°, 45°)       QC       200       4789 007 1000         3.0° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)       QC       400       4790 007 1000         3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)       QC       800       4792 007 1000         Long-Range Detergent Nozzle       QC       200, 400, 600, 800       4900 502 1023         Multi-Function Nozzle (6 Patterns, 4,200 psi)       QC       200, 400, 600, 800       4900 502 1022         Rotating Nozzle (3,000 psi)       QC       200, 400, 600, 800       4900 500 1646         Rotating Nozzle (5,100 psi)       QC       600, 800       4789 007 1008         Water Broom       QC       200, 400, 600, 800       4789 500 3900         Rotary Surface Cleaner       QC       200, 400, 600, 800       4789 500 3900         All-Purpose Cleaner <t< th=""><th>High Pressure Spray Gun</th><th>M22</th><th>200, 400</th><th>4789 500 1300</th></t<>	High Pressure Spray Gun	M22	200, 400	4789 500 1300
34 in. Spray Lance         QC         200, 400, 600, 800         4915 500 0943           48 in. Spray Lance Extension         QC         200, 400, 600, 800         4915 500 0300           Spray Lance Coupler         QC         200, 400, 600, 800         4905 500 6700           Pivot Coupler         QC         200, 400, 600, 800         4789 500 6700           2.7° Detergent Nozzles (3-Pack - 15°, 25°, 65°)         QC         200         4789 007 1000           3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         400         4790 007 1000           3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (3,000 psi)         QC         200, 400, 600, 800         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4789 500 3900           All-Purpose Cleaner         Q         200, 400, 600,	High Pressure Spray Gun w/Grip	QC	600, 800	4791 500 1300
48 in. Spray Lance Extension         QC         200, 400, 600, 800         4915 500 0300           Spray Lance Coupler         QC         200, 400, 600, 800         4900 500 6704           Pivot Coupler         QC         200, 400, 600, 800         4789 500 6700           2.7° Detergent Nozzles (3-Pack - 15°, 25°, 45°)         QC         200         4789 007 1000           3.0° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         600         4791 007 1000           3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (5,100 psi)         QC         200, 400, 600, 800         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4789 500 3900           All-Purpose Cleaner         QC         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200	19.75 in. Spray Lance	QC	200, 400, 600	4915 500 0938
Spray Lance Coupler         QC         200, 400, 600, 800         4900 500 6704           Pivot Coupler         QC         200, 400, 600, 800         4789 500 6700           2.7° Detergent Nozzles (3-Pack - 15°, 25°, 65°)         QC         200         4789 007 1000           3.0° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         400         4790 007 1000           3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         600         4791 007 1000           3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (5,100 psi)         QC         200, 400         4900 500 1642           Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4780 500 3904           All-Purpose Cleaner         QC         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600	34 in. Spray Lance	QC	200, 400, 600, 800	4915 500 0943
Pivot Coupler         QC         200, 400, 600, 800         4789 500 6700           2.7° Detergent Nozzles (3-Pack - 15°, 25°, 65°)         QC         200         4789 007 1000           3.0° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         400         4790 007 1000           3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         600         4791 007 1000           3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (3,000 psi)         QC         200, 400, 600, 800         4900 500 1642           Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4789 500 3900           All-Purpose Cleaner         QC         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           30W Pump Oil, Non-Detergent, 1L         —	48 in. Spray Lance Extension	QC	200, 400, 600, 800	4915 500 0300
2.7° Detergent Nozzles (3-Pack - 15°, 25°, 65°)       QC       200       4789 007 1000         3.0° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)       QC       400       4790 007 1000         3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)       QC       600       4791 007 1000         3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)       QC       800       4792 007 1000         Long-Range Detergent Nozzle       QC       200, 400, 600, 800       4900 502 1023         Multi-Function Nozzle (6 Patterns, 4,200 psi)       QC       200, 400, 600, 800       4900 502 1022         Rotating Nozzle (3,000 psi)       QC       200, 400, 600, 800       4900 500 1642         Gutter Cleaner       QC       200, 400, 600, 800       4789 007 1008         Water Broom       QC       200, 400, 600, 800       4789 500 3900         Rotatry Surface Cleaner       QC       200, 400, 600, 800       4700 500 3904         All-Purpose Cleaner       —       200, 400, 600, 800       7100 871 0274         Deck and House Wash       —       200, 400, 600, 800       7100 871 0275         30W Pump Oil, Non-Detergent, 1L       —       400, 600, 800       7010 319 0001         10W/30 Tech4Plus Engine Oil       —       200, 400, 600, 800       7010 319 0001	Spray Lance Coupler	QC	200, 400, 600, 800	4900 500 6704
3.0° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         400         4790 007 1000           3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         600         4791 007 1000           3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (5,100 psi)         QC         200, 400         4900 500 1642           Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4700 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         400, 600, 800         0797 210 3006           30W Pump Oil, Non-Detergent, 1L         —         400, 600, 800         7010 319 0001	Pivot Coupler	QC	200, 400, 600, 800	4789 500 6700
3.3° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         600         4791 007 1000           3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (3,000 psi)         QC         200, 400         4900 500 1642           Rotating Nozzle (5,100 psi)         QC         600, 800         4900 500 1642           Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4900 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1 L         —         400, 600, 800         7010 319 0001	<b>2.7° Detergent Nozzles</b> (3-Pack - 15°, 25°, 65°)	QC	200	4789 007 1000
3.7° Detergent Nozzles (5-Pack - 0°, 15°, 25°, 40°, 65°)         QC         800         4792 007 1000           Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (3,000 psi)         QC         600, 800         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         600, 800         4900 500 1642           Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4900 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0275           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1L         —         400, 600, 800         7010 319 0001           10W/30 Tech4Plus Engine Oil         —         200, 400, 600, 800         7010 319 0001	<b>3.0° Detergent Nozzles</b> (5-Pack - 0°, 15°, 25°, 40°, 65°)	QC	400	4790 007 1000
Long-Range Detergent Nozzle         QC         200, 400, 600, 800         4900 502 1023           Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (3,000 psi)         QC         200, 400         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         600, 800         4900 500 1642           Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4900 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0275           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1L         —         400, 600, 800         7010 319 0001           10W/30 Tech4Plus Engine Oil         —         200, 400, 600, 800         7010 319 0001	<b>3.3° Detergent Nozzles</b> (5-Pack - 0°, 15°, 25°, 40°, 65°)	QC	600	4791 007 1000
Multi-Function Nozzle (6 Patterns, 4,200 psi)         QC         200, 400, 600, 800         4900 502 1022           Rotating Nozzle (3,000 psi)         QC         200, 400         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         600, 800         4900 500 1642           Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4900 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1 L         —         400, 600, 800         7010 319 0001           10W/30 Tech4Plus Engine Oil         —         200, 400, 600, 800         7010 319 0001	<b>3.7° Detergent Nozzles</b> (5-Pack - 0°, 15°, 25°, 40°, 65°)	QC	800	4792 007 1000
Rotating Nozzle (3,000 psi)         QC         200,400         4900 500 1646           Rotating Nozzle (5,100 psi)         QC         600,800         4900 500 1642           Gutter Cleaner         QC         200,400,600,800         4789 007 1008           Water Broom         QC         200,400,600,800         4789 500 3900           Rotary Surface Cleaner         QC         200,400,600,800         4900 500 3904           All-Purpose Cleaner         —         200,400,600,800         7100 871 0274           Deck and House Wash         —         200,400,600,800         7100 871 0275           Heavy Duty Degreaser         —         200,400,600,800         7100 871 0276           30W Pump Oil, Non-Detergent, 1 L         —         400,600,800         7010 319 0001           10W/30 Tech4Plus Engine Oil         —         200,400,600,800         7010 319 0001	Long-Range Detergent Nozzle	QC	200, 400, 600, 800	4900 502 1023
Rotating Nozzle (5,100 psi)         QC         600,800         4900 500 1642           Gutter Cleaner         QC         200,400,600,800         4789 007 1008           Water Broom         QC         200,400,600,800         4789 500 3900           Rotary Surface Cleaner         QC         200,400,600,800         4900 500 3904           All-Purpose Cleaner         —         200,400,600,800         7100 871 0274           Deck and House Wash         —         200,400,600,800         7100 871 0275           Heavy Duty Degreaser         —         200,400,600,800         7100 871 0276           30W Pump Oil, Non-Detergent, 1 L         —         400,600,800         7010 319 0001           10W/30 Tech4Plus Engine Oil         —         200,400,600,800         7010 319 0001	Multi-Function Nozzle (6 Patterns, 4,200 psi)	QC	200, 400, 600, 800	4900 502 1022
Gutter Cleaner         QC         200, 400, 600, 800         4789 007 1008           Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4900 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1L         —         400, 600, 800         0797 210 3006           10W/30 Tech4Plus Engine Oil         —         200, 400, 600, 800         7010 319 0001	Rotating Nozzle (3,000 psi)	QC	200, 400	4900 500 1646
Water Broom         QC         200, 400, 600, 800         4789 500 3900           Rotary Surface Cleaner         QC         200, 400, 600, 800         4900 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1 L         —         400, 600, 800         0797 210 3006           10W/30 Tech4Plus Engine Oil         —         200, 400, 600, 800         7010 319 0001	Rotating Nozzle (5,100 psi)	QC	600, 800	4900 500 1642
Rotary Surface Cleaner         QC         200, 400, 600, 800         4900 500 3904           All-Purpose Cleaner         —         200, 400, 600, 800         7100 871 0274           Deck and House Wash         —         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         —         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1L         —         400, 600, 800         0797 210 3006           10W/30 Tech4Plus Engine Oil         —         200, 400, 600, 800         7010 319 0001	Gutter Cleaner	QC	200, 400, 600, 800	4789 007 1008
All-Purpose Cleaner	Water Broom	QC	200, 400, 600, 800	4789 500 3900
Deck and House Wash         -         200, 400, 600, 800         7100 871 0275           Heavy Duty Degreaser         -         200, 400, 600, 800         7100 871 0276           30W Pump Oil, Non-Detergent, 1 L         -         400, 600, 800         0797 210 3006           10W/30 Tech4Plus Engine Oil         -         200, 400, 600, 800         7010 319 0001	Rotary Surface Cleaner	QC	200, 400, 600, 800	4900 500 3904
Heavy Duty Degreaser	All-Purpose Cleaner	-	200, 400, 600, 800	7100 871 0274
30W Pump Oil, Non-Detergent, 1 L - 400, 600, 800 0797 210 3006 10W/30 Tech4Plus Engine Oil - 200, 400, 600, 800 7010 319 0001	Deck and House Wash	-	200, 400, 600, 800	7100 871 0275
10W/30 Tech4Plus Engine Oil – 200, 400, 600, 800 7010 319 0001	Heavy Duty Degreaser	_	200, 400, 600, 800	7100 871 0276
	30W Pump Oil, Non-Detergent, 1 L	-	400, 600, 800	0797 210 3006
Winterization Kit         -         200, 400, 600, 800         0797 010 2058	10W/30 Tech4Plus Engine Oil	_	200, 400, 600, 800	7010 319 0001
	Winterization Kit	-	200, 400, 600, 800	0797 010 2058

Note: RB and RE accessories are not interchangeable.

RE SERIES PRESSURE WASHER ACCE	SSORIES
Rotary Surface Cleaner	4910 500 39
Datami Washing Pough	4010 500 50

Part Number

7100 871 0276


Rotary Washing Brush Foam Nozzle 4910 500 9600 4910 500 8601 Hose Cassette 23' Extension Hose 4910 500 0801 4910 500 1910 Curved Spray Lance 4190 500 0900 Spray Lance Extension Vehicle Cleaning Kit 4910 500 6110 Hose Cassette Bracket\* 4950 790 5400 OTHER ACCESSORIES 7100 871 0274 All-Purpose Cleaner Deck and House Wash 7100 871 0275

Note: RB and RE accessories are not interchangeable. \*Only intended for use with the RE 110 PLUS

Heavy Duty Degreaser

RE SERIES







**KM 56 RC-E** 







The versatile KM 56 RC-E features a powerful and low-emission STIHL



**KM 91 R** 





The professional KM 91 R provides landscapers professional performance and offers simplified starting with its semiautomatic choke lever.



**KM 94 R** 





The professional KM 94 R

features the innovative ECOSPEED throttle set wheel, allowing the user to set the most effective throttle speed for a particular job and attachment.



**KM 111 R** 





The KM III R features a powerful, low-emission engine and offers simplified starting with its semiautomatic choke lever.



ADJUSTABLE POWER SCYTHE ATTACHMENT

Ideal for precise weed and grass trimming and features a 145°



HL-KM 0°

STRAIGHT HEDGE

TRIMMER ATTACHMENT

Optional HT/HL CFK shaft

with the efficient, fixed-

angle 0° attachment.

extension available.

**HL-KM 145°** 

or 24" blade.

ADJUSTABLE HEDGE

TRIMMER ATTACHMENT

Features an adjustable 145°

working range, allowing cuts at

different angles. Available in 20"

Tackle hard-to-reach hedges



**RECIPROCATOR** 

Reciprocating action of the blades may reduce the risk of thrown objects while working. Ideal for use in high-traffic areas, and around golf course bunkers, ponds, lakes and ditch banks.



#### FSB-KM

around yards.

**CURVED SHAFT** TRIMMER ATTACHMENT Designed for greater user comfort and control for trimming

Not for use with KM 131 R, KMA 130 R or KMA 135 R.



FS-KM

BRUSHCUTTER WITH 4-TOOTH GRASS BLADE ATTACHMENT

Features a 4-tooth cutting blade for weeds and thick, tough grass.



### FCB-KM

**CURVED LAWN EDGER ATTACHMENT** 

Features an adjustable depthcontrol wheel for edging along walkways and planting beds.



BF-KM

MINI-CULTIVATOR **ATTACHMENT** 

Ideal for flower bed rejuvenation and mixing amendments into the soil.



KW-KM

STIHL PowerSweep™ **ATTACHMENT** 

Heavy-duty rubber flaps clean up caked dirt on concrete, move pebbles and sand from turf, and water and light snow from hard, flat surfaces.



#### **BG-KM**

**BLOWER ATTACHMENT** 

Delivers the power needed for quick debris removal for outdoor cleanup projects.



**BRISTLE BRUSH** 

HT-KM

POLE PRUNER

**ATTACHMENT** 

trees and shrubs.

extension available.

Makes quick work of pruning

Optional HT/HL CFK shaft

**ATTACHMENT** Wide sweeping surface makes quick work of big sweeping jobs.



FS-KM

LINE HEAD TRIMMER **ATTACHMENT** 

Delivers great maneuverability for trimming around landscape obstacles.

## HT/KM

SHAFT EXTENSION

When tall branches and shrubs are out of reach, this shaft extension lengthens the reach of your pole pruner attachment.



#### HT/HL-KM CFK

SHAFT EXTENSION

A 37" carbon-fiber shaft extension for HT and HL applications. Extremely lightweight less than 2 lbs.



# **RG-KM**



## FCS-KM

STRAIGHT LAWN **EDGER ATTACHMENT** 

Features an open deflector design for cleaning up edges with more power.




BED REDEFINER ATTACHMENT


FBD-KM

Gives bed edges a professional, manicured finish.

Not for use with KM 56 RC-E.









**REAL VERSATILITY** 

The STIHL KombiSystem gives homeowners and professionals the versatility they need to take on a range of outdoor tasks. With the ability to change out KM attachments between gas- and batterypowered powerheads, STIHL KombiSystem



**KMA 130 R** 



The KMA 130 R features a commercial-grade brushless motor for optimal performance and durability for a virtually maintenancefree service life.



**KM 131 R** 



The most powerful

KombiMotor in the STIHL range, the KM 131 R has 33% more engine power than the KM 111 R.



Maximize your productivity with the versatile KMA 135 R, a battery-powered KombiMotor that delivers professional performance to rival its gas-powered counterpart.











# YARD BOSS®

multi-task in the garden.





MM 56 C-E YARD BOSS®






The MM 56 C-E YARD BOSS® is an easy-to-use, multi-tasking tool equipped to meet specific property needs. It comes standard as a cultivator and easily transitions to any of its eight optional attachments.







LAWN AERATOR ATTACHMENT Slicing blades aid water





FC-MM BED EDGER ATTACHMENT Cut defined edges and separate the grass from the planting area.





PICK TINES CULTIVATOR ATTACHMENT

Break up weeds and hardened soil in the garden.





**BK-MM BOLO TINES CULTIVATOR** ATTACHMENT

Cultivate deeper into the soil to prepare for planting.





**MM WEIGHT KIT** Provides additional weight for optimized attachment performance.



**MM WHEEL KIT** Delivers improved handling, transport and maneuverability with most attachments.





extensions.





Make quick work of sweeping jobs on walkways and other paved surfaces.

NOTE: This attachment must be used with large deflector and extensions.

Do not use on grass lawns.





ATTACHMENT

Heavy-duty rubber flaps clean up caked dirt on concrete, move pebbles and sand from turf and water and light snow from hard, flat surfaces.

NOTE: This attachment must be used with large deflector and extensions. Do not use on grass lawns.





TRIMMER ATTACHMENT

Trim around the yard and tackle heavy weeds and tough growth.

NOTE: The FS-MM must be used with MM Wheel Kit.



MM DEPTH GAUGE Allows for variable working depths when using cultivator attachments.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Optional Attachments - Number Available	STIHL Easy2Start™	STIHL Anti-Vibration System	Loop Handle	Multi-Function Control Handles	Electronic Ignition Module	IntelliCarb™ Compensating Carburetor	Caring for Nature	Built in the USA
KM SERIES KOMBIM	OTOR	S													
KM 56 RC-E		27.2/1.66	0.8/1.07	-	9.5	11.5	13	•	-	•	•	•	-		USA
KM 91 R		28.4/1.73	0.95/1.27	-	9.7	24.0	15	_	•	•	•	•	•		USA
KM 94 R		24.1/1.47	0.9/1.2	-	8.8	18.3	15	_	•	•	•	•	-		USA
KM 111 R		31.4/1.9	1.05/1.4	_	9.7	24.0	15	_	•	•	•	•	•		USA
KMA 130 R	AP	-	-	36	7.1	-	14	_	-	•	•	_	-		_
KM 131 R		36.3/2.2	1.4/1.9	_	9.7	24.0	14	_	•	•	•	•	•		USA
<b>NEW!</b> KMA 135 R	AP	-	-	36	7.5	_	14	_	-	•	•	_	-		_
STIHL YARD BOSS®															
MM 56 C-E		27.2/1.66	0.85/1.14	-	21.8	11.5	10	•	-	-	•	•	•	-	USA

<sup>●</sup> Standard ○ Optional − Not Applicable


Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

Note: STIHL KM Series KombiMotors and STIHL YARD BOSS® power tools are designed to work with a variety of attachments.



		Weight (kg/lbs.)
KOMBIS	YSTEM ATTACHMENTS	
BF-KM	MINI-CULTIVATOR	4.1/9.0 ¹
BG-KM	BLOWER	1.8/4.0
FBD-KM	BED REDEFINER	3.5/7.7
FCB-KM	CURVED LAWN EDGER	2.2/4.9 <sup>2</sup>
FCS-KM	STRAIGHT LAWN EDGER	2.6/5.7 <sup>2</sup>
FS-KM	BRUSHCUTTER WITH 4-TOOTH GRASS BLADE	1.2/2.6 <sup>3</sup>
FS-KM	LINE TRIMMER	1.2/2.6 3
FSB-KM	CURVED-SHAFT TRIMMER	0.7/1.6 3
FH-KM	145° ADJ. POWER SCYTHE	2.1/4.7
HL-KM	O° STRAIGHT HEDGE TRIMMER	1.6/3.5
HL-KM	145° ADJ. HEDGE TRIMMER	2.3/5.1
НТ-КМ	POLE PRUNER	1.9/4.2 4
KB-KM	BRISTLE BRUSH	6.4/14.11
KW-KM	STIHL PowerSweep <sup>™</sup>	7.4/16.3 1
RG-KM	RECIPROCATOR	2.5/5.5

Note: Specifications are as of Oct. 1, 2020.
For most recent updates, visit STIHLusa.com.



<sup>\*</sup>Dry weight and powerhead only.

<sup>&</sup>lt;sup>2</sup> With cutting tool and deflector <sup>3</sup> Without cutting tool, without deflector <sup>4</sup> Without bar and chain

**Note:** Weights shown are for attachments only. For powerhead weights, refer to charts above.



# **ROBOTIC MOWERS** BY STIHL.

Perfect lawn, and more time to enjoy your yard.





### **RMI 422 P**



The compact RMI 422 P is ideal for lawns up to 0.25 acres by providing convenient, hassle-free lawn care.



# **RMI 422 PC-L**





The compact RMI 422 PC-L is ideal for lawns up to 0.42 acres by providing convenient, hassle-free lawn care. Now with LTE connectivity.



# **RMI 522 C**





The RMI 522 C is perfect for lawns up to .5 acres and features an advanced GPS guided navigation system for returning to the docking station.



Part Number

	Fits Model (s)	Part Number
IMOW® ROBOTIC LAWN MOWER A	CCESSORIES	
Small Installation Kit - 164 yds. of Perimeter Wire (2.3 mm)	RMI 422, 522, 632	6909 007 1018
Large Installation Kit - 437 yds. of Perimeter Wire (2.3 mm)	RMI 522, 632	6909 007 1019
Docking Station Canopy	RMI 422, 522, 632	6909 780 5405
High Traction Wheels	RMI 422, 522	6909 700 0425
High Traction Wheels	RMI 632	6909 700 0412
Weighted Front Wheels	RMI 422, 632	6909 007 1052
Replacement Blade	RMI 422 P, 522	6301 702 0101
Replacement Blade	RMI 632 P Only	6309 702 0102
ARB 151 Perimeter Wire - 164 yds. (2.3 mm)	-	0000 400 8630
ARB 501 Perimeter Wire - 547 yds. (3.4 mm)	-	0000 400 8626
AFN 075 Perimeter Wire Stakes	_	6301 007 1011
AKM 100 Dock Signal Muffler	_	6909 007 1089
ADV 010 Perimeter Wire Repair Connectors (Only for 2.3 mm, 3.4 mm wire)	-	6909 007 1090



# RMI 632 P



The RMI 632 P features both a wider deck and a more powerful battery than the RMI 422 series, and can automatically mow up to an acre.



## **RMI 632 PC-L**





The RMI 632 PC-L features both a wider deck and a more powerful battery than the RMI 422 series, and can automatically mow up to 1.24 acres. Now with LTE connectivity.



	Voltage (V)	Weight (lbs.)	Maximum Lawn Area (Acres)	Maximum Slope (Degrees)	Cutting Height Range	Cutting Width (in.)	Geofenced Mowing A	STIHL iMow® app	Always Available GPS Location*	Recommended Week Mowing Duration for Maximum Lawn Size <sup>1</sup>	Caring for Nature
IMOW® ROBOTIC LAWN MOWERS											
RMI 422 P	18.5	19.8	0.25	22°	0.79 - 2.4	7.8	-	-	_	25	
RMI 422 PC-L	18.5	19.8	0.42	22°	0.79 - 2.4	7.8	•	•	•	28	
NEW! RMI 522 C	18.5	20.0	.5	22°	0.79 - 24	7.8	•	•	•	35	
RMI 632 P	29	28.6	1.0	24°	0.79 - 2.4	11.0	_	-	_	40	
RMI 632 PC-L	29	28.6	1.24	24°	0.79 - 2.4	11.0	•	•	•	50	

Standard - Not Applicable

\*With LTE coverage.

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

<sup>&</sup>lt;sup>1</sup> Under ideal conditions, based on the specified maximum lawn area.

# **LAWN MOWERS**

Battery-powered lawn mowers designed to cut your grass - and your carbon emissions - down to size.





## **RMA 460**





Part of the AK Series, the RMA 460 walk-behind lawn mower features a 19" deck and 15.85-gallon grass catcher making it a great option for small yards.



### **RMA 460 V**





The RMA 460 V is ideal for small, suburban yards providing users with the ease and convenience of self propulsion.



MOW OFTEN

When you mow your lawn often, you're promoting a lush, more uniform lawn. Ideally, you should remove no more than a third of the grass length with each mowing. This will result in smaller-sized clippings, which act as a natural fertilizer for your lawn.





The RMA 510 walk-behind lawn mower is part of the AP Series

and features a 21" deck, giving homeowners the performance of









The RMA 510 V provides all the features and benefits of the RMA 510 with the added benefit of self propulsion.

	Power Source Type	Voltage (V)	Weight* (lbs.)	Deck Width (in.)	Cutting Width (in.)	Cutting Height Range (in.)	Grass Catcher Capacity (gal.)	Self-Propelled	Mulch Function	Side Discharge	Bagging Capable	Eco Mode	Ball Bearing Wheels	Central Height Adjustment	Caring for Nature
LAWN MOWERS															
RMA 460	AK	36	55.1	19.0	18.1	1.4 to 3.9	15.85	No	•	•	•	•	•	•	
RMA 460 V	AK	36	61.7	19.0	18.1	1.0 to 3.9	15.85	Yes	•	•	•	•	•	•	
RMA 510	AP	36	59.5	21.0	20.0	1.4 to 3.5	18.5	No	•	•	•	•	•	•	
RMA 510 V	AP	36	63.9	21.0	20.0	1.0 to 3.9	19.8	Yes	•	•	•	•	•	•	

**RMA 510** 

a gasoline-powered mower.

- ${f \cdot}$  Weight is with bag, without mulch insert and side discharge chute.
- Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit **STIHLusa.com**. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

# PRUNING SAWS, **POLE PRUNERS** & SAWS

For clean and smooth cuts by hand.



**FOLDING SAW** 

**PS 10** 

Portable pruning saw features a 6" chrome-plated blade to cut branches up to 2" in diameter.



**PS 30 FOLDING SAW** 

A curved 7" tapered ground blade provides precision cutting for branches 2" in diameter.



**PS 40** 

# PRUNING SAW

This 7" fixed blade with impulsehardened teeth can cut dense or frozen branches up to 2.5" in diameter.



**PS 60** 

PRUNING SAW

Impulse-hardened blade teeth require less frequent sharpening and can tackle limbs up to 3" in diameter.



**PS 70** 

ARBORICULTURE SAW

The 13" chemical-nickel blade makes this saw ideal for branches up to 4" in diameter.



### ARBORICULTURE SAW

This 13" saw works as a versatile attachment on the PP 600, 800 or 900 telescoping pole pruner.



**PS 80** 

#### ARBORICULTURE SAW

The 16" nickel-plated blade makes this saw the ultimate attachment for the PP 600 or PP 800 pole pruner.



**PS 90** 

#### ARBORICULTURE SAW

A 13" fixed-blade arboriculture saw for branches up to 4" in diameter.



### **SHARPENING FILE**

Equipped to return your pruning saws to near-factory condition.

	PS 10	PS 30	PS 40	PS 60	PS 70	PS 90
PRUNING SAWS						
Cutting Capacity	2.0"	2.0"	2.5"	3.0"	4.0"	4.0"
Blade Length	6.0"	7.0"	7.0"	9.5"	13.0"	13.0"
Blade Style	Folding	Folding	Fixed	Fixed	Fixed	Fixed
Blade Shape	Straight	Curved	Straight	Straight	Curved	Curved
Blade Finish	CP	CP	CP/IH	CP/IH	CN	CP/IH
Resharpenable Blade	Yes	Yes	No	No	Yes	No
Overall Length	13.7"	14.8"	13.2"	16.0"	20.5"	19.0"

CP = Hard Chrome-Plated CN = Chemical Nickel IH = Impulse-Hardened Teeth



**PP 101 EXTENDED-**REACH PRUNER

Its 7' reach and ergonomic 180° revolving arm allow for precision cutting at almost any angle.



POLE

the ground.



Lopper

PS 75

NOTE: Saw heads and

lopper attachments are sold separately

Lightweight and can be fitted with a lopper or saw head to reach 10' above



# **TELESCOPING** POLE

A lightweight telescoping pole easily extends from 7.1' to 18.4' for precision cutting.



NOTE: Saw and lopper

heads are included

# POLE PRUNER SET

A high-carbon, steel blade and two durable fiberglass poles with a working reach of 18' above the ground.

	PP 101	PP 600	PP 800	PP 900
EXTENDED-REACH POLE PRU	NERS			
Cutting Capacity - with Lopper	0.75"	1.25"	1.25"	1.25"
Cutting Capacity – with Saw Blade	_	4.0"	4.0"	4.0"
Blade Length	Pruners	12.0"	16.0"	13.0" or 16.0"
Blade Finish	СР	СР	СР	СР
Replaceable Blade	Yes	Yes	Yes	Yes
Pole Material	Aluminum	Aluminum	Aluminum	Fiberglass
Overall Length	7.0'	10.8' Max.	18.4' Max.	18.0' Max.*

<sup>\*</sup>Comes standard with 12' pole. Optional 6' pole extends height to 18'. CP = Hard Chrome-Plated

	PS 75*	PS 80*	Lopper Head*
<b>EXTENDED-REACH POLE ATTA</b>	CHMENTS		
Fits Model	PP 600, PP 800, PP 900	PP 600, PP 800, PP 900	PP 600, PP 800, PP 900
Cutting Capacity	4.0"	4.0"	1.25"
Blade Finish	CN	СР	N/A
Replaceable Blade	Yes	Yes	Yes
Available Sheath, Scabbard or Cover	-	Scabbard	Cover

\*PS 75 and PS 80 require adapter to fit PP 900. See STIHL Price Book for PP 900 lopper head attachment.

CN = Chemical Nickel CP = Hard Chrome-Plated

# HAND PRUNERS, **LOPPERS & HAND SHEARS**

For precise cutting performance.

Pruners work best when sized to fit the user's hand. Use these symbols in selecting the best pruner to meet your needs.







**PP 40** 

HAND PRUNER

Ideal for thicker twigs and stems,

featuring a longer, wider blade that

resists sap and can be re-sharpened.



**PP 10** HAND PRUNER

A lightweight, dependable hand pruner

designed to tackle most pruning jobs.



**PP 30** HAND PRUNER

Designed for smaller hands, a PVCcoated handle delivers the right grip for cutting twigs, vines and stems.



## PRUNER, AXE AND **TOOL SHARPENER**

With a tungsten carbide blade and a high-impact nylon handle, this tool sharpens all STIHL Precision Series™ hand pruners, loppers, axes, and hatchets.



PP 70 HAND PRUNER



Strong, yet precise, this hand pruner can handle anything from fine pruning tasks to twigs up to 0.8".



**PP 80** HAND PRUNER



Made for large hands, featuring a longer handle for comfort and improved grip, with a 1" cutting capacity.



**PP 60** HAND PRUNER



A high-quality hand pruner made exclusively for smaller hands and designed to tackle tough cutting jobs.



**LEATHER SHEATH** 

Fits all hand pruners. Has belt clip and belt slots.

	PP 10	PP 30	PP 40	PP 60	PP 70	PP 80
HAND PRUNERS						
Cutting Capacity	0.8"	0.75"	0.8"	0.75"	0.8"	1.0"
Blade Shape	Straight	Offset	Offset	Offset	Offset	Offset
Blade Finish	СР	СР	СР	СР	СР	СР
Blade Lock – Quick Release	No	No	No	Yes	Yes	Yes
Resharpenable Blade	Yes	Yes	Yes	Yes	Yes	Yes
Replaceable Blade	Yes	No	No	Yes	Yes	Yes
User Hand Size	Med./8.0"	Sm./7.0"	Med./8.0"	Sm./7.0"	Med./8.0"	Lrg./9.0"

CP = Hard Chrome-Plated



#### **PL 5 LOPPER**

Strong, lightweight lopper with tubular steel handles and contoured grips for comfortable use.



**PL 10 LOPPER** 

Light and portable 24" lopper with a specially curved cutting head for vines and branches up to 1.25".



**PL 30 LOPPER** 

A medium-sized lopper with a specialized cutting head for tree pruning jobs up to 2" in diameter.



#### **PL 40 LOPPER**


Large, 32" aircraft aluminum handles provide pruning leverage for higher tree branches.

	PL 5	PL 10	PL 30	PL 40
LOPPERS				
Cutting Capacity	2.0"	1.25"	2.0"	2.0"
Blade Shape	Offset	Offset	Offset	Offset
Blade Finish	Alloy Steel	Alloy Steel	Alloy Steel	Alloy Steel
Handle Material	Steel	Aluminum	Aluminum	Aluminum
Resharpenable Blade	Yes	Yes	Yes	Yes
Replaceable Blade	Yes	Yes	Yes	Yes
Weight	2.75 lbs.	2.1 lbs.	2.5 lbs.	2.7 lbs.
Length	28.0"	24.0"	28.0"	32.0"



### **HEAVY-DUTY HEDGE SHEAR**

Corrosion-resistant, cold forged steel 8.5" blades provide strength for all types of trimming and sculpting.



## **ADJUSTABLE HEDGE SHEAR**

Nickel-plated, high carbon 6.75" blades and extendable handles designed for trimming tall bushes.




#### PRECISION HEDGE SHEAR

Professionally manicure and sculpt with ergonomic, shock-absorbent handles and 7" steel blades.

	Heavy-Duty	Adjustable	Precision
HEDGE SHEARS			
Cutting Capacity	0.375"	0.375"	0.375"
Blade Shape	8.5"	6.75"	7.0"
Blade Finish	Mirror Polished	Nickle Plated	Chrome Plated
Handle Material	Oak	Aluminum	Forged Aluminum
Resharpenable Blade	Yes	Yes	Yes
Replaceable Blade	No	No	Yes
Weight	1.8 lbs.	2.0 lbs.	1.7 lbs.
Length	22.0"	Adj. 28.0" - 41.5"	25.7"

There is a right axe for your cutting task.





## **HOOKAROON**

Features a non-slip grip and curved spike to firmly grab wood and drag with ease.



# **LOG CARRIER**

Hinged hooks firmly grip large logs for easy transport.



### **CANT HOOK**

Features a heavy-duty body designed to grip and move logs in a wide range of sizes.



#### **LOG PEAVEY**

Ideal for turning heavy logs and features a steel spike for greater control over movement.



#### LOG STAND

Connects to a cant hook or log peavey for easy elevation while cutting.



# Lightweight hatchet featuring a high-quality ash handle for comfort and durability.

# PRO SPLITTING HATCHET

Premium ash handle, oversized neck and fine-tuned balance - ideal for creating kindling and general use.



# PRO UNIVERSAL FORESTRY AXE

A 5-piece head attachment system and a C60 steel head - ideal for felling and limbing.





# WOODCUTTER SPLITTING MAUL

A durable drop-forged steel head and precision-ground edge - ideal for driving wedges or splitting large logs.

# TWISTED SPLITTING WEDGE

A 45° angle provides precision and leverage for splitting logs and firewood.

	Woodcutter Hatchet	Pro Splitting Hatchet	Woodcutter Universal Forestry Axe	Pro Universal Forestry Axe	Pro Splitting Axe	Pro Splitting Maul	Woodcutter Splitting Maul
AXES							
Handle Material	Ash	Ash	Ash	Hickory	Hickory	Ash	Hickory
Cutting Head Weight	1.3 lbs.	2.75 lbs.	2.2 lbs.	2.8 lbs.	5.5 lbs.	6.6 lbs.	6.6 lbs.
Overall Length	15.75"	19.75"	23.5"	27.5"	31.5"	33.5"	35.0"

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com.



A well-balanced head and premium ash handle - excellent for felling and light-duty splitting.



improve splitting performance.



# **AUGERS & DRILLS**

	Part Number
BT 131 EARTH AUGER BITS	
1.6" (40 mm) dia.	4313 680 2030
2.4" (60 mm) dia.	4313 680 203
3.5" (90 mm) dia.	4313 680 2032
4.7" (120 mm) dia.	4313 680 2033
5.9" (150 mm) dia.	4313 680 2034
7.9" (200 mm) dia.	4313 680 2035
BT 131 PLANTING AUGER BITS	
5.9" (150 mm) dia.	4311 680 2515
10.2" (260 mm) dia.	4404 680 1900
BT 131 OTHER ACCESSORIES	
18" (450 mm) Extension	4313 680 2302
7/8" Square Drive Auger Adapter	4313 680 3901
1" Square Drive Auger Adapter	4313 680 3900

A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components.



## **BT 131 EARTH AUGER**





The high-performance and lightweight BT 131 earth auger is the right solution for post-hole digging, fence installation, large planting projects, environmental restoration, and construction projects.

NOTE: Augers and bits sold separately.

## **BT 45 WOOD BORING DRILL**





This portable, lightweight and gasoline-powered drill is ideal for occasional use in building or repairing bulkheads, fences or retaining walls.



NOTE: Augers and bits sold separately.

# **BT 45 EARTH AUGER DRILL**





Ideal for mass flower plantings or deep root fertilization, the compact BT 45 earth auger drill helps users work through large amounts of soil quickly with less fatigue.



BT 45 with core drill adapter and water tank shown.

NOTE: The BT 45 planting auger is not for rocky, compacted soil or drilling large post holes.

NOTE: Augers and bits sold separately.

· (Ist/2nd/Rev.)	
Orilling Gear Speed (rpm)	
Sear Reduction	
Engine Torque Nm / ft./lb.)	
Auger Torque Nm / ft./lb.)	
foolless Fuel Cap	
5TIHL Quickstop® 3raking System	
öimplified Starting System	
Anti-Vibration System	
/ibration Dampening System	
Caring for Nature	
lt in the US∆	-

BORING DRILLS, A	UGER	S															
BT 45 Wood Boring Drill		27.2/1.66	0.8/1.07	10.5	8.5	663/1,972 /590	-	-	-	-	•	-	-	•	-	-	USA USA
BT 45 Earth Auger Drill		27.2/1.66	0.8/1.07	10.5	8.5	663/1,972 /590	_	_	_	_	•	_	_	•	_	_	BULT IN USA
BT 131 Earth Auger		36.3/2.2	1.4/1.9	22.0	24.0	_	200	47.5:1	1.7/1.25	81/60	•	•	•	_	•	<b>(4)</b>	USA

● Standard ○ Optional − Not Applicable

\*Dry weight and powerhead only.

Note: Specifications are as of Oct. 1, 2020 For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.







# TSA 230 STIHL Cutquik®





Lightweight and easy to start, the TSA 230 is the world's first battery-powered cut-off machine, great for cutting brick, tile and metal at indoor job sites.



TS 410 STIHL Cutquik®







The TS 410 features a 12" cutting wheel, while the X2 air filtration and anti-vibration system make this cut-off machine easy to use and maintain.



## TS 420 STIHL Cutquik®








Compact, lightweight and reliable, the TS 420 features all the high-performance features of the TS 410 with the added benefit of a 14" cutting wheel.




# TS 440 STIHL Cutquik®











14" Wheel

# TS 500i STIHL Cutquik®





The TS 500i boasts the world's first electronically controlled fuel-injection system that increases power and performance while remaining lightweight and well-balanced.



# TS 700 STIHL Cutquik®






A powerhouse designed for superior handling during the toughest jobs, the TS 700 features a powerful, high-speed engine, large fuel capacity and five-point dual element vibration control system.



# TS 800 STIHL Cutquik®





#### IMPORTANT INFORMATION

**WARNING:** Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using these products.

	Power Source Type	Displacement (cc/cu. in.)	Engine Power (kW/bhp)	Voltage (V)	Weight* (lbs.)	Fuel Capacity (oz.)	Engine Speed (rpm)	Maximum Spindle Speed (rpm)	Arbor Size (in.)	Maximum Wheel Size (in.)	Maximum Cutting Depth (in.)	$STIHL$ Elasto $Start^TM$ Starter Handle	Anti-Vibration System	IntelliCarb™ Compensating Carburetor	Water Connection	Fuel Injection	X2 Air Filtration	Caring for Nature
STIHL Cutquil	(® Cut-	Off Mach	ines															
TS 410		66.7/4.07	3.2/4.4	_	20.7	24.0	9,000	5,350	0.79	12.0	3.9	0	•	•	•	-	•	<b>(a)</b>
TS 420		66.7/4.07	3.2/4.4	_	21.2	24.0	9,000	5,350	0.79	14.0	4.9	0	•	•	•	_	•	
TS 440		66.7/4.07	3.2/4.4	-	24.7	24.0	9,000	2,525	0.79	14.0	4.9	0	•	•	•	_	•	<b>(4)</b>
TS 500i		72.2/4.41	3.9/5.2	_	22.5	24.5	9,000	5,350	0.79	14.0	4.9	•	•	_	•	•	•	<b>(a)</b>
TS 700		98.5/6.0	5.0/6.7	-	25.6	40.6	9,300	5,350	0.79	14.0	4.9	•	•	•	•	-	•	-
TS 800		98.5/6.0	5.0/6.7	-	28.0	40.6	9,300	4,600	0.79	16.0	5.6	•	•	•	•	_	•	_
TSA 230	AP	-	-	36	8.6	-	-	-	0.875	9.0	2.75	-	-	-	•	-	-	<b>a</b>

<sup>●</sup> Standard ○ Optional − Not Applicable

**Note:** Specifications are as of Oct. 1, 2020. For most recent updates, visit **STIHLusa.com**. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.

# STIHL Cutquik® CART

Specially designed for matched cutting performance with the TS 410, TS 420, TS 500i, TS 700 and TS 800. This cart offers improved handling and cutting performance and features forward-weight orientation.



# TS WHEEL KIT

Provides easier operation for certain applications. Not available for TSA 230.



# PRESSURIZED WATER TANK

Provides water flow for wet cutting when pressurized hose is not available.

#### IMPORTANT INFORMATION

**WARNING:** Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using these products.



**REAL STIHL. FIND YOURS.** 

See your STIHL Dealer for more information.

NOTE: The base cart can be used with all current TS models (except TS 440) with use of different mounting kits. Base cart requires assembly and mounting kit must be purchased separately. Photo shows cart with optional equipment.

<sup>\*</sup>Dry weight and includes water attachment and guard.

(TS 440 only)

Metal Wet (TSA 230 only) Applie





#### **D-A ASPHALT WHEELS**

- · Available in three grades
- Available in 12", 14" and 16" (20 mm arbor)
- · Includes undercut protection



#### **D-B CONCRETE WHEELS**

- · Available in three grades
- Available in 9" (7/8" arbor)
- Available in 12", 14" and 16" (20 mm arbor)



#### **D-BA CONCRETE/ ASPHALT WHEELS**

• Available in 12", 14" and 16" (20 mm arbor)



#### **D-SB HARD STONE/ CONCRETE WHEELS**

• Available in 14" and 16" (20 mm arbor)



#### D-X HARD STONE/ **CONCRETE WHEELS**

- · Available in 9" (7/8" arbor)
- · Features diamonds precisely aligned in the bond matrix for fast cutting speed and longer life.
- Available in 12" and 14" (20mm arbor)



#### **D-G WHEELS**

- Available in 14" (20 mm arbor)
- Designed for cutting ductile iron
- For use with TS 420, TS 440, TS 500i and TS 700

Hard Stone,

	Materials	Asphalt (A)			Concrete Asphalt (BA)	Concrete (B)			Ductile Iron (G)	Concrete/ Ductile Iron (SB)	Hard Stone/ Concrete (X)
	Wheel Grade	A 5	A 20	A 80	BA 80	B 10	B 20	B 80	G 80	SB 80	X 100
	Cutting Rate*										
	Wheel Lifetime*										
Soft	Asphalt	•	•	•	•	0	0	0	0	0	0
Š	Green Concrete	•	•	•	•	0	0	0	0	0	0
V	Sandstone, Limestone & Slate	•	•	•	•	0	0	0	0	0	0
S	Cinder Block & Pavers	0	0	0	•	•	•	•	0	•	•
ţi	Concrete	0	0	0	•	•	•	•	0	•	•
Applications	Reinforced Concrete	0	0	0	•	•	•	•	0	•	•
Αpp	Heavily Reinforced Concrete	0	0	0	0	0	•	•	0	•	•
Ţ	Granite & Natural Stone	0	0	0	0	0	0	0	0	•	•
	Ductile Iron	0	0	0	•**	0	0	0	•	•**	0
Hard	Structural Steel ≤ 10 mm (0.4") thick	0	0	0	0	0	0	0	0	•**	0

<sup>●</sup> Approved ○ Not approved.

**WARNING!** Never use carbide-tipped, wood cutting or circular saw blades on cut-off machines. They can cause severe personal injury from reactive forces, blade contact or thrown objects. **Never cut wood of any type!** 



#### **K-BA MASONRY**

- Available in 14"
- 20 mm



#### **K-DG ASPHALT** AND DUCTILE **IRON**

- Available in 12", 14" or 16"
- 20 mm



#### K-ME METAL

- Three different wheels available in 12". 14" and 16" wheels with 20 mm or 1" arbor (TS 410, 420, 500i, 700 and 800 only).
- 9" wheel with 7/8" arbor (TSA 230 only)



# K-ME METAL (TS 440 only)


• Available in 14"

\*Compared to other STIHL wheels with a rating of 1 to 5.

- 20 mm or 1" arbor
- Designed for TS 440 only

Cutting Rate\* Wheel Lifetime\* 9" - TSA 230 6,650 12" - TS 410 6,400 6,400 14" - TS 420, 500i, 700 5,500 5,500 5,500 5,500 14" - TS 440 3,450 16" - TS 800 4,800 4,800 Asphalt 0 • 0 0 0 Cinder Block 0 0 0 0 0 0 0 0  $\circ$ 0 0 Masonry 0 0 0 0 Concrete Slab 0 0  $\circ$  $\circ$ Concrete 0 0 0 0 Non-Ferrous Material 0 Rebai  $\bigcirc$  $\bigcirc$ 0 0 0 **Ductile Iron** Structural Steel  $\circ$ • 0 0 0 0 0 Stainless Steel Approved O Not approved.

NOTE: The K-ME metal wheel (14" - 20 mm) is for use with the TS 440 only. Do not use the K-ME metal wheel (14" - 20 mm) on other cutting machinery.



**K-BA WET** 


**CUTTING** 

Available in 14"

20 mm or 1" arbor



<sup>\*</sup>Compared to other STIHL wheels with a rating of 1 to 6. \*\*Approved with restrictions, not for permanent use in this material.





## **GS 461 STIHL ROCK BOSS®**

The first of its kind from STIHL, the GS 461 is a powerful concrete cutter designed for deep cutting and square corners perfect for construction and renovation projects.



#### **RUBBER BUMPER**

Rubber bumper in the front of the engine housing helps protect the unit in the cut.



#### **HD2 FILTER SYSTEM**

Long-life, heavy-duty (HD2), pleated air filter and a secondary filter that are easy to get on and off.



## **HOSE NOZZLE**

Quick-connect hose nozzle allows quick access to water hose.



#### **DECOMPRESSION** VALVE

Helps reduce the effort needed to pull the starter rope.



CONCRETE CUTTER **GS 461 STIHL ROCK BOSS®** 

#### **UPRIGHT FILLER CAP**

Designed for upright fueling. Keeps dust out.



# **36 GBM - GENERAL PURPOSE DIAMOND ABRASIVE CHAIN**

Diamond abrasive chain made exclusively for the GS 461 STIHL ROCK BOSS® and STIHL ROLLOMATIC® guide bar.

## **36 GGM - GENERAL PURPOSE DUCTILE IRON CHAIN**

Diamond abrasive chain made exclusively for the GS 461 STIHL ROCK BOSS® for use with 16" STIHL ROLLOMATIC® guide bar for the cutting of ductile cast iron pipes.



4.3/5.8 16.8

26.4

• Standard Optional - Not Applicable \*Dry weight and powerhead only. \*\*The actual listed guide bar length can vary from the effective cutting length.

76.5/4.67

Note: Specifications are as of Oct. 1, 2020. For most recent updates, visit STIHLusa.com. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.





# **RECOMMENDED PPE FOR BLOWERS**







PROTECTIVE **GLOVES** 



HEARING **PROTECTION** 

# **RECOMMENDED PPE** FOR CHAIN SAWS



CHAIN SAW **PROTECTIVE** HELMET SYSTEM



**PROTECTIVE** GLASSES



PROTECTIVE **GLOVES** 



**CHAIN SAW** PROTECTIVE CHAPS

# **RECOMMENDED PPE FOR TRIMMERS**



**PROTECTIVE** GLASSES



PROTECTIVE **GLOVES** 



HEARING **PROTECTION** 



**BRUSH SHIELD\*\*** \*\*Required with professional applications.

\*Always remember to read and follow your product's instruction manual for full details.

# **CHAIN SAW PROTECTIVE APPAREL**

- From lightweight open-back apron chaps to winter protective pants, we offer a complete line of chain saw protective apparel.
- Our chaps are made with multiple layers of Avertic® Pro by Engtex®, a cut-retardant material designed to clog up the sprocket to stop the chain on a gasoline-powered chain saw.





**FUNCTION ZIP CHAPS** 

Full wrap-around, lightweight protective chaps.



**FUNCTION APRON CHAPS** 

Protective, open chaps made from rugged, 400-denier nylon.



**FUNCTION DENIM PROTECTIVE PANTS** 

Protective work pants in dark navy.

## WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most corded-electric chain saws and some batterypowered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn when operating these types of chain saws.



**DYNAMIC ZIP CHAPS** 

All-weather, full wrap-around chaps with heavy-duty zippers along the inseam for quick on and off.



**DYNAMIC WINTER PROTECTIVE PANTS** 

Insulated protective pants designed for use in cold climates.



**DYNAMIC PROTECTIVE PANTS** 

Pants feature nylon/spandex outer shell for stretch and durability. Designed for loggers and users on the ground.



**DYNAMIC HI-VIS APRON CHAPS** 

High-visibility chaps specially designed for work by emergency service personnel, tree service personnel and municipalities.



DYNAMIC **APRON CHAPS** 

Apron-style chaps featuring full Avertic® Pro by Engtex® cut-retardant material.



# **DYNAMIC WRAP CHAPS**

Rugged wrap chaps feature an adjustable waistband, additional protection around the lower leg, and a cargo pocket for additional storage.

All STIHL chain saw leg protection meets or exceeds OSHA Regulation 1910.266 for Personal Protective Equipment for chain saw operators.

NOTE: Chaps are measured by overall length from the waist down. All chaps have a tough outer shell of oil/water-resistant nylon treated with rain/stain repellent.

188

**DYNAMIC BIB CHAPS** 

Open back apron chap design, featuring a bib with multiple pockets.



**SKIDDER BIB CHAPS** 

Ideal for those working with skidders and other heavy-duty logging equipment.



Pro Mark™ **APRON CHAPS** 

Open back design, featuring reinforced knees, reflective accents, and pockets to keep things close. Available in orange or navy.



Pro Mark™ **WRAP CHAPS** 

Orange chaps that extend fully around the lower leg for extra protection, and feature reflective accents.



Pro Mark™ **HI-VIS ZIP CHAPS** 

High-visibility chaps specially designed for work by emergency service personnel, tree service members and municipalities.



Pro Mark™ **CUT-RETARDANT SHIRT** 

Made of high-visibility polyester and features a mesh body with vented back to allow better air circulation.



**DYNAMIC PROTECTIVE MITTS** 

Mitts feature water-resistant nylon backs, goatskin palms and a separate index finger for chain saw throttle operation.



Pro Mark™ **DYNAMIC GLOVES** 

Cut-retardant gloves made with Velcro wrist closure, full-grain tanned leather palms and inner fingers provide better grip.



# **APPAREL ACCESSORIES**

- Replacement Waist Buckle for Chaps - 1.5"
- Replacement Leg Buckle for Chaps - 1"
- Waist Extender for Chaps 12"



# DYNAMIC **FORESTRY BOOTS**

High-quality, cut-resistant work boots with arch support and climate system for air circulation.

See chart on page 198 for available sizes.



Pro Mark™ **CHAIN SAW BOOTS** 

High-quality, water-resistant boots with chain saw protective materials and removable orthopedic insoles.



#### Pro Mark™ Protective Apparel

is best paired with Professional STIHL products. This line of personal protective apparel is designed for professional users during daily or frequent work.

#### **Dynamic Protective Apparel**

is designed for paired use with Farm & Ranch STIHL products. This line of PPE is ideal for users focusing on both personal and work-related tasks.

### **Function Protective Apparel**

is ideal for paired use with any of your Homeowner STIHL products. While designed for the occasional user, it still meets and exceeds the standards required for PPE.

#### **ADVANCE Protective Apparel**

is designed for paired use with Professional and/or Arborist STIHL products. This line of personal protective apparel is designed for professional users during daily or frequent work.

#### IMPORTANT INFORMATION

WARNING: These garments contain pads of cut-retardant material designed to reduce the risk or severity of injury to the body parts covered by the pads in the event of contact with the rotating chain. The fibers in the pads provide extra layers of material and are designed to rip apart when they come into contact with the moving chain and to clog the sprocket and stop the chain. In some contacts, the pads may stop the chain. In other contacts, the pads will resist the cutting process only for a fraction of a second. The actual degree of protection afforded will vary with the speed of the chain and the time of contact, the power and torque of the saw, the design of the chain saw sprocket, and similar factors. Follow the washing instructions. Improper care may destroy cut-retardant properties of the material.

#### WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most corded-electric chain saws and some battery-powered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn when operating these types of chain saws.

# NON-PROTECTIVE WORK APPAREL & ACCESSORIES

 Designed to keep you visible and comfortable while on the job, our work apparel includes features like easy-fitting styles, high-visibility reflective properties, temperature-regulating materials, and convenient pockets to store the extras.





## **FUNCTION WORK SHIRT**

Comfortable work shirt made from a twill-weave fabric for durability and natural resistance against wind, water and wrinkles. Available in orange and orange/denim.



# REFLECTIVE SAFETY VEST

Reflective Safety Vest meets the standard for use along roadways and other high-traffic areas.





### **FUNCTION WINTER SHIRT**

Water-resistant nylon shirt with a layer of breathable Thinsulate® that retains body heat while allowing water vapor to escape.



# FORESTRY TOOL VEST

Forestry Tool Vest distributes weight evenly across shoulders and includes multiple pockets for easy access.



#### **SHOP APRON**

Apron hides grease and grime, and features pockets on the chest and the pouch for easily accessible storage.



**CHAPRON** 

Chapron is made from a tough, nylon outer shell and designed for trimmer and brushcutter users.

# PROTECTIVE HEAD & EAR GEAR

 Quality hearing protection from STIHL is designed to match the level of protection required for the job with Noise Reduction Ratings of 21, 23, 25, or 29.





BASIC HEARING PROTECTOR



COTTON CANDY HEARING PROTECTOR



ORANGE HEARING PROTECTOR



CAMO HEARING PROTECTOR



Pro Mark™ HEARING PROTECTOR



DYNAMIC BT HEARING PROTECTOR



FOAM AND CORDED EAR PLUGS



STIHL DUFFEL BAG



FUNCTION-BASIC HELMET SYSTEM

Comfortable helmet system with a six-point mount suspension and vented shell that provides cooling air during use.



ARBORIST HELMET

Lightweight helmet designed specifically for arborists and features an ABS thermoplastic outer shell.



CONSTRUCTION HARD HAT SYSTEM

Durable hard hat with an ABS thermoplastic outer shell and a clear PETG full-face shield.



FORESTRY HELMET SYSTEM

Hard-shell helmet system features a Cool Guard sweatband, built-in rain gutter and adjustable hearing protectors.



ADVANCE X-VENT HELMET SYSTEM

Advanced technology helmet system with a six-point suspension headband and large face shield.



BRUSH SHIELD PROTECTOR

Developed for users of clearing saws, trimmers and brushcutters, the shield offers face and hearing protection in a lightweight package.



Pro Mark™ HELMET SYSTEM

Quality helmet system with premium features, including a vented helmet shell and six-point, ratchet-style suspension to absorb shock.



# NEW ADVANCE X-VENT BLUETOOTH® HELMET SYSTEM

Allows users to make phone calls or stream their choice of sound entertainment without ever needing to remove hearing protection.



# PERSONAL PROTECTIVE EQUIPMENT KIT

Packed into an easy-to-store STIHL duffle bag, this money-saving kit includes everything needed to help you safely get to work. Each kit includes a Function Basic Helmet, Black 6-ply Chaps, Protective Glasses, Work Gloves, and Duffel Bag with STIHL logo.

NOTE: Goggles or protective glasses meeting ANSI Standard Z87.1 must be worn under face screen and shield for primary eye protection.

# **PROTECTION**

- Featuring diverse frame designs and color, our glasses offer 99% UV protection and are made from optical-grade polycarbonate for impact resistance.
- All STIHL protective glasses meet the ANSI Z87.1 standard.





**BLACK WIDOW GLASSES** 

Lens: Indoor/Outdoor Mirror, Smoke Mirror



**BLUE MIRROR GLASSES** 

Frame: Blue, Red



**COTTON CANDY GLASSES** 

Lens: Smoke, Clear



PATTERNED FRAME **GLASSES** 

Lens: Smoke, Green Mirror, Silver Mirror



**ULTRA LIGHT GLASSES** 

Lens: Smoke



**GRIDIRON GLASSES** 

Lens: Silver Mirror, Clear, Smoke



STIHL TIMBERSPORTS® **SERIES GLASSES** 

Lens: Smoke Mirror



**ULTRA FLEX GLASSES** 

Brown Frame - Lens: Brown; Black Frame - Lens: Smoke, Blue Mirror



TWO-TONE WORK **GLASSES** 

Lens: Smoke, Silver Mirror



**TWO-TONE SPORT GLASSES** 

Lens: Smoke, Silver Mirror



**HUNTER'S CAMO GLASSES** 

Lens: Gold Mirror



GLASSES Lens: Blue Mirror, Smoke



**DEPUTY GLASSES** 

CAMO

Yellow

**GLASSES** 

Lens: Blue Mirror, Smoke, Brown Mirror



DEPUTY II GLASSES

Forest Grey



Lens: Bronze, Smoke,



**SLEEK LINE GLASSES** 

Lens: Orange, Smoke, Mirror, Yellow



**GLASSES** 

Lens: Blue Mirror, Silver Mirror



**SLEEK LINE II GLASSES** 

Lens: Smoke, Blue Mirror



**HELLFIRE GLASSES** 

Lens: Gold Mirror, Silver Mirror, Smoke



Lens: Blue Mirror, Smoke

HELLRAISER™ GLASSES

STIHL



WHITE ICE **GLASSES** 

Lens: Blue Mirror, Orange Mirror, Silver Mirror



**ADJUSTABLE GOGGLES** 

Lens: Smoke



**BLACK WORK** GLASSES

Lens: Blue Mirror, Grey, Silver Mirror



Pro Mark<sup>™</sup> GOGGLES

Lens: Smoke, Clear



# **GLOVES**

• For heavy-duty use on worksites or just working in the yard, STIHL has work gloves for almost every outdoor task.





VALUE WORK GLOVES M-L-XL



GREAT GRIP GLOVES M-L-XL



COTTON CANDY GLOVES S-M



HEAVY-DUTY WORK GLOVES M-L-XL



**VALUE PRO GLOVES** M-L-XL



GENERAL PURPOSE GLOVES M-L-XL



**WORK GLOVES** One Size Fits Most



STIHL HOMESCAPER SERIES™ GLOVES S-M-L-XL



HUNTER'S CAMO GLOVES L-XL



LANDSCAPER SERIES GLOVES S-M-L-XL



MECHANIC STYLE GLOVES M-L-XL



MESHBACK GLOVES M-L-XL



HIGH PERFORMANCE PRO GLOVES M-L-XL



ANTI-VIBRATION GLOVES L-XL



STIHL TIMBERSPORTS® SERIES GLOVES M-L-XL



PROSCAPER SERIES GLOVES M-L-XL



OUTDOOR PRO GLOVES M-L-XL





198 STIHLUSA.COM

PROTECTIVE APPAREL & ACCESSORIES 199

Second   S											
Description	CHAIN SA	AW P	ROTECT	VE APPAREL	Small	Medium	Large	X-Large	XX-Large	XXX-Large	XXXX-Large
The Standard Standa					0000 886 1100	0000 886 1101	0000 886 1102	0000 886 1103			
Committee   Comm	Pro Mark™ '	"Dynan	nic" Protec	tive Gloves	7010 883 1500	7010 883 1501	7010 883 1502	7010 883 1504	7010 883 1504		
Section   Color   Co	Pro Mark™ (	Cut-Re	tardant Shi	irt	0000 886 3516	0000 886 3517	0000 886 3518	0000 886 3519	0000 886 3520	0000 886 3521	7010 886 3522
Committee   Comm	Dynamic Wi	inter Pr	rotective Pa	ants – 6 layer	0797 901 0001	0797 901 0002	0797 901 0003	0797 901 0004			
Description					32" Length	' 36" Length	' 38" Length	40" Length	44" Length	Medium	Large
Committed   Comm					0000 886 3201	0000 886 3202		0000 886 3203	0000 886 3206		
				•					0000 000 0200		
			•	,			0463 092 1101				
		•	-	•	7010 884 0827	7010 884 0828		7010 884 0829	7010 884 0830		
The Mark** April Chaps   Very 2   Very 2   Voto 886 680   Voto 81707   Voto 886 680   Vot	Ovnamic Zip	p Chaps	s / Orange -	- 6 laver							
Trans   Tran			-	,							
Total Assamption   Processing											
To Mark" Wrap Chaps / Orange - Slayer		•	•		7010 884 0819	7010 884 0820		7010 884 0821	7010 884 0822		
Middle Bib Chap / Orange - 6 layer	ro Mark™ I	Hi-Vis Z	Zip Chaps -	9 layer	7010 884 0819	7010 884 0820		7010 884 0821	7010 884 0822		
Table   Tabl	ro Mark™ \	Wrap C	haps / Ora	nge – 9 layer		0000 886 3907		7010 886 3900			
The color   The	kidder Bib	Chap /	Orange - 6	layer	0797 901 0012	0797 901 0013					
	unction Ap	pron Ch	aps / Black	- 6 layer	7010 884 0800	0797 333 9200					
## STHL Dynamic Forestry Both Holum   STHL Dynamic Forestry Both Holum   STHL Dynamic Forestry Both Holum   Wide   STHL Dynamic Forestry Both Holum   Wide Forestry Both Holum   Wide Forestry Both Holum   Wide Forestry Both Holum   Wide Forestry Both Hollman   Wide Forestry Both Hol	Function Zip	p Chap	s / Black - 6	layer	7010 884 0823	7010 884 0824		7010 884 0825	7010 884 0826		
Bigs.   Cycyle   Denim   Wide	Dynamic Wr	rap Cha	aps / Orang	e - 6 layer		0000 886 3204		0000 886 3205			
Billock   Copyolar   Denim   Wide   Charles   Section   Wide   Wide   Wide   Wide   Charles   Wide					ı	1		ı	CTILII D MJ.M	STILL D	. Fanadan . Band
\$30"-32" 30" 7010 885 6100 7010 885 6116 7010 885 6101 701					Coyote	Denim			Chain Saw Boot		
30 - 32"   32"   7010 885 6101   7010 885 6117   7010 885 6101   7   7   0   0   0   0   0   0   0   0								AW PROTECTIV			
30°-32"   34"   7010 885 6102   7010 885 618   7010 886 612   7010 885 618   7010 885 3814											
8 0000 885 3840 7010 885 3816 7010 885 3816 7010 885 3816 7010 885 3816 7010 885 3816 85 3816 381 3816 3818 3818 3818 3818 3818											
3.4"-3.6"   30"   7010 885 6104   7010 885 6105   7010 885 6104   7010 885 6104   9   0000 885 3841   7010 885 3819   7010 885 3819   34" - 35"   32"   7010 885 6105   7010 885 6122   7010 888 6105   9   0000 885 3843   7010 885 3820   7010 885 3821   7010 885 3820   7010 885 3821   7010 885 3820   7010 885 3823   35" - 40"   30"   7010 885 6108   7010 885 6124   7010 885 6105											
4 34"-36" 32"   7010 885 6105   7010 885 6121   7010 885 6105   9   0000 885 3842   7010 885 3820   7010 885											
4 34" - 36"   34"   7010 885 6104   7010 885 6102   7010 885 6104   7010 885 6107   7010 885											
A 34"-36"   36"   7010 885 6107   7010 885 6127   7010 885 6124   7010 885 6128   7010 885 6138   7010 885 6					7010 885 6121						
38" - 40"   30"   7010 885 6108   7010 885 6124   7010 885 6125   7010 885 6											
11											
1.5   38"-40" 36"   7010 885 6130   7010 885 6127   7010 888 6112   7010 885 6127   7010 885 6127   7010 885 6127   7010 885 6127   7010 885 6128   7010 885 6128   7010 885 6128   7010 885 6128   7010 885 6128   7010 885 6128   7010 885 6129   7010 885 6129   7010 885 6129   7010 885 613   12   0000 885 3844   7010 885 3835   7010 885 3835   7010 885 3835   7010 885 3835   7010 885 3835   7010 885 3835   7010 885 6138   7010											
12											
12.5											
13											
13.5   0000 885 3847   7010 885 6138   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 6130   7010 885 8384   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3848   7010 885 3849   7010 885 3848   7010 885 3848   7010 885 3849   7010 885 3848   7010 885 3849   7010											
ACCESSORIES											
Part Number											
ACCESSORIES  First Aid Kit Belt Pouch 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0110 7010 884 0200 7010 887 0110 7010 884 0200 7010 884 0200 7010 885 0800 7010	(L 42 -	- 44	30	7010 885 6115	7010 883 6131	1		I		1	
First Aid Kit Belt Pouch   7010 884 2601   7010 884 2601   7010 884 2600   7010 884 2600   7010 884 2600   7010 885 8801   7010 885 8800	JEAD/EA	CE DE	POTECTI	ON		Part Number	ACCESSO	DIFS			Part Number
Tool Mark™ Helmet System   7010 871 0199   First Aid Kit Refill   7010 884 2602						7010 884 0110					7010 884 2601
Construction   Basic Helmet System	NEW! ADVA	ANCE X	- VENT Blue	etooth® Helmet Syste	m	7010 888 0801	First Aid Kit	Pouch and Refill			7010 884 2600
Corestry Helmet System   0000 886 0100   Lawn Mower Bag - Personalized   0797 010 1901	Pro Mark™ ŀ	Helmet	t System			7010 871 0199	First Aid Kit	t Refill			7010 884 2602
Arborist Helmet   7010 883 9100   Leg Buckle for Chaps 1" - Replacement   0000 886 5802	unction-Ba	asic He	lmet Syster	n		7010 888 0800	Lawn Mowe	r Bag			0797 010 1900
Construction Hard Hat System   0000 884 0175   0000 886 0210   Waist Buckle for Chaps 1.5" - Replacement   0000 886 5802   0000 886 5802   0000 886 0210   0000 886 5802	orestry He	elmet S	ystem			0000 886 0100	Lawn Mowe	r Bag – Personalized			0797 010 1901
Strush Shield Protector   0000 886 0210   Waist Extender for Chaps 12"   0000 886 5901	Arborist Hel	elmet				7010 883 9100	Leg Buckle	for Chaps 1" - Replac	ement		0000 886 5803
Medium   M	Constructio	on Hard	l Hat Syster	n		0000 884 0175	Waist Buckl	e for Chaps 1.5" - Re	placement		0000 886 5802
Description         Control S84 0503         Small         Medium         Large           Control Candy Hearing Protector         7010 884 0507         DUFFEL BAGS           Oppromise BT Hearing Protector         0000 884 0519         STIHL Duffel Bag         0463 901 0418         0463 901 0420         0464 091 0500           Orange Hearing Protector         0000 886 0402         Personalized STIHL Duffel Bag         0463 901 0417         0463 901 0419         0000 886 1700           Personalized STIHL Duffel Bag         0463 901 0417         0463 901 0419         0000 886 1700	Brush Shield	d Prote	ctor			0000 886 0210	Waist Exter	nder for Chaps 12"			0000 886 5901
Camouflage Hearing Protector         0000 884 0513         Small         Medium         Large           Cotton Candy Hearing Protector         7010 884 0507         DUFFEL BAGS           Oynamic BT Hearing Protector         0000 884 0519         STIHL Duffel Bag         0463 901 0418         0463 901 0420         0464 091 0500           Orange Hearing Protector         0000 886 0402         Personalized STIHL Duffel Bag         0463 901 0417         0463 901 0419         0000 886 1700           Personalized STIHL Duffel Bag         0463 901 0417         0463 901 0419         0000 886 1700							Wedge and	Tool Pouch			0000 886 1600
Cotton Candy Hearing Protector         7010 884 0507         DUFFEL BAGS           Dynamic BT Hearing Protector         0000 884 0519         STIHL Duffel Bag         0463 901 0418         0463 901 0420         0464 091 0500           Orange Hearing Protector         0000 886 0402         Personalized STIHL Duffel Bag         0463 901 0417         0463 901 0419         0000 886 1700           Pro Mark™ Hearing Protector - HP 29         7010 884 0502         7010 884 0401         0463 901 0417         0463 901 0419         0000 886 1700		-									
Oynamic BT Hearing Protector         0000 884 0519         STIHL Duffel Bag         0463 901 0418         0463 901 0420         0464 091 0500           Orange Hearing Protector         0000 886 0402         Personalized STIHL Duffel Bag         0463 901 0417         0463 901 0419         0000 886 1700           Oro Mark™ Hearing Protector - HP 29         7010 884 0502         7010 884 0401         7010 884 0401         7010 884 0401	_		-						Small	Medium	Large
Orange Hearing Protector         0000 886 0402         Personalized STIHL Duffel Bag         0463 901 0417         0463 901 0419         0000 886 1700           Pro Mark™ Hearing Protector - HP 29         7010 884 0502         7010 884 0401         7			_						0.467.003.0.430	0.447.001.0.400	0.46.4.001.050.0
Pro Mark™ Hearing Protector - HP 29 7010 884 0502  NRR 27 Reusable Ear Plugs 7010 884 0401	Dynamic BT		•	r				_			
NRR 27 Reusable Ear Plugs 7010 884 0401	•		rotector			0000 886 0402	Personalize	u 3 i iπL Duπel Bag	0403 901 041/	0403 901 0419	UUUU 886 1/UU
-	_										
	Pro Mark™ I	Hearing	-	- HP 29							

Outdoor	Grey/Smoke	Yellow/Clear	Brown/Coffee	Orang Orang	e Mirror	Green Mi	or rror	Smoke Mirro	Red Mirro Brown M		Sun Mirror/ Gold Mirror
7010 884 0307								7010 994 0	xO1		
7010 664 0307	7010 00 4 0770					7010.00	4 0770				
								7010 884 03		4.0771	
	7010 884 0372								7010 88	4 03/1	
						7010 882	4 0384				
		7010 884 0374									
						7010 884	4 0375			4 0377	
	7010 884 0396										
						7010 884	4 0388				
	7010 884 0356	7010 884 0355						7010 884 03	357		
	7010 884 0351							7010 884 03	352		7010 884 03
											7010 884 03
	7010 884 0381					7010 884	4 0382	7010 884 03	383		
	7010 884 0325	7010 884 0333		7010	884 0324			7010 884 03	326		
	7010 884 0393					7010 884	4 0392				
	7010 884 0353					7010 884	4 0354				
								7010 884 0	316		
	7010 884 0369							7010 884 03	568		
	7010 884 0386							7010 884 03	387		
	7010 884 0331		7010 884 0330			7010 884	4 0332				
	7010 884 0391										
	7010 884 0398					7010 884	40397				
				7010	884 0367	7010 884	4 0366	7010 884 03	365		
	7010 884 0363	7010 884 0362									
	7010 884 0325					7010 884	4 0375		7010 88	4 0377	
	7010 884 0315	7010 884 0315							*Comes v	vith two	arev and two c
					7010 88	34 1152	7010	884 1153	7010 884 112	28	7010 884 112
							7010	884 1146	7010 884 114	17	7010 884 114
							7010	884 1116	7010 884 11	17	7010 884 1118
							7010	884 1110	7010 884 11	11	7010 884 1112
							7010	883 8500	7010 883 85	01	7010 883 850
									7010 883 116	52	7010 883 116
					7010 8	84 1120	0000	886 1104	0000 886 11	05	0000 886 110
							7010	884 1157	7010 884 116	50	7010 884 116
							7010	884 1149	7010 884 115	50	7010 884 115
							7010	884 1100	7010 884 110	01	7010 884 110
									7010 884 115	58	7010 884 1159
s					7010 8	84 1136	7010	884 1103	7010 884 110	04	7010 884 110
							7010	884 1140	7010 884 11	41	7010 884 114
oves							7010	884 1133	7010 884 113	34	7010 884 113
							7010	884 1137	7010 884 113	38	7010 884 113
							7010	884 1154	7010 884 115	55	7010 884 115
									7010 884 112	26	
OTECTIVE APPAREL		Small	Small		Medium		arge .	X-Large		XX-Large	
3 -							070	110,0000			
									070		0707 :
					7010 884 0400						0797 333 900
					/010 88	34 0600			/010 884 06	02	7010 884 060
								886 3200			
				OHE	0707.3	33 9116	079	7 333 9117	0797 333 91	18	0797 333 911
			0797 333								
			0797 333 0797 333			33 9106		333 9107	0797 333 91		0797 333 910
	oves	7010 884 0379 7010 884 0372  7010 884 0372  7010 884 0373 7010 884 0376  7010 884 0356 7010 884 0351  7010 884 0353  7010 884 0353  7010 884 0369 7010 884 0391 7010 884 0391 7010 884 0398  7010 884 0391 7010 884 0395  7010 884 0391 7010 884 0395  7010 884 0315	7010 884 0379 7010 884 0372  7010 884 0373 7010 884 0374 7010 884 0376 7010 884 0396  7010 884 0356 7010 884 0351  7010 884 0351  7010 884 0351  7010 884 0325 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0386 7010 884 0391 7010 884 0398  7010 884 0355 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315	7010 884 0379 7010 884 0372 7010 884 0373 7010 884 0374 7010 884 0376 7010 884 0376 7010 884 0380 7010 884 0351 7010 884 0351 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0366 7010 884 0386 7010 884 0381 7010 884 0386 7010 884 0389 7010 884 0381 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315	7010 884 0379 7010 884 0372 7010 884 0373 7010 884 0373 7010 884 0376 7010 884 0386 7010 884 0381 7010 884 0381 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0369 7010 884 0369 7010 884 0369 7010 884 0369 7010 884 0371 7010 884 0381 7010 884 0381 7010 884 0383 7010 884 0385 7010 884 0381 7010 884 0385 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0385 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315 7010 884 0315	7010 884 0379 7010 884 0372 7010 884 0373 7010 884 0373 7010 884 0373 7010 884 0375 7010 884 0376 7010 884 0366 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0356 7010 884 0357 7010 884 0358 7010 884 0359 7010 884 0359 7010 884 0359 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0356 7010 884 0357 7010 884 0358 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0362 7010 884 0355 7010 884 0355 7010 884 0362 7010 884 0355 7010 884 0362 7010 884 0362 7010 884 0362 7010 884 0365	7010 884 0379 7010 884 0372 7010 884 0372 7010 884 0373 7010 884 0373 7010 884 0374 7010 884 0375 7010 884 0376 7010 884 0356 7010 884 0351 7010 884 0351 7010 884 0355 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0355	7010 884 0379 7010 884 0370 7010 884 0370 7010 884 0371 7010 884 0374 7010 884 0375 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0355 7010 884 0351 7010 884 0355 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0353 7010 884 0354 7010 884 0355 7010 884 0357	7010 884 0379 7010 884 0372 7010 884 0372 7010 884 0373 7010 884 0374 7010 884 0375 7010 884 0375 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0381 7010 884 0381 7010 884 0381 7010 884 0383 7010 884 0383 7010 884 0383 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0385 7010 884 0386 7010 884 0386 7010 884 0386 7010 884 0386 7010 884 0386 7010 884 0386 7010 884 0387 7010 884 0387 7010 884 0386 7010 884 0386 7010 884 0387	7010 884 0379 7010 884 0377 7010 884 0375 7010 884 0375 7010 884 0375 7010 884 0375 7010 884 0375 7010 884 0375 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0376 7010 884 0381 7010 884 0382 7010 884 0382 7010 884 0383 7010 884 0383 7010 884 0383 7010 884 0383 7010 884 0383 7010 884 0383 7010 884 0383 7010 884 0385 70	7010 884 0379

Personal Protective Equipment Kit





STIHL TIMBERSPORTS® — known as The Original Extreme Sport — began in 1985 and features the world's top lumberjack sports athletes. The sport is seen by more than 20 million viewers annually in more than 62 countries around the world on networks like CBS, CBS Sports, Eurosport, and more.

Learn more at STIHLTIMBERSPORTS.COM.



# INDEPENDENT WE STAND

POWERED BY **571HL** 

#### INDEPENDENT WE STAND

STIHL Inc. is proud to be a founding sponsor of Independent We Stand, an organization that promotes independently owned business and touts the benefits of "buying local." Since 1974, STIHL has "walked the walk" by selling its products through a network of independent servicing dealers.

Stand up and become part of the movement today at IndependentWeStand.org.